



GCSE (9-1)

Biology A (Gateway)

Unit **J247F/01**: Foundation Tier – Paper 1

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
✓	Correct response
✗	Incorrect response
▲	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
L1	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Biology A:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question	Answer	Marks	AO element	Guidance
1	A ✓	1	1.1	
2	C ✓	1	2.1	
3	C ✓	1	1.1	
4	C ✓	1	2.2	
5	B ✓	1	2.2	
6	B ✓	1	1.1	
7	B ✓	1	2.2	
8	A ✓	1	2.1	
9	C ✓	1	2.2	
10	B ✓	1	2.2	
11	A ✓	1	1.1	
12	D ✓	1	1.2	
13	B ✓	1	2.1	
14	C ✓	1	1.1	
15	A ✓	1	1.1	


Question		Answer	Marks	AO element	Guidance
16	(a)	(i) marked correctly on diagram ✓	1	1.1	ALLOW centre of X anywhere inside the shaded area 
		(ii) aorta / arteries✓ lungs✓	2	2 x1.1	
	(b)	(i) double (circulation)✓	1	1.1	ALLOW double
		(ii) Any two from: increases the pressure of the blood / higher blood pressure✓ increases the flow rate of the blood✓ idea of faster transport of materials✓	2	2 x2.1	<p>ALLOW pushes blood more DO NOT ALLOW pushes more blood unqualified</p> <p>ALLOW to make the blood flow faster IGNORE makes blood flow fast</p> <p>ALLOW more oxygen / glucose to the tissues ALLOW keeps the blood well oxygenated / gets more oxygenated blood ALLOW faster removal of carbon dioxide from blood</p>

Question		Answer	Marks	AO element	Guidance
	(c)	left side thicker (than the right side)✓ left pumps blood further✓	2	2 x 1.1	ALLOW it's thicker / it's more muscular ALLOW left ventricle thicker than right IGNORE left is bigger ALLOW left pushes blood all around the (rest of the) body / right only pushes to lungs ALLOW left side must generate more pressure IGNORE left side contains blood at high pressure
	(d) (i)	Any two from: artery thicker walled/ ORA ✓ artery more muscle tissue/ ORA ✓ artery narrower bore/lumen/ ORA ✓	2	2 x 2.1	 ALLOW artery (more) elastic ALLOW artery has smaller area for blood to pass through
	(ii)	Any one from: veins have valves✓ arteries take blood away from the heart / veins take blood to the heart✓ blood flows faster / higher pressure in arteries / ORA ✓	1	1.1	IGNORE valves unqualified ALLOW arteries carry oxygenated / veins carry deoxygenated blood

Question		Answer	Marks	AO element	Guidance
17	(a)	(i) guard cell✓	1	1.1	IGNORE stomatal cells
		(ii) allows gaseous exchange (of CO ₂ and O ₂)✓ allows water evaporation (to help transpiration)✓	2	2 x1.1	ALLOW to release/let water out of the leaf/plant IGNORE to let water enter the leaf/plant
	(b)	(i) First check answer on answer line If answer = 1000 (x) award 2 marks $\frac{10}{0.01}$ ✓ 1000 (x) ✓	2	1.2 2.2	
		(ii) 5(µm)✓	1	2.2	ALLOW +/- 1 µm tolerance
	(c)	(i) 6H ₂ O✓ 6O ₂ ✓	2	2 x1.1	must be on correct side of equation ALLOW unbalanced/incorrectly balanced H ₂ O O ₂ for one mark
		(ii) <u>endothermic</u> ✓	1	1.1	
	(d)	(i) 30(⁰ C)✓	1	2.2	
		(ii) record at narrower temperature intervals✓ narrower intervals around the 30 ⁰ C value✓	2	2 x 3.3b	ALLOW any temperature increment less than 5 ⁰ C ALLOW narrower intervals around the optimum ALLOW narrower interval range between 25-35 ⁰ C but must include 30 ⁰ C

Question		Answer	Marks	AO element	Guidance
18	(a)	(i) mode = 0.26 (seconds) ✓	1	2.2	
	(ii)	(means are identical so) no difference between reaction time in each hand ✓ (mode shows) non-dominant hand most often faster reaction✓	2	2 x 3.2b	ALLOW they are very similar to each other ALLOW left side quicker/better to catch ruler
	(b)	include the units✓ record results in rank order✓	2	2 x 3.3b	ALLOW put seconds in headings ALLOW sort the order
	(c)	use ten left (dominant) hand students / ten right (dominant) hand students✓ opposite non-dominant hand tested for left/right handedness✓ Any one from: similar sample sizes / similar aged groups✓ compare means for each group✓	3	3 x 3.3a	ALLOW add another table where student is left handed ALLOW same reaction room ALLOW compare reaction times for each group ALLOW set amount of left/right handed people
	(d)	sight✓	1	2.2	ALLOW visual ALLOW to see when it's coming ALLOW light IGNORE eyes
	(e)	receptor✓ motor neurone✓	2	2 x 1.1	correct order needed


Question		Answer	Marks	AO element	Guidance
19	(a)	(i) cortex✓	1	1.1	
		(ii) urine✓	1	1.1	
		(iii) arrow on diagram points downwards from kidney in same line as ureter✓	1	2.1	ALLOW arrow pointing downwards even if not on ureter
	(b)	(i) Patient A = 2900 & Patient B = 2700 ✓	1	2.2	Mark answer line first but if nothing on answer line check table for correct answer
		(ii) (Patient A) total output of patient A is 2900/exceeds total input / patient B input matches output✓ patient A is losing too much water (from the kidneys)✓	2	2.1 3.2a	No marks if Patient B identified ALLOW input output is imbalanced in patient A ALLOW patient A loses more water than normal
	(c)	(i) Bowman's capsule✓	1	1.1	
		(ii) glucose present in filtrate but not in urine / more sodium chloride in filtrate than urine / urea/others levels much higher in urine ✓ glucose/sodium chloride must be reabsorbed✓ urea/others excreted in urine✓	3	2.2 2 x 3.2b	ALLOW urea/others removed from body

Question		Answer	Marks	AO element	Guidance
20	(a)	in the blood(stream)✓	1	1.1	
	(b)	brain✓ egg✓ oestrogen✓ progesterone✓	4	4 x 1.1	ALLOW estrogen
	(c) (i)	letter E marked on day 14✓	1	2.1	 21400032 tolerance area inside white box
	(ii)	lining breaks down / is shed✓	1	1.1	ALLOW menstruation / a period occurs ALLOW unthickens/thickness reduces/gets thinner/decreases
	(d)*	<p>Please refer to the marking instructions on page 5 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks)</p> <p>Applies knowledge of hormonal and one non-hormonal method of contraception.</p> <p>AND</p> <p>Interprets data to explain more than one difference in effectiveness between hormonal and non-hormonal contraceptives.</p>	6	2 x 2.1 2 x 3.1a 2 x 3.2a	AO2.1 Apply knowledge and understanding of methods of contraception. <ul style="list-style-type: none"> • Sterilisation prevents the release of sperm • Hormonal methods prevent ovulation • Diaphragm / condom prevent sperm meeting egg / are barrier methods AO3.1a Analyse information and ideas to interpret the data to explain differences between effectiveness of contraceptives.

Question		Answer	Marks	AO element	Guidance
		<p>AND Makes at least one judgement to explain why the pill is a popular method of contraception. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Any two of: Applies knowledge of hormonal and one non-hormonal method of contraception. OR Interprets data to explain one difference in effectiveness between hormonal and non-hormonal contraceptives. OR Makes at least one judgement to explain why the pill is a popular method of contraception. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Applies knowledge of at least one hormonal and one non-hormonal method of contraception. OR Interprets data to explain at least one difference in effectiveness between hormonal and non-hormonal contraceptives. OR Makes at least one judgement to explain why the pill is a popular method of contraception.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p>			<ul style="list-style-type: none"> hormonal methods more reliable than non-hormonal barrier methods due to (named) hormonal methods being easy to use/less awkward in use (named) non-hormonal barrier methods less reliable as awkward in use non-hormonal methods show more variation in reliability <p>AO3.2a Analyse information and ideas to make judgements to explain why the pill is a popular method.</p> <ul style="list-style-type: none"> pill is easier to use than the patch/injectable so preferable to the safer injection much more reliable than condom/diaphragm but easier to reverse decision than sterilisation

Question		Answer	Marks	AO element	Guidance
		0 marks <i>No response or no response worthy of credit.</i>			
21	(a)	can control temperature (easier)/ can be set to a specific / constant temperature ✓ limited fire risk✓	2	2 x 2.2	IGNORE reference to ease of measurement ALLOW less risk of burns ALLOW ORA
	(b)	for 60 ⁰ C / high temperatures: idea that (membranes break down) at 60 ⁰ C releasing more DNA / DNA is extracted easily ✓ against 60 ⁰ C / high temperatures: increased risk of DNA breaking down at 60 ⁰ C / more DNA destroyed at 60 ⁰ C / DNA not preserved at 60 ⁰ C ✓	2	2 x 2.2	 ALLOW idea that enzymes destroying DNA are denatured so less DNA destroyed Answers must make it clear which temperature they are referring to. ALLOW ORA
	(c)	wear face mask / goggles to prevent protease/ethanol/chemicals being inhaled / entering eyes✓ gloves / use tongs prevent ethanol/protease/chemicals being in contact with skin✓ turn Bunsen off as ethanol is flammable✓	2	2 x 2.2	 ALLOW use tongs as solution/ tube may be hot IGNORE reference to lab coats / glass breakages

Question		Answer	Marks	AO element	Guidance
	(d) (i)	<p>First check answer on answer line If answer = 33.1 (mg) award 2 marks</p> <p><u>99.2</u> OR 33.067 / 33.07✓ 3 = 33.1 (mg) ✓</p>	2	1.2 2.2	
	(ii)	<p>(yes because)</p> <p>idea that there is a greater mean / yield / mass produced (of DNA)✓</p> <p>there is less range/variation in results✓</p>	2	2 x 3.1b	<p>ALLOW ECF</p> <p>ALLOW examples of data from table to indicate less range/variability</p>
22	(a)	<p>pupil has dilated (in diagram B)✓</p> <p>radial muscles contracted✓</p> <p>to allow more light into the eye✓</p>	3	2.1 1.1 1.1	<p>ALLOW pupil is larger IGNORE eyes / iris dilated</p> <p>ALLOW reflex action has occurred</p>
	(b) (i)	<p>person X is short-sighted✓</p> <p>person Y is long-sighted✓</p>	2	2 x 2.1	<p>ALLOW person X is myopic / has myopia</p> <p>ALLOW person Y is hypermetropic / has hypermetropia (hyperopia)</p>
	(ii)	<p>person X concave/divergent lens and person Y convex/convergent lens✓</p> <p>idea that concave lenses diverge light rays / person X needs a lens to diverge light rays (before they enter the eye)✓</p>	3	1.1 2 x 2.1	<p>ALLOW minus powered lens ALLOW plus powered lens</p> <p>Allow diagram showing lens diverging light</p>

Question		Answer	Marks	AO element	Guidance
		idea that convex lenses converge light rays / person Y needs a lens to converge light rays (before they enter the eye)✓			 Allow diagram showing lens converging light  Must be stated which diagram refers to which lens or person.

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office: The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2018

 **Cambridge
Assessment**

