



GCSE

Chemistry A

General Certificate of Secondary Education

Unit A322/02: Modules C4, C5, C6 (Higher Tier)

Mark Scheme for June 2012

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2012

Any enquiries about publications should be addressed to:

OCR Publications
PO Box 5050
Annesley
NOTTINGHAM
NG15 0DL

Telephone: 0870 770 6622
Facsimile: 01223 552610
E-mail: publications@ocr.org.uk

Annotations

Used in the detailed Mark Scheme:

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
(1)	separates marking points
not/reject	answers which are not worthy of credit
ignore	statements which are irrelevant - applies to neutral answers
allow/accept	answers that can be accepted
(words)	words which are not essential to gain credit
<u>words</u>	underlined words must be present in answer to score a mark
ecf	error carried forward
AW/owtte	credit alternative wording / or words to that effect
ORA	or reverse argument

Available in scoris to annotate scripts:

	indicate uncertainty or ambiguity
	benefit of doubt
	contradiction
	incorrect response
	error carried forward
	draw attention to particular part of candidate's response
	draw attention to particular part of candidate's response
	draw attention to particular part of candidate's response
	no benefit of doubt
	reject
	correct response
	draw attention to particular part of candidate's response
	information omitted

Subject-specific Marking Instructions

- a. Accept any clear, unambiguous response (including mis-spellings of scientific terms if they are *phonetically* correct, but always check the guidance column for exclusions).
- b. Crossed out answers should be considered only if no other response has been made. When marking crossed out responses, accept correct answers which are clear and unambiguous.

e.g. for a one-mark question where ticks in the third and fourth boxes are required for the mark:

*This would be worth
1 mark.*

*This would be worth
0 marks.*

*This would be worth
1 mark.*

- c. The list principle:

If a list of responses greater than the number requested is given, work through the list from the beginning. Award one mark for each correct response, ignore any neutral response, and deduct one mark for any incorrect response, e.g. one which has an error of science. If the number of incorrect responses is equal to or greater than the number of correct responses, no marks are awarded. A neutral response is correct but irrelevant to the question.

d. Marking method for tick-box questions:

If there is a set of boxes, some of which should be ticked and others left empty, then judge the entire set of boxes.

If there is at least one tick, ignore crosses and other markings. If there are no ticks, accept clear, unambiguous indications, e.g. shading or crosses. Credit should be given according to the instructions given in the guidance column for the question. If more boxes are ticked than there are correct answers, then deduct one mark for each additional tick. Candidates cannot score less than zero marks.

e.g. if a question requires candidates to identify cities in England:

Edinburgh	<input type="checkbox"/>
Manchester	<input type="checkbox"/>
Paris	<input type="checkbox"/>
Southampton	<input type="checkbox"/>

the second and fourth boxes should have ticks (or other clear indication of choice) and the first and third should be blank (or have indication of choice crossed out).

Edinburgh			✓			✓	✓	✓	✓	
Manchester	✓	x	✓	✓	✓				✓	
Paris				✓	✓		✓	✓	✓	
Southampton	✓	x		✓		✓	✓		✓	
Score:	2	2	1	1	1	1	0	0	0	NR

e. For answers marked by levels of response:

- i. **Read through the whole answer from start to finish**
- ii. **Decide the level that best fits** the answer – match the quality of the answer to the closest level descriptor
- iii. **To determine the mark within the level**, consider the following:

Descriptor	Award mark
A good match to the level descriptor	The higher mark in the level
Just matches the level descriptor	The lower mark in the level

- iv. Use the **L1, L2, L3** annotations in Scoris to show your decision; do not use ticks.

Quality of Written Communication skills assessed in 6-mark extended writing questions include:

- appropriate use of correct scientific terms
- spelling, punctuation and grammar
- developing a structured, persuasive argument
- selecting and using evidence to support an argument
- considering different sides of a debate in a balanced way
- logical sequencing.

Question		Answer	Marks	Guidance																		
1	(a) (i)	<p>any three from: trends: melting points decrease down the group / table; (1) boiling points decrease down the group / table ; (1) melting point decreases/increases as boiling point decreases/increases; (1) similarities: formulae of the hydroxides; (1) melting points are all low (for metals); (1) boiling points are all low (for metals); (1) densities are all low (for metals); (1)</p>	3	<p>accept ... increase up instead of ... decrease down ... ignore references to density ignore references to similar m.p, b.p or density</p>																		
	(ii)	<p>density; sodium is too high / potassium too low ;</p>	2	<p>accept no trend in formulae (all the same) for [1] not just goes up then down as you go down the group look for evidence related to density from table for the second mark</p>																		
	(b) (i)	<table border="1"> <thead> <tr> <th></th> <th>true(✓)</th> <th>false(✓)</th> </tr> </thead> <tbody> <tr> <td>caesium is more reactive than sodium</td> <td>✓</td> <td></td> </tr> <tr> <td>caesium is a non-metal</td> <td></td> <td>✓</td> </tr> <tr> <td>an atom of caesium has one electron in its outer shell</td> <td>✓</td> <td></td> </tr> <tr> <td>caesium has fewer protons than lithium</td> <td></td> <td>✓</td> </tr> <tr> <td>caesium reacts with water to make hydrogen gas</td> <td>✓</td> <td></td> </tr> </tbody> </table>		true(✓)	false(✓)	caesium is more reactive than sodium	✓		caesium is a non-metal		✓	an atom of caesium has one electron in its outer shell	✓		caesium has fewer protons than lithium		✓	caesium reacts with water to make hydrogen gas	✓		2	<p>all correct = 2 3 or 4 correct = 1 1 or 2 correct = 0</p>
	true(✓)	false(✓)																				
caesium is more reactive than sodium	✓																					
caesium is a non-metal		✓																				
an atom of caesium has one electron in its outer shell	✓																					
caesium has fewer protons than lithium		✓																				
caesium reacts with water to make hydrogen gas	✓																					
	(ii)	CsOH	1	<p>look for correct answer with correct use of capitals and lower case (no more than half height of capital) i.e. do not allow CSOH, CsoH</p>																		
		Total	8																			

Question		Answer	Marks	Guidance
2	(a) (i)	B and E	1	both needed
	(ii)	A and C	1	both needed
	(iii)	D	1	
(b)		+1	1	look for the sign as well as the value accept 1+, 1⁺
		Total	4	

Question		Answer	Marks	Guidance															
3	(a)	<table border="0"> <tr> <td>colour</td> <td>element</td> <td>state</td> </tr> <tr> <td>grey</td> <td>chlorine</td> <td>(s)</td> </tr> <tr> <td>green</td> <td>bromine</td> <td>(l)</td> </tr> <tr> <td>red-brown</td> <td>iodine</td> <td>(aq)</td> </tr> <tr> <td>white</td> <td></td> <td>(g)</td> </tr> </table>	colour	element	state	grey	chlorine	(s)	green	bromine	(l)	red-brown	iodine	(aq)	white		(g)	2	LHS correct = 1 RHS correct = 1
colour	element	state																	
grey	chlorine	(s)																	
green	bromine	(l)																	
red-brown	iodine	(aq)																	
white		(g)																	
	(b)	$2\text{Na} + \text{Cl}_2 \rightarrow 2\text{NaCl}$	2	$\text{Na} + \text{Cl}_2 \rightarrow \text{NaCl}$ for [1] ignore state symbols															
		Total	4																

Question		Answer	Marks	Guidance										
4	(a)	<p>name</p> <table> <tr> <td>nitrogen</td> <td> relative mass 32</td> </tr> <tr> <td>oxygen</td> <td> relative mass 40</td> </tr> <tr> <td>argon</td> <td> relative mass 44</td> </tr> <tr> <td>carbon dioxide</td> <td> relative mass 28</td> </tr> </table>	nitrogen	 relative mass 32	oxygen	 relative mass 40	argon	 relative mass 44	carbon dioxide	 relative mass 28	2	<p>all four correct = 2 2 or 3 correct = 1 1 correct = 0</p>		
nitrogen	 relative mass 32													
oxygen	 relative mass 40													
argon	 relative mass 44													
carbon dioxide	 relative mass 28													
	(b)	<table> <tr> <td>All the gases in the air are elements.</td> <td><input type="checkbox"/></td> </tr> <tr> <td>Air contains only non-metal elements.</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>There are weak attractions between molecules in the air.</td> <td><input checked="" type="checkbox"/></td> </tr> <tr> <td>All the gases have high melting points and boiling points.</td> <td><input type="checkbox"/></td> </tr> <tr> <td>The gases are good conductors of electricity.</td> <td><input type="checkbox"/></td> </tr> </table>	All the gases in the air are elements.	<input type="checkbox"/>	Air contains only non-metal elements.	<input checked="" type="checkbox"/>	There are weak attractions between molecules in the air.	<input checked="" type="checkbox"/>	All the gases have high melting points and boiling points.	<input type="checkbox"/>	The gases are good conductors of electricity.	<input type="checkbox"/>	2	one per correct tick
All the gases in the air are elements.	<input type="checkbox"/>													
Air contains only non-metal elements.	<input checked="" type="checkbox"/>													
There are weak attractions between molecules in the air.	<input checked="" type="checkbox"/>													
All the gases have high melting points and boiling points.	<input type="checkbox"/>													
The gases are good conductors of electricity.	<input type="checkbox"/>													

Question		Answer	Marks	Guidance
(c)		<p>A covalent bond is made by sharing electrons. <input checked="" type="checkbox"/></p> <p>The atoms gain positive or negative charges when the bond is made.</p> <p>The atoms are held together by the attractions between the nuclei of the atoms and the electrons between them. <input checked="" type="checkbox"/></p> <p>Each atom is surrounded by a sea of electrons that can move.</p> <p>The atoms are bonded covalently into large, 3D structures.</p>	2	
			Total 6	

Question		Answer	Marks	Guidance
5		ethanol/fuel puts carbon in the air by <u>combustion</u> ; carbon from air into sugar (cane) by <u>photosynthesis</u> ; carbon in sugar cane to ethanol/fuel by <u>fermentation</u> ;	3	accept carbon dioxide for carbon in air not carbon dioxide in sugar / ethanol ignore respiration, carbon from fermentation to air not plants for sugar cane
			Total 3	

Question		Answer	Marks	Guidance
6	(a)	relative formula mass PbO = 223 (1) mass of lead that can be extracted from 446g lead oxide = 414 (2)	3	if 414 is not given as final answer, allow [1] for 207 in working of second part of answer
	(b)	Too much carbon would be needed. Aluminium oxide contains more oxygen than other metal oxides. Aluminium is a very reactive metal. Aluminium oxide has a very high melting point.	1	
			Total 4	

Question		Answer	Marks	Guidance
7	(a)	hydrochloric acid; water and H ₂ O;	2	not hydrogen chloride, accept phonetic spelling accept (di)hydrogen oxide for water look for correct capitals and subscripts for H ₂ O subscript is at most half height of capital
	(b)	copper hydroxide, copper oxide	1	both needed
	(c) (i)	5g	1	
	(ii)	70 (%)	1	no ecf
			Total 5	

Question		Answer	Marks	Guidance
8	(a)	put (sulfuric) acid into a burette; add indicator to the flask / (potassium) hydroxide; slowly / dropwise add (sulfuric) acid; until the indicator changes colour;	4	accept pH meter / UI / phenolphthalein / methyl orange for indicator not just until neutral (unless pH meter used) accept any specific colour change e.g. blue to green
	(b)	second row: 40 fourth row: 60	2	allow 60.15 / 60.2
	(c)	$H^+ + OH^- (1) \rightarrow H_2O (1)$	2	left hand side of arrow correct in either order for [1] right hand side correct for [1] look for clear and unambiguous choice of symbols from list to award the marks
		Total	8	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office: 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2012

