



GCSE

Chemistry A

Unit **A173/02**: Module C7 (Higher Tier)
General Certificate of Secondary Education

Mark Scheme for June 2015

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2015

Annotations

Used in the detailed Mark Scheme:

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
(1)	separates marking points
not/reject	answers which are not worthy of credit
ignore	statements which are irrelevant - applies to neutral answers
allow/accept	answers that can be accepted
(words)	words which are not essential to gain credit
<u>words</u>	underlined words must be present in answer to score a mark
ecf	error carried forward
AW/owtte	credit alternative wording / or words to that effect
ORA	or reverse argument

Available in scoris to annotate scripts:

	Blank Page – this annotation must be used on all blank pages within an answer booklet (structured or unstructured) and on each page of an additional object where there is no candidate response.
	correct response
	incorrect response
	benefit of doubt
	no benefit of doubt
	error carried forward
	indicate level awarded for a question marked by level of response
	information omitted
	contradiction
	reject
	indicate uncertainty or ambiguity
	draw attention to particular part of candidate's response

1. **ADDITIONAL OBJECTS:** You **must** assess and annotate the additional objects for each script you mark. Where credit is awarded, appropriate annotation must be used. If no credit is to be awarded for the additional object, please use annotation as agreed at the SSU.

2. Subject-specific Marking Instructions

- a. Accept any clear, unambiguous response (including mis-spellings of scientific terms if they are *phonetically* correct, but always check the guidance column for exclusions).
- b. Crossed out answers should be considered only if no other response has been made. When marking crossed out responses, accept correct answers which are clear and unambiguous.

e.g. for a one-mark question where ticks in the third and fourth boxes are required for the mark:

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

*This would be worth
1 mark.*

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

*This would be worth
0 marks.*

<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

*This would be worth
1 mark.*

c. Marking method for tick-box questions:

If there is a set of boxes, some of which should be ticked and others left empty, then judge the entire set of boxes.

If there is at least one tick, ignore crosses and other markings. If there are no ticks, accept clear, unambiguous indications, e.g. shading or crosses. Credit should be given according to the instructions given in the guidance column for the question. If more boxes are ticked than there are correct answers, then deduct one mark for each additional tick. Candidates cannot score less than zero marks.

e.g. if a question requires candidates to identify cities in England:

Edinburgh	<input type="checkbox"/>
Manchester	<input type="checkbox"/>
Paris	<input type="checkbox"/>
Southampton	<input type="checkbox"/>

the second and fourth boxes should have ticks (or other clear indication of choice) and the first and third should be blank (or have indication of choice crossed out).

Edinburgh			✓			✓	✓	✓	✓	
Manchester	✓	✗	✓	✓	✓				✓	
Paris				✓	✓		✓	✓	✓	
Southampton	✓	✗		✓		✓	✓		✓	
Score:	2	2	1	1	1	1	0	0	0	NR

d. For answers marked by levels of response:

- Read through the whole answer from start to finish**
- Decide the level that best fits** the answer – match the quality of the answer to the closest level descriptor
- To determine the mark within the level**, consider the following:

Descriptor	Award mark
A good match to the level descriptor	The higher mark in the level
Just matches the level descriptor	The lower mark in the level

- Use the **L1, L2, L3** annotations in Scoris to show your decision; do not use ticks.

Quality of Written Communication skills assessed in 6-mark extended writing questions include:

- appropriate use of correct scientific terms
- spelling, punctuation and grammar
- developing a structured, persuasive argument
- selecting and using evidence to support an argument
- considering different sides of a debate in a balanced way
- logical sequencing.

Question			Answer	Marks	Guidance
1	a	i	energy	1	
		ii	<p>A [no marks] discusses bonds between carbons = 1</p> <p><i>Only</i> single bonds between carbons = 2 No double bonds between carbons = 2</p> <p>Maximum number of hydrogens to carbons = 2</p>	2	<p>If they choose B, max 1 mark</p> <p>Ignore comments about 'saturation' [stem] Ignore 'double bonds'</p>
	b		$\text{C}_3\text{H}_8 + 5\text{O}_2 \rightarrow 3\text{CO}_2 + 4\text{H}_2\text{O}$ <p>Formulae correct [1 mark] [Correct formulae] balanced [1 mark]</p>	2	<p>accept multiples Ignore state symbols</p>
	c		<p>Level 3 Discusses properties from the table. Explains advantages or disadvantages, including one correct level 3 response, and comes to a conclusion. <i>Quality of written communication does not impede communication of the science at this level.</i> (5 – 6 marks)</p> <p>Level 2 Discusses properties from the table. Explains at least one advantage or disadvantage, and comes to a conclusion. <i>Quality of written communication partly impedes communication of the science at this level.</i> (3 – 4 marks)</p> <p>Level 1 Answers in terms of the properties from the table, and comes to a conclusion. <i>Quality of written communication impedes communication of the science at this level.</i> (1 – 2 marks)</p>	6	<p>This question is targeted at grades up to A* Indicative scientific points may include: From the point of view of lipase</p> <p>Level 3</p> <ul style="list-style-type: none"> [coated on solid] – can be recovered / separated [speeds up this reaction only] – fewer side reactions, less waste, less purification needed <p>Level 2</p> <ul style="list-style-type: none"> [damage] - nature of damage [enzyme denatured] [damage] –consequence [needs more tightly controlled conditions / enzyme doesn't last as long / needs to be replaced more often] [warm] – lower energy / costs Ignore more risky / Ignore more easily made [enzyme speeds up this reaction only] – realises this is an advantage [cost] – justified by greater productivity <p>Level 1</p> <ul style="list-style-type: none"> [speed] -- enzyme very fast

Question			Answer	Marks	Guidance
			Level 0 <i>Insufficient or irrelevant science. Answer not worthy of credit.</i> (0 marks)		<ul style="list-style-type: none"> • [damage] – enzyme easily damaged • Enzyme warm conditions • etc <p>If one correct L3 and one incorrect L3, QWC impeded If one correct L3 and then L1 responses only, level 2</p> <p>incorrect L1&2 responses, ignore, only mark the correct material</p> <p>Accept reverse arguments for sodium hydroxide Conclusion must be present to gain the higher mark in any level.</p> <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
			Total	11	

Question			Answer	Marks	Guidance
2	a	i	COOH	1	
		ii	its formula contains carbon, hydrogen and oxygen it is more dilute than acids such as hydrochloric it is less reactive than acids such as hydrochloric it is more runny than acids such as hydrochloric	1	
		iii	a weak acid has a higher pH a weak acid has the same pH a weak acid has a lower pH a weak acid has a much lower pH	1	
	b	i	alcohol alkane ester ether	1	

Question			Answer	Marks	Guidance
	b	ii	88, 8.8	2	ecf if second number is 1/10 th of first
	c	i	'strong acid' / named strong acid	1	accept 'dilute' named strong acid as the concentration is not on the spec ignore 'acid' or 'concentrated acid' ignore 'enzyme'
	c	ii	lower [energy / energy hump] this energy is the <i>activation</i> energy alternative pathway	3	'means less activation energy needed for reaction' = 2 marks 'more energy' is CON for first mark ignore comments about surface area or increased rate of collision, catalysts
			Total	10	

Question			Answer		Marks	Guidance
3	a		$\text{N}_2 + 3\text{H}_2 \rightleftharpoons 2\text{NH}_3$ Formulae correct = 1 [Correct formulae] balanced = 1		2	equilibrium sign optional, accept '=' as alternative to \rightleftharpoons accept multiples
	b		fertiliser detail – for plants / crops/ food supply		2	'to help growth and kill pests' CON for 2 nd mark Ignore as a source of nitrates Ignore other uses
	c	i	38-40 [minutes]		1	
		ii	Discusses reverse reaction [1] Understands that both reactions happen at the same time [1] at same rate/speed = 1		3	the reaction is reversible / ammonia is broken down = 1 The "same time" point may be by implication Forward and backward reaction occur = 2 ammonia is made and broken down = 2 both reactants and products are reacting = 2 Forward and backward reactions cancel out = first 2 marking points only Ignore 'dynamic equilibrium'
		iii	active equilibrium dynamic equilibrium fixed equilibrium static equilibrium		1	
	d		not all nitrogen and hydrogen react / so more can react; comment on how little reacts / low efficiency / initial yield low; increase [yield] / more ammonia		3	ignore 'recycled' [stem] 'only a small amount reacts' = 2 If % yield quoted, accept anything below 50%
			Total		12	

Question		Answer	Marks	Guidance
4	a	0.7 [3 marks]	3	<p>If not correct, maximum of 2 marks from</p> <p>$R_f = \text{spot distance/solvent distance} = 1 \text{ mark}$</p> <p>Look for the numbers 5 AND 3.2 to 3.7 = 1 mark</p> <p><u>3.2 to 3.7</u> [2 marks] 5</p> <p>Special case one mark answer</p> <p><u>3.5</u> [1 mark] 5.4</p> <p>Accept measurements in mm</p>
	b	<p>Level 3 Makes suitable comparison of attractions of both spots with both phases Links that comparison to movement of spots. <i>Quality of written communication does not impede communication of the science at this level.</i> (5 – 6 marks)</p> <p>Level 2 Makes suitable comparison of attractions of each spot with one phase only. Links that difference to movement of spot. OR Makes suitable comparison of attractions of only one spot with each phase. Links that difference to movement of spot. <i>Quality of written communication partly impedes communication of the science at this level.</i> (3 – 4 marks)</p> <p>Level 1</p>	6	<p>This question is targeted at grades up to A *</p> <p>Indicative scientific points may include:</p> <p>Level 3 minimum response</p> <ul style="list-style-type: none"> [Spot 1] more attracted to mobile phase AND [spot 2] more attracted to stationary phase therefore [Spot 1] moves further <p>Level 2 minimum response</p> <ul style="list-style-type: none"> [Spot 1] more attracted to mobile phase therefore moves further [Spot 1] more attracted to stationary phase therefore moves less <p>Level 1</p> <ul style="list-style-type: none"> [spot 1] is attracted to the mobile phase [spot 2] is attracted to the stationary phase <p>At level 2&3 if not linked to movement, QWC impeded</p>

Question	Answer	Marks	Guidance
	<p>Discusses attractions of at least one spot with at least one phase. <i>Quality of written communication impedes communication of the science at this level.</i> (1 – 2 marks)</p> <p>Level 0 <i>Insufficient or irrelevant science. Answer not worthy of credit.</i> (0 marks)</p>		<p>Accept 'the spot that moves further' = Spot 1 Accept 'moves faster' instead of 'moves further'</p> <p>Accept 'solvent' or 'liquid' instead of 'mobile phase' and 'paper' instead of 'stationary phase'</p> <p>Spot 1 may like/ prefer/ favours / has affinity for the mobile phase more – QWC impeded</p> <p>Ignore spends more time in the mobile phase</p> <p>Ignore reference to attractions between the spot and the ink</p> <p>Ignore equilibrium arguments, the question is about attractions</p> <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
c	<p>simple similarity Both use a liquid / solvent [as the mobile phase] / same mobile phase</p> <p>simple difference idea that a different solid/ stationary phase is used [tlc] solid is mounted on a glass or plastic plate [tlc] quicker</p>	2	<p>Ignore 'uses the same method' Ignore 'both have a mobile phase and a stationary phase' [ie this is a general statement about chromatography.]</p> <p>Accept '[tlc] uses silica gel'</p>
d	<p>Any three points from</p> <p>[Jane] gives feedback on the technique idea of accurate / reproducible / reliable can take an average remove outliers</p>	3	<p>Marks for arguments only</p> <p>Arguments may be in reverse e.g. Jane's method does not show up changes as soon as they happen</p>

Question		Answer	Marks	Guidance
		<p>[Mike]</p> <p>Gives checks throughout the day / regular check/ continuous</p> <p>Shows up if a drift / pattern / change with time</p> <p>Shows up if a sudden change / problem</p>		Ignore 'Sample taken every hour' [stem]
		Total	14	

Question		Answer	Marks	Guidance
5	(a)	<p>Water / H_2O</p> <p>[made in] the reaction of methane / burning methane/ methane contains hydrogen</p>	2	<p>water comes from the methane = 1 [for the water point]</p> <p>water, because hydrogen reacts with oxygen = 1</p> <p>accept hydrocarbon as alternative to methane</p> <p>ignore 'condensation'</p>
	b	<p>i</p> <p>$C-H = 4$ [$O=O = 2$]</p> <p>$C=O = 2$</p> <p>$O-H = 4$</p>	2	<p>Left hand column = 1</p> <p>Right hand columns = 1</p> <p>bonds can be written either way round, eg $C-H$ or $H-C$</p> <p>Right hand bonds in either order [but numbers must match!]</p>
		<p>ii</p> <p>Answer = -730 [3 marks]</p>	3	<p>If not correct, look for</p> <p>Answer = 730 [2 marks]</p> <p>Use of 2736 or 3466 [1 mark]</p>
		Total	7	

Question		Answer	Marks	Guidance
6		<p>Level 3 Explains each term and links at least one to sustainability <i>Quality of written communication does not impede communication of the science at this level.</i> (5 – 6 marks)</p> <p>Level 2 Explains each term without reference to sustainability, or explains one term and links it to sustainability <i>Quality of written communication partly impedes communication of the science at this level.</i> (3 – 4 marks)</p> <p>Level 1 Explains either 'renewable' or 'atom economy' or 'sustainability'. <i>Quality of written communication impedes communication of the science at this level.</i> (1 – 2 marks)</p> <p>Level 0 <i>Insufficient or irrelevant science. Answer not worthy of credit.</i> (0 marks)</p>	6	<p>This question is targeted at grades up to A</p> <p>Indicative scientific points may include:</p> <p>renewable</p> <ul style="list-style-type: none"> • replaces itself • detail – eg plants regrow • so does not run out / infinite <p>Ignore can be renewed/used again</p> <p>Sustainability links for renewable</p> <ul style="list-style-type: none"> • idea of long term use of process • doesn't use up finite resources • available for future generations <p>atom economy</p> <ul style="list-style-type: none"> • measure of the amount of useful product 'Helpful' = QWC impeded • high atom economy means little by-product NOT 'waste' • mass [desired] product divided by mass reactants Don't confuse with % yield <p>sustainability links for atom economy</p> <ul style="list-style-type: none"> • desire to limit waste • reduce damage to environment <p>Use the L1, L2, L3 annotations in Scoris; do not use ticks.</p>
		Total	6	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office: 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2015

