

Chemistry B

General Certificate of Secondary Education

Unit **B741/02**: Modules C1, C2, C3 (Higher Tier)

Mark Scheme for January 2013

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2013

Annotations


Annotation	Meaning
✓	correct response
✗	incorrect response
BOD	benefit of the doubt
NBOD	benefit of the doubt <u>not</u> given
ECF	error carried forward
▲	information omitted
I	ignore
L1	Level 1
L2	Level 2
L3	Level 3
R	reject
CON	contradiction

Abbreviations, annotations and conventions used in the detailed Mark Scheme.

/ =	alternative and acceptable answers for the same marking point
(1) =	separates marking points
allow=	answers that can be accepted
not =	answers which are not worthy of credit
reject	= answers which are not worthy of credit
ignore	= statements which are irrelevant
() =	words which are not essential to gain credit
<u> </u> =	underlined words must be present in answer to score a mark (although not correctly spelt unless otherwise stated)
ecf =	error carried forward
AW =	alternative wording
ora =	or reverse argument

Question		Answer	Marks	Guidance
1	(a)	any two from: all the readily extractable resources will be used up in the future (1) will have to find replacements / AW (1) idea of not enough fuel to power vehicles or homes / make electricity / make chemicals (1) conflict between making petrochemicals and fuels (1) UK dependent on oil and gas from politically unstable countries / AW (1)	2	allow (all) it / oil / coal / fossil fuels will run out / be used up (1) allow crude oil will have to be extracted from more inaccessible areas (1) allow crude oil will become very expensive / may lead to rationing / may lead to conflicts (1)
	(b)	bitumen (1)	1	allow phonetic spelling
	(c) (i)	C_4H_{10} (1)	1	not $C4H10$ / C^4H^{10} allow $H_{10}C_4$
	(ii)	propane and butane contain carbon and hydrogen (atoms) (1) only (1) has (carbon to carbon) single bonds only / contains single (covalent) bonds only (1)	3	not is a mixture of carbon and hydrogen (only) not contains carbon and hydrogen molecules Only must be linked to first marking point and is not independent allow has no (carbon to carbon) double bonds (1) allow they are saturated compounds (1) allow has general formula C_nH_{2n+2} (1) ignore has the maximum amount of hydrogen atoms
		Total	7	

Question		Answer	Marks	Guidance
2		C because it is flexible, waterproof and breathable (2)	2	<p>marks are for evaluation, not for the choice of C but for two marks properties must relate to correct choice of C for two marks all three properties must be listed</p> <p>allow one mark for choice of C with two properties listed allow one mark for E and because it is flexible and waterproof ignore reference to not breathable if E mentioned.</p>
		Total	2	

Question		Answer	Marks	Guidance
3	(a) (i)	contains a double bond (between carbon atoms) (1)	1	<p>not double bond between carbon molecules ignore does not have the maximum amount of hydrogen atoms</p>
	(b) (i)	addition reaction (1)	1	allow bromination
	(ii)	a dibromocompound (1)	1	allow saturated / halogenocompound
	(c)	 correct repeat unit drawn with open bonds at both ends (1) correct use of brackets and n (1)	2	<p>second mark is dependent on first mark</p> <p>allow multiples of this structure eg $-(\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2)_n-$ for two marks</p> <p>allow one mark for a section of the polymer that has at least two repeat units with open ends at both ends</p>
		Total	5	

Question		Answer	Marks	Guidance
4		<p>[Level 3] Answer describes how an ester is made in a laboratory, including that the reactants must be mixed or heated together AND applies knowledge of safety and risk assessment to give at least two safety precautions used in the preparation of an ester, one involving the problems of heating a flammable liquid. Quality of written communication does not impede communication of science at this level.</p> <p style="text-align: right;">(5–6 marks)</p> <p>[Level 2] Candidates recall the names of <u>both</u> reactants AND applies knowledge of safety and risk assessment to give two safety precautions used in the preparation of an ester. Quality of written communication partly impedes communication of science at this level.</p> <p style="text-align: right;">(3–4 marks)</p> <p>[Level 1] Candidates recall the name of <u>one</u> reactant used to make an ester OR applies knowledge of safety and risk assessment to give at least one safety precaution used in the preparation of an ester. Quality of written communication impedes communication of science at this level.</p> <p style="text-align: right;">(1–2 marks)</p> <p>[Level 0] Insufficient or irrelevant science such as repeating the question. Answer not worthy of credit.</p> <p style="text-align: right;">(0 marks)</p>	6	<p>This question is targeted up to grade C</p> <p>Indicative scientific points may include:</p> <ul style="list-style-type: none"> • safety precautions include use of safety glasses, gloves, safety screen, fire extinguisher, water bath, laboratory coats etc • reagents are heated together in a beaker or in a test tube in a water bath • reagents are heated together • the reagents are mixed together • alcohols react with acids to make ester • higher level answers may refer to methods that use refluxing and distillation • sulfuric acid added as a catalyst to the reaction mixture • reaction mixture is added to sodium carbonate solution <p>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</p>
		Total	6	

Question		Answer	Marks	Guidance
5	(a)	hydrophilic end bonds to water molecule (1) hydrophobic end bonds to oil molecule (1)	2	<p>allow attracted to / sticks into / joins to or forms intermolecular forces with as alternative to bonding</p> <p>allow head bonds to water molecule and tail bonds to oil molecule for two marks</p> <p>allow one mark for water molecules surround the hydrophilic end and oil molecules surround the hydrophobic end</p> <p>allow one mark for one end is bonded to water and the other to oil</p> <p>allow one mark for hydrophilic end stays in or likes water and hydrophobic stays in or likes oil</p> <p>not hydrophobic is bonded to water and hydrophilic is bonded to oil</p>
	(b)	shape of protein (molecules permanently) changes (1)	1	<p>allow protein (molecule) is denatured</p> <p>allow protein (molecule) is destroyed</p> <p>ignore enzyme is denatured</p>
	(c)	$2\text{NaHCO}_3 \rightarrow \text{Na}_2\text{CO}_3 + \text{CO}_2 + \text{H}_2\text{O}$ formulae correct (1) balancing (1)	2	<p>balancing mark is dependent on correct formulae</p> <p>allow = instead of \rightarrow</p> <p>allow any correct multiples of this equation</p> <p>allow one mark for correct balanced equation with minor errors of superscripts, subscript or case. eg $2\text{NAHCO}_3 \rightarrow \text{Na}_2\text{CO}_3 + \text{CO}^2 + \text{H}_2\text{O}$</p>
		Total	5	

Question		Answer	Marks	Guidance
6	(a)	<p>any two from:</p> <p>lithosphere includes the crust (1)</p> <p>lithosphere includes outer part / upper part of the mantle (1)</p> <p>lithosphere is (relatively) cold (1)</p> <p>lithosphere is rigid (1)</p> <p>lithosphere is made up of tectonic plates or correctly named plates continental / oceanic (1)</p>	2	<p>not lithosphere includes the core</p> <p>not lithosphere includes the atmosphere</p>
	(b)	<p>to forecast future eruptions (1)</p> <p>to reveal information about the structure of the Earth (1)</p>	2	<p>allow to forecast the magnitude of the eruption</p> <p>ignore to forecast earthquakes</p> <p>allow to find out how volcanoes work / to find out how lava moves</p>
		Total	4	

Question		Answer	Marks	Guidance															
7	(a)	<table border="1"> <thead> <tr> <th>acid</th> <th>base</th> <th>salt</th> </tr> </thead> <tbody> <tr> <td>sulfuric acid</td> <td>copper oxide</td> <td>copper sulfate</td> </tr> <tr> <td>nitric acid</td> <td>sodium carbonate</td> <td>sodium nitrate (1)</td> </tr> <tr> <td>hydrochloric acid (1)</td> <td>zinc oxide</td> <td>zinc chloride</td> </tr> <tr> <td>sulfuric acid</td> <td>magnesium oxide / magnesium hydroxide / magnesium carbonate (1)</td> <td>magnesium sulfate</td> </tr> </tbody> </table>	acid	base	salt	sulfuric acid	copper oxide	copper sulfate	nitric acid	sodium carbonate	sodium nitrate (1)	hydrochloric acid (1)	zinc oxide	zinc chloride	sulfuric acid	magnesium oxide / magnesium hydroxide / magnesium carbonate (1)	magnesium sulfate	3	<p>allow correct formulae i.e. NaNO_3 (1)</p> <p>HCl (1)</p> <p>$\text{MgO} / \text{Mg(OH)}_2 / \text{MgCO}_3$ (1)</p>
acid	base	salt																	
sulfuric acid	copper oxide	copper sulfate																	
nitric acid	sodium carbonate	sodium nitrate (1)																	
hydrochloric acid (1)	zinc oxide	zinc chloride																	
sulfuric acid	magnesium oxide / magnesium hydroxide / magnesium carbonate (1)	magnesium sulfate																	
	(b)	$\text{CaCO}_3 + 2\text{HCl} \rightarrow \text{CaCl}_2 + \text{CO}_2 + \text{H}_2\text{O}$ formulae correct (1) balancing (1)	2	<p>balancing mark is dependent on correct formulae but</p> <p>allow one mark for balanced equation with minor errors of subscripts, superscripts, etc eg $\text{CACO}_3 + 2\text{HCl} \rightarrow \text{CaCl}^2 + \text{CO}_2 + \text{H}_2\text{O}$</p> <p>not and or & for +</p> <p>allow = instead of \rightarrow</p> <p>allow correct multiples eg $2\text{CaCO}_3 + 4\text{HCl} \rightarrow 2\text{CaCl}_2 + 2\text{CO}_2 + 2\text{H}_2\text{O}$</p>															
	(c)	$\text{H}^+ + \text{OH}^- \rightarrow \text{H}_2\text{O}$ (1)	1	<p>order of reactants unimportant</p> <p>allow OH_2 / HOH</p> <p>allow correct multiples</p> <p>subscripts and superscripts must be correct eg H^2O scores 0</p>															

Question		Answer	Marks	Guidance
	(d)	<p>Level 1 (1 mark) idea that fertiliser or nitrates increase the growth of water plants or that the outcome is that living organisms in the water die. idea that fertilisers cause water to become toxic limits mark to a maximum of 1</p> <p>Level 2 (2 marks) idea that (algal bloom) / plant growth blocks off sunlight (from other plants which then die).</p> <p>Level 3 (3 marks) idea that in addition to level 2, (aerobic) bacteria use up the oxygen in the water.</p>	3	<p>Use ticks in this question Mark scheme is hierarchical – level 1 is required before level 2 can be awarded and levels 1 & 2 required before level 3 can be awarded</p> <p>allow algal bloom for increased growth of water plants</p> <p>idea that fertiliser kills or poisons fish (0)</p> <p>allow idea that plants below surface cannot photosynthesis for level 2</p> <p>allow decomposers or microbes or micro organisms for bacteria</p>
		Total	9	

Question		Answer	Marks	Guidance
8		<p>[Level 3] All three metals are comprehensively evaluated AND metal A is chosen and justified. Quality of written communication does not impede communication of science at this level.</p> <p style="text-align: right;">(5–6 marks)</p> <p>[Level 2] An attempt is made to evaluate the strengths and weaknesses of at least two metals AND metal A or C is chosen with an attempt at a justification. Quality of written communication partly impedes communication of science at this level.</p> <p style="text-align: right;">(3–4 marks)</p> <p>[Level 1] An attempt is made to evaluate both the strengths or weaknesses of one metal. Quality of written communication impedes communication of science at this level.</p> <p style="text-align: right;">(1–2 marks)</p> <p>[Level 0] Insufficient or irrelevant science. Answer not worthy of credit.</p> <p style="text-align: right;">(0 marks)</p>	6	<p>This question is targeted at grades up to A*.</p> <p>Indicative scientific points may include:</p> <ul style="list-style-type: none"> metal A has the lowest density and a high strength but is expensive metal B has a high density, reasonable strength but is cheap metal C has a high density but is cheap and is the strongest metal A is the best choice because it has the lowest density and good strength metal A is expensive but not many aircraft will be made. metal B has a low melting point as a disadvantage <p>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</p>
			Total	6

Question		Answer	Marks	Guidance
9	(a) (i)	increases / gets bigger / AW (1)	1	
	(ii)	decreases / gets less / AW (1)	1	
	(b)	idea of catalyst used to speed up the reaction or increase the rate of reaction (1) 70 atm used as is cheaper to generate than higher pressures (1) 300 °C is used to increase the rate of reaction but sacrifice percentage yield / it is a compromise or optimum temperature (1)	3	allow catalyst does not affect percentage yield (1) allow answer relating to the risks associated with high pressure (1)
	(c)	idea of reduction of wage bill / idea of reduction of number of workers (1)	1	ignore rule out human error ignore to make the process work faster ignore references to safety ignore it is a continuous process not no labour costs
		Total	6	

Question		Answer	Marks	Guidance
10	(a)	32 (g) of methanol makes 60 (g) of ethanoic acid / 10 moles of methanol is used / $32 \times 10 = 320$ (1) So 320 (g) makes 600 (g) of ethanoic acid (1)	2	allow two marks for the correct answer of 600g even if no working out
	(b)	atom economy = $\frac{60}{60+18} / \frac{60}{46+32} / \frac{60}{78}$ (1) but atom economy = $\frac{60}{60+18} \times 100 / \frac{60}{46+32} \times 100 / \frac{60}{78} \times 100$ (2)	2	allow atom economy formula in words for one mark i.e. atom economy = $\frac{\text{total Mr of desired products}}{\text{total Mr of all products}} \times 100$ (1)
	(c)	percentage yield = $\frac{9.5}{9.8}$ (1) but percentage yield = $\frac{9.5}{9.8} \times 100$ (2)	2	allow percentage yield formula in words for one mark e.g. percentage yield = $\frac{\text{actual yield}}{\text{predicted yield}} \times 100$ or percentage yield = $\frac{\text{am}}{\text{pm}} \times 100$
	(d) (i)	more sustainable / makes less or no waste products (1)	1	makes less waste is not sufficient ignore makes less products ignore it wastes less resources
	(ii)	less waste of reactants (1)	1	allow no need to recycle unreacted reactants ignore less waste / waste products ignore able to make more / more products made
		Total	8	

Question		Answer	Marks	Guidance
11	(a)	bond breaking is endothermic / bond breaking takes in energy / bond breaking absorbs energy (1) bond making is exothermic / bond making gives out energy / bond making releases energy (1) more energy taken in than is released / more energy absorbed than given out (1)	3	allow heat instead of energy ignore more bonds are broken than are made

Question		Answer	Marks	Guidance
	(b)	<p>[Level 3] Applies reacting particle model, including mention of collisions frequency and / or successful collisions, to explain the effect of temperature AND pressure on the rate of reaction. Quality of written communication does not impede communication of science at this level.</p> <p style="text-align: right;">(5-6 marks)</p> <p>[Level 2] Applies reacting particle theory, including mention of collisions, to explain the effect of temperature OR pressure on the rate of reaction. Quality of written communication partly impedes communication of science at this level.</p> <p style="text-align: right;">(3-4 marks)</p> <p>[Level 1] Applies reacting particle theory to explain the effect of temperature OR pressure on the rate of reaction. Quality of written communication impedes communication of science at this level.</p> <p style="text-align: right;">(1-2 marks)</p> <p>[Level 0] Insufficient or irrelevant science such as repeating the question. Answer not worthy of credit.</p> <p style="text-align: right;">(0 marks)</p>	6	<p>This question is targeted at grades up to A.</p> <p>Indicative scientific points may include:</p> <ul style="list-style-type: none"> Increasing pressure gives more crowded nitrogen and oxygen molecules / molecules are closer together / more nitrogen and oxygen molecules in the same volume so there is an increased number of collisions per second / collisions more often Increasing temperature has nitrogen or oxygen molecules moving faster / molecules have more energy so more successful collisions per second / more energetic collisions. <p>Use the L1, L2, L3 annotations in scoris. Do not use ticks.</p>
		Total	9	

Question		Answer	Marks	Guidance
12	(a)	weak forces between the layers (1) which are easy to break (so layers can slide over each other) (1)	2	allow van der Waals' forces between layers / weak intermolecular forces not weak covalent bonds between layers
	(b)	large number of strong (covalent) bonds (1) needs lots of energy to break / AW (1)	2	allow giant molecular structure or giant covalent structure / large number of strong bonds (between atoms) allow heat for energy but ignore high temperature any mention of intermolecular bonds / forces scores 0
		Total	4	

Question		Answer	Marks	Guidance
13	(a)	energy = $100 \times 4.2 \times 9$ (1) energy = 3780 (J) (1)	2	allow full marks for correct answer with no working out
	(b)	no energy released calculated for other value(s) / idea that temperature increase relates to the energy released (1) because the one with most atoms or pentanol the temperature increase is not the highest / with most atoms does not release the most energy (1)	2	allow yes with energy calculated for the other value(s) / idea that the temperature increase is related to the energy released (1) and the last result is an anomaly (1) allow energy calculations based on using the mass of fuel (1.0g)
		Total	4	

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2013

