



GCSE

Chemistry B

General Certificate of Secondary Education

Unit **B741/02**: Modules C1, C2, C3 (Higher Tier)

Mark Scheme for June 2013

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2013

1. For answers marked by levels of response:
 - a. **Read through the whole answer from start to finish**
 - b. **Decide the level that best fits** the answer - match the quality of the answer to the closest level descriptor
 - c. **To determine the mark within the level**, consider the following:

| Descriptor | Award mark |
|--------------------------------------|------------------------------|
| A good match to the level descriptor | The higher mark in the level |
| Just matches the level descriptor | The lower mark in the level |

- d. Use the L1, L2, L3 annotations in Scoris to show your decision; do not use ticks.

Quality of Written Communication skills assessed in 6 mark extended writing questions include:

- a. appropriate use of correct scientific terms
- b. spelling, punctuation and grammar
- c. developing a structured, persuasive argument
- d. selecting and using evidence to support an argument
- e. considering different sides of a debate in a balanced way
- f. logical sequencing.

2. Annotations

| Annotation | Meaning |
|------------|---------------------------------------|
| | correct response |
| | incorrect response |
| | benefit of the doubt |
| | benefit of the doubt <u>not</u> given |
| | error carried forward |
| | information omitted |
| | ignore |

| Annotation | Meaning |
|------------|---------------|
| | reject |
| | contradiction |
| | Level 1 |
| | Level 2 |
| | Level 3 |

3. Abbreviations, annotations and conventions used in the detailed Mark Scheme.

- / = alternative and acceptable answers for the same marking point
- (1) = separates marking points
- allow** = answers that can be accepted
- not** = answers which are not worthy of credit
- reject** = answers which are not worthy of credit
- ignore** = statements which are irrelevant
- () = words which are not essential to gain credit
- = underlined words must be present in answer to score a mark (although not correctly spelt unless otherwise stated)
- ecf** = error carried forward
- AW** = alternative wording
- ora** = or reverse argument

| Question | | Answer | Marks | Guidance |
|----------|---------|---|-------|--|
| 1 | (a) | <p>gas nitrogen oxygen (carbon dioxide) 0.035%</p> <p>all three correct (2) but one or two correct (1)</p> | 2 | <p>allow carbon dioxide between 0.03 and 0.04%</p> |
| | (b) (i) | <p>any two from: idea that air quality is maintained (1)</p> <p>reduce or prevent harm to living organisms (1)</p> <p>control or reduce smog (1)</p> <p>protect buildings and/or metals (1)</p> | 2 | <p>allow so that air is safe to breathe (1) allow reference to reducing asthma (1)</p> <p>allow (carbon monoxide) is poisonous or toxic (1) ignore just kills people</p> <p>ignore damage the environment</p> <p>allow reduce damage to ozone layer (1) allow greenhouse effect or global warming or acid rain (1) allow an effect of damage to ozone layer, global warming or acid rain (1)</p> |

| Question | | Answer | Marks | Guidance |
|----------|------|--|----------|--|
| | (ii) | <p>(catalytic converter) changes carbon monoxide into carbon dioxide (1)</p> <p>balanced symbol equation: $2\text{CO} + 2\text{NO} \rightarrow \text{N}_2 + 2\text{CO}_2$</p> <p>formulae (1) balancing (1)</p> | 3 | <p>allow changes nitrogen oxide / NO into nitrogen / N_2 (1)</p> <p>first marking point can be credited from a symbol equation (even if incorrect)</p> <p>allow any correct multiple, including fractions</p> <p>allow = / \doteq instead of \rightarrow</p> <p>not and / &</p> <p>balancing mark is dependent on the correct formula but</p> <p>allow 1 mark for a balanced equation with minor errors of case, subscripts, superscripts, etc</p> <p>eg $2\text{CO} + 2\text{NO} \rightarrow \text{N}_2 + 2\text{CO}_2$</p> |
| | (c) | <p>as (the concentration of) smoke increased, the number of deaths increased / ora (1)</p> <p>as (the concentration of) sulfur dioxide increased, the number of deaths increased / ora (1)</p> | 2 | <p>allow as concentration increases deaths increase (1)</p> <p>allow idea that graphs have the same shape (1)</p> <p>allow the higher the (concentrations of) smoke and sulfur dioxide, the more deaths (per day) (2)</p> |
| | | Total | 9 | |

| Question | | Answer | Marks | Guidance |
|----------|-----|--|----------|--|
| 2 | (a) | (formula) does not contain only carbon and hydrogen / (formula) does contain oxygen (1) | 1 | not (formula) contains an oxygen molecule |
| | (b) | D (1) | 1 | |
| | (c) | E (1) | 1 | |
| | (d) | $\left[\begin{array}{c} \text{H} & \text{H} \\ & \\ \text{C} & - & \text{C} \\ & \\ \text{H} & \text{H} \end{array} \right]_n$ (1) | 1 | allow $ \begin{array}{cccc} \text{H} & \text{H} & \text{H} & \text{H} \\ & & & \\ - & \text{C} & - & \text{C} & - & \text{C} & - \\ & & & \\ \text{H} & \text{H} & \text{H} & \text{H} \end{array} $ or other carbon chain with even number of CH_2 units |
| | | Total | 4 | |

| Question | | Answer | Marks | Guidance |
|----------|-----|--|-------|--|
| 4 | (a) | <p>Level 3 (5–6 marks) Comprehensively explains the process of fractional distillation in terms of molecular size, intermolecular forces and boiling points AND Applies knowledge of temperature gradient in fractionating tower to correctly list the fractions in the order they 'exit' the tower. Quality of written communication does not impede communication of the science at this level.</p> <p>Level 2 (3–4 marks) Attempts to explain the process of fractional distillation in terms of molecular size and/or intermolecular forces and boiling points AND Applies knowledge of temperature gradient in fractionating tower to list the fractions in the order they 'exit' the tower. Quality of written communication partly impedes communication of the science at this level.</p> <p>Level 1 (1–2 marks) Describes the process of fractional distillation, but answer may be simplistic and lacking in detail OR lists the fractions in the correct order. Quality of written communication impedes communication of the science at this level.</p> <p>Level 0 (0 marks) Insufficient or irrelevant science. Answer not worthy of credit.</p> | 6 | <p>This question is targeted at grades up to A*.</p> <p>Indicative scientific points at levels 2 and 3 may include:</p> <ul style="list-style-type: none"> smaller molecules, eg LPG / petrol / paraffin, have weaker or fewer intermolecular forces / ora smaller molecules have lower boiling points with weaker or fewer intermolecular forces / ora during boiling the weak intermolecular forces break but covalent bonds within the molecule do not. <p>Indicative scientific points at Level 1 may include:</p> <ul style="list-style-type: none"> crude oil is heated fractionating column has temperature gradient (cold at top and hot at bottom) order of fractions, from top, is: LPG petrol paraffin heating oil fuel oils bitumen <p>Use the L1, L2, L3 annotations in scoris; do not use ticks.</p> |

| Question | | Answer | Marks | Guidance |
|--------------|--|---|-------|---|
| (b) | | $C_3H_8 + 3\frac{1}{2}O_2 \rightarrow 3CO + 4H_2O$ formulae (1) balancing (1) | 2 | allow any correct multiple, including fractions allow = / \rightleftharpoons instead of \rightarrow not and / & balancing mark is dependent on the correct formula but allow 1 mark for a balanced equation with minor errors of case, subscripts, superscripts, etc eg $C_3H_8 + 3\frac{1}{2}O_2 \rightarrow 3CO + 4H_2O$ |
| Total | | 8 | | |

| Question | | Answer | Marks | Guidance |
|----------|---------|---|----------|--|
| 5 | (a) (i) | 4 (1) | 1 | |
| | (ii) | 15 (1) | 1 | |
| | (b) | <p>Level 3 (5–6 marks) Names <u>both</u> the reagents needed AND Describes a neutralisation experiment, including how both a neutral solution <u>and</u> solid ammonium sulfate is obtained. Quality of written communication does not impede communication of the science at this level.</p> <p>Level 2 (3–4 marks) Names <u>both</u> the reagents needed AND Attempts to describe a neutralisation experiment. Quality of written communication partly impedes communication of the science at this level.</p> <p>Level 1 (1–2 marks) Names <u>one</u> of the reagents needed OR Attempts to describe a neutralisation experiment. Quality of written communication impedes communication of the science at this level.</p> <p>Level 0 (0 marks) Insufficient or irrelevant science. Answer not worthy of credit.</p> | 6 | <p>This question is targeted at grades up to A*.</p> <p>Indicative scientific points may include:</p> <p>names of reagents</p> <ul style="list-style-type: none"> acid is sulfuric acid alkali is (a solution of) ammonia or ammonium hydroxide or ammonium carbonate. <p>method</p> <ul style="list-style-type: none"> sulfuric acid is added to ammonia solution until a neutral solution is formed neutral solution obtained by use of pH meter / indicator solution / indicator paper / universal indicator solution the neutral solution is evaporated until saturated solution is allowed to stand and crystallise crystals are filtered off and dried. <p>allow idea of 'evaporation to dryness' as an alternative to crystallisation</p> <p>N.B. It is not necessary to describe a titration method to get Level 3.</p> <p>Use the L1, L2, L3 annotations in scoris; do not use ticks.</p> |
| | | Total | 8 | |

| Question | | | Answer | Marks | Guidance |
|----------|-----|------|--|-------|---|
| 6 | (a) | (i) | (copper carbonate is) broken down (using heat) (1) | 1 | allow two or more substances are produced from one substance (by heating) (1) allow break up of (copper carbonate) (with heat) (1) ignore breaks up bonds not heat particles broken down ignore decay / dissolve |
| | | (ii) | $2\text{CuO} + \text{C} \rightarrow 2\text{Cu} + \text{CO}_2$ formulae correct (1) balancing (1) | 2 | allow any correct multiple, including fractions allow = / = instead of → not and / & not '+ heat' in equation balancing mark is dependent on the correct formula but allow 1 mark for a balanced equation with minor errors of case, subscripts, superscripts, etc $2\text{CuO} + \text{C} \rightarrow 2\text{CU} + \text{CO}_2$ |
| | (b) | (i) | at the anode electrons are lost which is oxidation (1) at the cathode electrons are gained which is reduction (1) | 2 | allow 1 mark if oxidation is described as electron loss and reduction as electron gain without identification of the electrodes or with incorrect identification of the electrodes |
| | | (ii) | the anode loses mass because copper ions go into solution (1) the cathode gains mass because the copper ions gain electrons and become copper (1) | 2 | if ion is missed out in both marking points then allow one mark allow copper ions move from the anode to the cathode for 1 mark if no other mark awarded |

| Question | | Answer | Marks | Guidance |
|----------|--|---|-----------|--|
| (c) | | <p>advantages any one from:</p> <p>saves resources (because the ore does not have to be extracted) (1)</p> <p>uses less energy (1)</p> <p>idea of less environmental damage (due to quarrying) (1)</p> <p>problems any one from:</p> <p>copper has to be collected (1)</p> <p>copper has to be sorted from other metals (1)</p> | 2 | <p>must be one advantage and one problem for 2 marks</p> <p>allow copper is in short supply (1)</p> <p>ignore saves landfill space</p> <p>allow loss of jobs mining or extracting copper ore (1)</p> |
| (d) | | <p>(aluminium because) low(est) density (1) and does not corrode (1)</p> <p>or</p> <p>(copper because) best conductor (1) and only corrodes slowly (1)</p> | 2 | <p>no mark for metal; marks are for explanation</p> <p>ignore (aluminium because) it is light</p> <p>ignore other factors from the table</p> <p>allow (copper because it is) a good conductor (1)</p> <p>ignore other factors from the table</p> <p>allow one mark for iron because it is strongest</p> |
| | | Total | 11 | |


| Question | | Answer | Marks | Guidance |
|----------|-----|---|----------|---|
| 7 | (a) | B (1) | 1 | allow correct answer ticked, circled or underlined in list if the answer line is blank |
| | (b) | any two from: the temperature or pressure chosen is a compromise (1) the high temperature gives a high rate of reaction (1) high pressure increases the percentage yield of ethanol (1) at higher temperatures the percentage yield is lower (1) higher pressures are expensive to maintain or generate (1) | 2 | |
| | | Total | 3 | allow answer relating to the risks associated with high pressure (1) |

| Question | | Answer | Marks | Guidance |
|----------|-----|---|----------|---|
| 8 | (a) | idea that the lithosphere has a lower density than the inner mantle (1) | 1 | assume unqualified answer refers to the lithosphere e.g. 'it is less dense than the inner mantle' allow idea that the crust <u>and</u> outer mantle have a lower density than the inner mantle / ora (1) ignore the crust and the outer mantle are lighter than the inner mantle |
| | (b) | idea that there is a greater range of evidence (1) idea that (more) scientists have discussed or tested the theory (1) | 2 | allow there is better technology (1) |
| | | Total | 3 | |

| Question | | Answer | Marks | Guidance |
|----------|-----|--|----------|---|
| 9 | (a) | allotropes (1) | 1 | allow allotropy (1) allow giant structures or giant molecules (1) |
| | (b) | graphene only contains strong (carbon to carbon) covalent bonds (1) graphite contains weak forces or bonds between the layers (of carbon atoms) (1) | 2 | allow graphene only allows strong bonds between atoms (1) not strong ionic bonds / strong intermolecular forces allow van der Waals' forces between layers or (weak) intermolecular forces (1) not weak covalent bonds between layers ignore graphite has layers held loosely together |
| | (c) | any two from: (diamond) has a high melting point (1) (diamond) is very hard (1) | 2 | ignore other properties from the table allow (diamond) is a good thermal conductor (1) |
| | | Total | 5 | |

| Question | | Answer | Marks | Guidance |
|----------|---------|---|----------|---|
| 10 | (a) | $Mg + 2HCl \rightarrow MgCl_2 + H_2$ formulae correct (1) balancing (1) | 2 | <p>allow any correct multiple, including fractions</p> <p>allow $= / \rightleftharpoons$ instead of \rightarrow</p> <p>not and / &</p> <p>balancing mark is dependent on the correct formula but</p> <p>allow 1 mark for a balanced equation with minor errors of case, subscripts, superscripts, etc</p> $Mg + 2HCl \rightarrow MgCl_2 + H_2$ |
| | (b) (i) | 47–51 (seconds) (1) | 1 | |
| | (ii) | 2 (cm^3/s) (1) | 1 | allow $120\ cm^3/min$ (1) |
| | (iii) | Please see suggested answer on page 15 line drawn to left of original and passing through the origin (1) line ending at same volume (1) | 2 | <p>allow line drawn to left of original but ending above or below $50\ cm^3$ (1)</p> <p>allow line drawn to right of original but ending at $50\ cm^3$ (1)</p> |
| | | Total | 6 | |

Question 10 (b) (iii)



| Question | | Answer | Marks | Guidance |
|----------|-----|--|-------|---|
| 11 | (a) | <p>any one from:</p> <p>idea that pharmaceutical drugs are usually required or made in smaller quantities (1)</p> <p>idea that pharmaceutical drugs are made as required (1)</p> <p>any one from:</p> <p>idea that fertilisers are made in large quantities (1)</p> <p>idea that fertilisers are made 24/7 (1)</p> | 2 | <p>must be one comment on pharmaceutical drugs and one on fertilisers for two marks</p> <p>allow idea that can control each batch for purity (1)</p> |

| Question | | Answer | Marks | Guidance |
|----------|-----|---|----------|--|
| | (b) | <p>Level 3 (5–6 marks) Calculates the atom economy for the given reaction <u>AND</u> Explains clearly why an industrial process should have as high an atom economy as possible. Quality of written communication does not impede communication of the science at this level.</p> <p>Level 2 (3–4 marks) Calculates the atom economy for the given reaction <u>OR</u> Gives at least two reasons why an industrial process should have as high an atom economy as possible. Quality of written communication partly impedes communication of the science at this level.</p> <p>Level 1 (1–2 marks) Gives a reason why an industrial process should have as high an atom economy as possible <u>OR</u> calculates the required formula masses of magnesium nitrate and water. Quality of written communication impedes communication of the science at this level.</p> <p>Level 0 (0 marks) Insufficient or irrelevant science such as repeating the question. Answer not worthy of credit.</p> | 6 | <p>This question is targeted at grades up to A*.</p> <p>Indicative scientific points may include:</p> <p>reasons for need for high atom economy:</p> <ul style="list-style-type: none"> • to reduce the production of unwanted products (makes less waste is not sufficient) • to make the process more sustainable • in this reaction water is the only unwanted product so the process is very green. <p>calculation of atom economy:</p> <ul style="list-style-type: none"> • recall $\text{atom economy} = \frac{\text{molecular mass of all of the desired products}}{\text{sum of all of the molecular masses of all of the products}} \times 100\%$ <ul style="list-style-type: none"> • formula mass of magnesium nitrate = 148 • formula mass of water = 18 • formula mass of all products = 166 • atom economy = 89%. <p>Use the L1, L2, L3 annotations in scoris; do not use ticks.</p> |
| | | Total | 8 | |

| Question | | Answer | Marks | Guidance |
|----------|---------|--|----------|--|
| 12 | (a) | <p>bond making is exothermic / bond making gives out energy / bond making releases energy (1)</p> <p>more energy taken in than is released / more energy absorbed than given out (1)</p> <p>but it takes more energy to break the bonds than the energy released in making new bonds scores (2)</p> | 2 | <p>allow heat instead of energy</p> <p>ignore more bonds are broken than are made</p> |
| | (b) (i) | <p>energy = $100 \times 4.2 \times 20$ (1)</p> <p>but</p> <p>energy = 8400 (J) (2)</p> | 2 | <p>allow full marks for correct answer with no working out</p> <p>allow $2.2 \times 4.2 \times 20$ or 184.8 (J) (1)</p> <p>allow 8.4 kJ (2)</p> |
| | (ii) | <p>highest temperature change (1)</p> <p>for least amount of fuel burnt (1)</p> | 2 | <p>allow calculation of energy change for each fuel showing that paraffin releases most energy (2)</p> <p>allow ecf from (b)(i) for energy calculations based on using the mass of fuel (instead of the mass of water) (2)</p> |
| | | Total | 6 | |

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2013

