

**GENERAL CERTIFICATE OF SECONDARY EDUCATION  
GATEWAY SCIENCE  
CHEMISTRY B**

**B642/02**

Unit 2 Modules C4 C5 C6 (Higher Tier)

Candidates answer on the question paper.  
A calculator may be used for this paper.


**OCR supplied materials:**  
None

**Other materials required:**

- Pencil
- Ruler (cm/mm)

**Wednesday 26 January 2011  
Afternoon**

**Duration: 1 hour**



|                       |  |                      |  |
|-----------------------|--|----------------------|--|
| Candidate<br>forename |  | Candidate<br>surname |  |
| Centre number         |  | Candidate number     |  |

**INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Answer **all** the questions.
- Do **not** write in the bar codes.

**INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question.
- The Periodic Table is printed on the back page.
- The total number of marks for this paper is **60**.
- This document consists of **24** pages. Any blank pages are indicated.


2

Answer **all** the questions.**Section A – Module C4**

- 1 Ethanoic acid is an important industrial chemical.

Large amounts of ethanoic acid are needed every day.

Look at the flow chart. It shows how ethanoic acid is manufactured.



- (a) Write down the **word** equation for the manufacture of ethanoic acid.

..... [1]

- (b) Suggest **two** ways in which the cost of manufacturing ethanoic acid is reduced.

Use the flow chart to help.

1 .....

.....

2 .....

..... [2]

3

(c) Kritica is a research chemist.

She investigates the percentage yield of ethanoic acid as the conditions change.

The conditions she changes are the **temperature** and the **pressure**.

Look at the table. It shows the results of her investigation.

| pressure in atmospheres | percentage yield at 100 °C | percentage yield at 300 °C | percentage yield at 500 °C | percentage yield at 700 °C |
|-------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| 20                      | 50                         | 43                         | 32                         | 19                         |
| 40                      | 80                         | 76                         | 68                         | 56                         |
| 60                      | 94                         | 92                         | 89                         | 85                         |
| 80                      | 98                         | 97                         | 95                         | 92                         |
| 100                     | 99                         | 99                         | 98                         | 97                         |

(i) Look at the column for **100 °C**.

How does increasing the **pressure** change the percentage yield?

..... [1]

(ii) How does increasing the **temperature** change the percentage yield?

..... [1]

[Total: 5]

- 2 Luke uses the internet to find information about some salts.

Look at the table. It shows the information Luke finds.

| name of salt       | formula of salt              | ions present in salt   |
|--------------------|------------------------------|------------------------|
| ammonium phosphate | $(\text{NH}_4)_3\text{PO}_4$ | ammonium and phosphate |
| barium sulfate     | $\text{BaSO}_4$              | barium and sulfate     |
| lead(II) nitrate   | $\text{Pb}(\text{NO}_3)_2$   | lead and nitrate       |
| potassium iodide   | $\text{KI}$                  | potassium and iodide   |
| potassium nitrate  | $\text{KNO}_3$               | potassium and nitrate  |

- (a) How many **atoms** are there in the formula for lead(II) nitrate?

..... [1]

- (b) (i) What is the relative formula mass,  $M_r$ , of ammonium phosphate?

The relative atomic mass,  $A_r$ , of N = 14, of H = 1, of P = 31 and of O = 16.

.....  
 .....  
 .....

relative formula mass,  $M_r$  = ..... [1]

- (ii) What is the percentage by mass of **phosphorus** in ammonium phosphate?

.....  
 .....  
 .....

percentage of phosphorus = .....% [1]

- (c) A solution of silver nitrate is mixed with a solution of potassium iodide.

A yellow precipitate of silver iodide,  $\text{AgI}$ , is made.

Potassium nitrate solution is also made.

Write a **balanced symbol** equation for this reaction.

..... [1]

5

(d) Luke decides to make barium sulfate by reacting barium chloride with ammonium sulfate.

Luke starts with 2.00 g of barium chloride.

He does not get a 100 % yield of barium sulfate.

He predicts he should make 2.24 g of barium sulfate.

He actually makes 1.68 g of barium sulfate.

What is his percentage yield of barium sulfate?

.....

.....

.....

percentage yield = .....%

[2]

[Total: 6]

6

- 3 Farmers use fertilisers to increase crop yield and make more money.

Look at the table. It shows some synthetic fertilisers.

| synthetic fertiliser | formula of salt              |
|----------------------|------------------------------|
| ammonium phosphate   | $(\text{NH}_4)_3\text{PO}_4$ |
| potassium sulfate    | $\text{K}_2\text{SO}_4$      |
| sodium nitrate       | $\text{NaNO}_3$              |
| potassium phosphate  | $\text{K}_3\text{PO}_4$      |

- (a) Some fertilisers contain an essential element that is used to make proteins in plants.

Write down the names of these synthetic fertilisers.

Choose **two** fertilisers from the table.

..... and .....[1]

- (b) Farmers sometimes put too much fertiliser on their fields.

This can cause **eutrophication**.

Look at the statements. They describe how eutrophication happens.

Put the statements in order by using numbers 1 to 6.

The first one has been done for you.

| statement                                                                           | number |
|-------------------------------------------------------------------------------------|--------|
| aquatic animals in the river die                                                    |        |
| algal bloom blocks sunlight                                                         |        |
| other green plants in the river die and aerobic bacteria feed off these dead plants |        |
| concentration of nitrate ions in the river water increases so algae grow rapidly    |        |
| rain washes away fertiliser from fields                                             | 1      |
| concentration of oxygen in the river water decreases                                |        |

[2]

7

(c) Ammonium phosphate can be made by the reaction of an acid and an alkali.

Describe the preparation of a neutral solution of ammonium phosphate.

Include in your answer

- the name of the acid and the name of the alkali
- the experimental method used
- how a neutral solution is obtained.

A labelled diagram may help you answer the question.

.....

.....

.....

.....

.....

.....

.....


.....

[3]

[Total: 6]  
Turn over

- 4 Silicon carbide, SiC, is used in cutting tools.

Look at the diagram. It shows the structure of silicon carbide.



Silicon carbide and diamond have similar structures.

- (a) Silicon carbide has a high melting point.

Suggest why. Use ideas about the structure of silicon carbide.

.....

.....

.....

..... [2]

- (b) Silicon carbide is used in cutting tools.

One reason for this is that it has a high melting point.

Suggest one **other** reason why silicon carbide is used in cutting tools.

..... [1]

[Total: 3]

## Section B – Module C5

5 Sodium peroxide has the formula  $\text{Na}_2\text{O}_2$ .

(a) What is the **empirical** formula of sodium peroxide?


Choose from the list.



answer ..... [1]

(b) Sodium peroxide reacts with water to make oxygen.

Look at the equation for this reaction.



Chloe finds that 7.80 g of sodium peroxide makes 1.60 g of oxygen.

What mass of oxygen can be made from 1.95 g of sodium peroxide?

.....  
 .....  
 .....

mass of oxygen = ..... g [2]

(c) The relative atomic mass,  $A_r$ , of sodium is 23.

Complete the following sentence about relative atomic mass.

Use words from the list.

**carbon-12**

**carbon-13**

**hydrogen**

**oxygen-16**

**sodium-23**

The relative mass of sodium is the average mass of a sodium atom compared to

$1/12^{\text{th}}$  the mass of an atom of ..... [1]


[Total: 4]

10

- 6 Jenny investigates the reaction between **excess** sulfamic acid and sodium nitrite solution.

Solid sulfamic acid reacts with sodium nitrite solution to make nitrogen.


Look at the apparatus she uses.



Jenny measures the total volume of gas in the gas syringe every 30 seconds.

She plots the results on a graph.

Look at the graph.



(a) Look at the graph.

(i) What is the total volume of nitrogen made at the end of the reaction?

..... cm<sup>3</sup> [1]

(ii) The reaction is done at room temperature and pressure.

What is the total number of moles of nitrogen made after 30 seconds?

One mole of nitrogen occupies a volume of 24 000 cm<sup>3</sup> (24 dm<sup>3</sup>) at room temperature and pressure.

.....  
.....  
.....

answer = ..... moles [2]

(b) Sodium nitrite is the **limiting** reactant.

What does this mean?

.....  
..... [1]

(c) Sulfamic acid is a **weak acid**.

What is a weak acid?


.....  
.....  
..... [2]

[Total: 6]

## 12

- 7 Aimee investigates the factors that affect the electrolysis of copper(II) sulfate solution.

Look at the apparatus she uses.



Aimee finds the mass of the copper cathode.

Aimee then passes an electric current through the copper(II) sulfate solution.

After the electrolysis she dries the cathode and finds its mass again.

Aimee repeats the electrolysis several times.

She changes the time taken to do the electrolysis.

She also changes the size of the current used.

Look at her results table.

| experiment number | current used in amps | time taken in seconds | mass of cathode          |                             |
|-------------------|----------------------|-----------------------|--------------------------|-----------------------------|
|                   |                      |                       | before starting in grams | after electrolysis in grams |
| 1                 | 2.0                  | 180                   | 1.24                     | 1.36                        |
| 2                 | 4.0                  | 180                   | 1.20                     | 1.44                        |
| 3                 | 2.0                  | 360                   | 1.34                     | 1.58                        |

13

- (a) (i) In experiment 3 Aimee also measures the mass of the anode before the electrolysis.

The mass was 1.12 g.

Predict the mass of the anode at the end of the electrolysis.

Use information from the table of results.

.....  
.....

mass of anode = ..... g [1]

- (ii) What is the effect of increasing the time on the mass of copper made at the cathode?

..... [1]

- (iii) What is the effect of increasing the current on the mass of copper made at the cathode?

..... [1]

- (b) At the anode copper atoms lose electrons to make copper ions,  $\text{Cu}^{2+}$ .

Write down the **symbol equation** for this reaction.

Use  $\text{e}^-$  to represent an electron.

..... [2]

[Total: 5]

14


8 Zak investigates the neutralisation of dilute nitric acid.

He measures out  $25.0\text{ cm}^3$  of  $0.150\text{ mol/dm}^3$  dilute nitric acid.

He puts this acid into a beaker.

Zak reacts the dilute nitric acid with an alkali, potassium hydroxide solution.

Look at the diagram. It shows the apparatus he uses.




Zak slowly adds the alkali to the dilute nitric acid.

He uses a pH probe to measure the pH of the solution in the beaker.

(a) The pH of the solution in the beaker changes as more and more potassium hydroxide is added.

Draw a sketch graph to show how the pH changes.



[2]

15

- (b) Zak uses  $25.0\text{cm}^3$  of  $0.150\text{mol/dm}^3$  dilute nitric acid.

How many moles of nitric acid does Zak use?

.....

.....

.....

number of moles = ..... [1]

- (c) Zak repeats the experiment but does not use the datalogger and the pH probe.

He wants to find the volume of potassium hydroxide solution that will just neutralise the nitric acid.

He puts two drops of litmus solution into the beaker.

- (i) Describe how Zak can tell when the dilute nitric acid has just been neutralised.

.....

..... [1]

- (ii) Explain why universal indicator would be less suitable than litmus solution.

.....

.....

..... [1]


[Total: 5]

## Section C – Module C6

9 This question is about ethanol.

Look at the diagram.

It shows how ethanol can be made by fermentation.



(a) (i) The air lock prevents air entering the reaction mixture.

Why is it important to keep air out of the reaction mixture?

..... [1]

(ii) The optimum temperature for fermentation is between 25 °C and 50 °C.

Temperatures of 0 °C or 70 °C are not used for fermentation.

Explain why.

0 °C .....

.....

70 °C .....

..... [2]

(b) Ethanol can also be made by reacting ethene with water (steam).

Write down the **word** equation for this reaction.

..... [1]

[Total: 4]

**10** This question is about rusting.

- (a)** The rusting of iron involves both oxidation and reduction.

Write down the name of this type of reaction.

..... [1]

- (b)** Galvanised iron is iron coated in a thin layer of zinc.

The iron does not rust.

Write about the ways in which zinc prevents iron rusting.


.....  
.....  
.....  
..... [2]

**[Total: 3]**

11 This question is about analgesics.

(a) Look at the table. It shows some displayed and molecular formulas.

Complete the table.


| name of compound | molecular formula of compound | displayed formula of compound                                                      |
|------------------|-------------------------------|------------------------------------------------------------------------------------|
| ethanol          | $C_2H_6O$                     |                                                                                    |
| paracetamol      |                               |  |

[3]

(b) Look at the displayed formula of aspirin.

In this form aspirin does not dissolve in water.

What change is made to the structure of aspirin to make it soluble?



You can draw on the structure to help explain your answer.

.....


.....

..... [1]

19

(c) Look at the flow chart.

It shows how aspirin is made.



Aspirin is made from two chemicals.

One chemical is ethanoic anhydride, the other chemical is substance **A**.

Write down the name of substance **A**.

Choose from the list.

**ethanoic acid**

**ethanol**

**glycerol**

**salicylic acid**

answer ..... [1]

[Total: 5]

**12** This question is about hardness in water.

Hardness in water is caused by chemicals dissolved in the water.

There are two types of hardness, temporary and permanent.

Write down the name of a chemical which causes **temporary** hardness.

Choose from the list.

**calcium hydrogencarbonate**

**calcium sulfate**

**sodium carbonate**

**sodium chloride**


answer ..... [1]

[Total: 1]

13 Ahmed carries out an experiment on electrolysis.

He uses **concentrated** sodium chloride,  $\text{NaCl}$ , solution as the electrolyte.

Look at the apparatus he uses.



(a) (i) Hydrogen gas is given off at the cathode.

Write down the name of the gas given off at the **anode**.

..... [1]

(ii) Hydrogen ions,  $\text{H}^+$ , gain electrons to make hydrogen gas,  $\text{H}_2$ .

Write down the **balanced symbol** equation for this reaction.

Use  $\text{e}^-$  to represent an electron.

..... [2]

(b) Hydrogen is used in a fuel cell.

Hydrogen reacts with oxygen. Energy is given out.

Write down the name of the **type** of reaction that gives out energy.

Choose from the list.

**displacement**

**endothermic**

**exothermic**

**fermentation**

answer ..... [1]

[Total: 4]

**14** This question is about oils and fats.

Sunflower oil contains unsaturated molecules.

An unsaturated molecule has at least one double bond between carbon atoms.

**(a)** Jean tests the sunflower oil for unsaturation.

Write about how she carries out this test.

Your answer should include

- the name of the chemical she uses
- any colour changes she would see.

.....

.....

.....

..... [2]

**(b)** Sunflower oil is heated with sodium hydroxide solution.

Glycerol and soap are produced.

Write down the name of this chemical process.

Choose from the list.

**displacement**

**electrolysis**

**precipitation**

**saponification**

answer ..... [1]

**[Total: 3]**

**END OF QUESTION PAPER**

**BLANK PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**



**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

# The Periodic Table of the Elements

24

|                               |                             |                                                                         |                                     |                               |                                  |                                |                               |                                  |                                    |                                   |                                                                                     |                             |                             |                             |                               |                               |                            |  |
|-------------------------------|-----------------------------|-------------------------------------------------------------------------|-------------------------------------|-------------------------------|----------------------------------|--------------------------------|-------------------------------|----------------------------------|------------------------------------|-----------------------------------|-------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------------|-------------------------------|----------------------------|--|
| 1                             | 2                           | Key                                                                     |                                     |                               |                                  |                                |                               |                                  |                                    |                                   |                                                                                     | 3                           | 4                           | 5                           | 6                             | 7                             | 0                          |  |
|                               |                             | relative atomic mass<br>atomic symbol<br>name<br>atomic (proton) number |                                     |                               |                                  |                                |                               |                                  |                                    |                                   |                                                                                     |                             |                             |                             |                               |                               |                            |  |
| 7<br>Li<br>lithium<br>3       | 9<br>Be<br>beryllium<br>4   |                                                                         |                                     |                               |                                  |                                |                               |                                  |                                    |                                   |                                                                                     | 11<br>B<br>boron<br>5       | 12<br>C<br>carbon<br>6      | 14<br>N<br>nitrogen<br>7    | 16<br>O<br>oxygen<br>8        | 19<br>F<br>fluorine<br>9      | 20<br>Ne<br>neon<br>10     |  |
| 23<br>Na<br>sodium<br>11      | 24<br>Mg<br>magnesium<br>12 |                                                                         |                                     |                               |                                  |                                |                               |                                  |                                    |                                   |                                                                                     | 27<br>Al<br>aluminium<br>13 | 28<br>Si<br>silicon<br>14   | 31<br>P<br>phosphorus<br>15 | 32<br>S<br>sulfur<br>16       | 35.5<br>Cl<br>chlorine<br>17  | 40<br>Ar<br>argon<br>18    |  |
| 39<br>K<br>potassium<br>19    | 40<br>Ca<br>calcium<br>20   | 45<br>Sc<br>scandium<br>21                                              | 48<br>Ti<br>titanium<br>22          | 51<br>V<br>vanadium<br>23     | 52<br>Cr<br>chromium<br>24       | 55<br>Mn<br>manganese<br>25    | 56<br>Fe<br>iron<br>26        | 59<br>Co<br>cobalt<br>27         | 59<br>Ni<br>nickel<br>28           | 63.5<br>Cu<br>copper<br>29        | 65<br>Zn<br>zinc<br>30                                                              | 70<br>Ga<br>gallium<br>31   | 73<br>Ge<br>germanium<br>32 | 75<br>As<br>arsenic<br>33   | 79<br>Se<br>selenium<br>34    | 80<br>Br<br>bromine<br>35     | 84<br>Kr<br>krypton<br>36  |  |
| 85<br>Rb<br>rubidium<br>37    | 88<br>Sr<br>strontium<br>38 | 89<br>Y<br>yttrium<br>39                                                | 91<br>Zr<br>zirconium<br>40         | 93<br>Nb<br>niobium<br>41     | 96<br>Mo<br>molybdenum<br>42     | [98]<br>Tc<br>technetium<br>43 | 101<br>Ru<br>ruthenium<br>44  | 103<br>Rh<br>rhodium<br>45       | 106<br>Pd<br>palladium<br>46       | 108<br>Ag<br>silver<br>47         | 112<br>Cd<br>cadmium<br>48                                                          | 115<br>In<br>indium<br>49   | 119<br>Sn<br>tin<br>50      | 122<br>Sb<br>antimony<br>51 | 128<br>Te<br>tellurium<br>52  | 127<br>I<br>iodine<br>53      | 131<br>Xe<br>xenon<br>54   |  |
| 133<br>Cs<br>caesium<br>55    | 137<br>Ba<br>barium<br>56   | 139<br>La*<br>lanthanum<br>57                                           | 178<br>Hf<br>hafnium<br>72          | 181<br>Ta<br>tantalum<br>73   | 184<br>W<br>tungsten<br>74       | 186<br>Re<br>rhenium<br>75     | 190<br>Os<br>osmium<br>76     | 192<br>Ir<br>iridium<br>77       | 195<br>Pt<br>platinum<br>78        | 197<br>Au<br>gold<br>79           | 201<br>Hg<br>mercury<br>80                                                          | 204<br>Tl<br>thallium<br>81 | 207<br>Pb<br>lead<br>82     | 209<br>Bi<br>bismuth<br>83  | [209]<br>Po<br>polonium<br>84 | [210]<br>At<br>astatine<br>85 | [222]<br>Rn<br>radon<br>86 |  |
| [223]<br>Fr<br>francium<br>87 | [226]<br>Ra<br>radium<br>88 | [227]<br>Ac*<br>actinium<br>89                                          | [261]<br>Rf<br>rutherfordium<br>104 | [262]<br>Db<br>dubnium<br>105 | [266]<br>Sg<br>seaborgium<br>106 | [264]<br>Bh<br>bohrium<br>107  | [277]<br>Hs<br>hassium<br>108 | [268]<br>Mt<br>meitnerium<br>109 | [271]<br>Ds<br>darmstadtium<br>110 | [272]<br>Rg<br>roentgenium<br>111 | Elements with atomic numbers 112-116 have been reported but not fully authenticated |                             |                             |                             |                               |                               |                            |  |

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.