

THIS IS A NEW SPECIFICATION

**H****Monday 21 May 2012 – Morning****GCSE TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A****A151/02** Modules B4 C4 P4 (Higher Tier)

Candidates answer on the Question Paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour

Candidate forename		Candidate surname	
Centre number		Candidate number	

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- Your quality of written communication is assessed in questions marked with a pencil (✎).
- The number of marks is given in brackets [] at the end of each question or part question.
- A list of physics equations is printed on page 2.
- The Periodic Table is printed on the back page.
- The total number of marks for this paper is **60**.
- This document consists of **24** pages. Any blank pages are indicated.

TWENTY FIRST CENTURY SCIENCE EQUATIONS**Useful relationships****The Earth in the Universe**

$$\text{distance} = \text{wave speed} \times \text{time}$$

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

Sustainable energy

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{voltage} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

Explaining motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{acceleration} = \frac{\text{change in velocity}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved in the direction of the force}$$

$$\text{amount of energy transferred} = \text{work done}$$

$$\text{change in gravitational potential energy} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric circuits

$$\text{power} = \text{voltage} \times \text{current}$$

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

Radioactive materials

$$\text{energy} = \text{mass} \times [\text{speed of light in a vacuum}]^2$$


3

BLANK PAGE

Question 1 begins on page 4

PLEASE DO NOT WRITE ON THIS PAGE

1 (a) Here is a diagram of a cell from the leaf of a plant.



Identify the structures and describe their roles in photosynthesis.



The quality of written communication will be assessed in your answer.

..... [6]

- (b)** Paul is investigating photosynthesis. He grows several samples of cress.


- (i) Paul uses the mass of the cress as a measure of the rate of photosynthesis.

Why can the mass of cress be used as a measure of the rate of photosynthesis?

..... [2]

5

- (ii) Each sample receives a different intensity of light. Paul plots his results in a graph.



Paul repeats his experiment but this time gives all of the plants **more** carbon dioxide. His results are different from the first experiment.

Draw a line on the graph to show how the results would be different. [1]

- (iii) Paul has to control factors other than the amounts of light and carbon dioxide in this experiment.

Suggest one **other** factor and explain how failing to control it would affect his experiment.

factor


explanation

.....

..... [2]

[Total: 11]

2 Caitlin goes scuba diving.



When she is at rest on the surface, Caitlin breathes in 4 litres of air every minute.

- (a) (i) She takes 5% of this air into her blood as oxygen.

What volume of oxygen from the air enters Caitlin's blood in one minute?

answerlitres [1]

- (ii) Caitlin has a full tank of air, which gives her 30 litres of **oxygen**.

How long will she be able to stay under water if she uses oxygen at the same rate?

answer minutes [2]

7

- (b) While she is underwater, Caitlin swims against strong currents.

Use your knowledge of respiration to explain how this could affect how long she can now stay under water.

.....

.....

.....


..... [2]

[Total: 5]

8

- 3 This question is about enzymes.
Enzyme **Y** helps to digest some foods in the small intestine.
Some people are unable to make enzyme **Y** in their small intestines.

- (a) The activity of enzyme **Y** at different pH levels is measured.
The results are plotted on this graph.



Food goes through the stomach before it enters the small intestine.
The pH in the stomach is 2.

The pH in the small intestine is 7.5.

Use the graph to explain if scientists should develop a pill containing enzyme **Y** for people to swallow.

Use ideas about the active site in your answer.

.....

.....

.....

..... [3]

9

- (b) One group of scientists claim to be the first to repair cells that can not make enzyme Y. They make their claim in a newspaper.

Other scientists question this claim.

What are the reasons for this?

Put ticks (✓) in the boxes next to the **two** correct answers.

It costs a lot of money to make enzymes.

☐

The work has not been peer reviewed.

☐

The cells were taken from a rat.

☐

The process has only been done in single cells.

☐

The enzyme is only 95% effective.

☐


The test has not been repeated by other scientists.

☐

[1]

[Total: 4]

- 4 In some nuclear power stations sodium is used to carry the heat from the reactor to the boiler. Heat from the hot sodium turns the water in the boiler into steam.



The sodium must be melted so that it can flow through the pipes.

Sodium is a Group 1 metal.

Here is some information about Group 1 metals.

	Melting point	Boiling point
Lithium	180 °C	1342 °C
Sodium		883 °C
Potassium	63 °C	760 °C

- (a) Estimate the melting point of sodium.

answer °C [1]

- (b) A student thinks that using sodium in a nuclear power station might cause problems.

He has two **reasons**

- the melting point makes it difficult to use sodium in pipes
- the sodium might be dangerous if the pipes leak inside the boiler.

Suggest and explain what these problems might be.

.....

.....

.....

.....

..... [3]

- (c) When sodium reacts it makes a positive ion.

What happens when an atom changes into a **positive** ion?

..... [1]

[Total: 5]

5 Sodium reacts with chlorine to make sodium chloride.

(a) Complete the balanced symbol equation for this reaction.

..... + $\text{Cl}_2 \rightarrow$ [2]

(b) A group of students describe what happens when sodium chloride crystals dissolve in water.

Some of these statements are true, and some are false.

Put a tick (✓) in the correct box next to each statement to show if it is **true** or **false**.

When sodium chloride crystals dissolve in water ...

	true	false
... the ions move freely.	☐	☐
... the ions turn into atoms.	☐	☐
... hydrogen gas is made.	☐	☐
... the solution conducts electricity.	☐	☐
... the ions separate from each other.	☐	☐
... the crystals float on the surface and react.	☐	☐

[2]

(c) Salt crystals from sea water are impure. They contain sodium chloride and also compounds of other elements.

We can find out what other elements are present by using a spectroscope.

Explain how the results of spectroscopy show that sodium and other elements are present.

.....

.....

.....

..... [3]

13

(d) Complete the table about the particles in an atom of sodium.

Use the Periodic Table to help you.

Particle	Number in an atom of sodium
electron	
proton	
.....	12

[2]

[Total: 9]

- Here is part of Mendeleev's table.

Mendeleev made important decisions about

- Describe these decisions and explain why Mendeleev took them.




[6]

© OCR 2012

15

- 7 Jim investigates how paper cake cases fall through the air. He thinks that they fall at a steady speed.



Jim releases the same cake case at different heights above the floor. He times how long it takes for it to reach the floor. Here are some of his results.

Height of drop in m	Time of fall in s	Speed in m/s	Average speed in m/s
1.00	2.00	0.500	
1.00	2.05	0.488	
1.00	1.90	0.526	
0.50	1.07	0.467	0.489
0.50	0.98		
0.50	1.02	0.490	

- (a) (i) Complete the **two** gaps in the table. [2]

- (ii) Use the data in the table to comment on Jim's idea that the cake cases fall at a steady speed.

.....

 [1]

- (b) For each height, Jim measures the time of fall more than once. The measurements are not the same.

Suggest **two** reasons why.

.....

 [2]


[Total: 5]

Turn over

16
BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

- 8 Ben uses a parachute to fall to the ground at a safe, steady speed.



Discuss the energy transfers which allow Ben and his parachute to drop at a steady speed.



The quality of written communication will be assessed in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

[Total: 6]


18

- 9 A car with a mass of 800 kg travels at a speed of 15 m/s on level ground.

(a) Calculate the braking force needed to stop the car in 2 s.

force = N [2]

- (b) The brakes are applied so that all four wheels lock and the car skids to a halt. The diagram shows three forces, **A**, **B** and **C**, acting on the car as it slows down.



- (i) Draw lines to link each **force** with its **name**.

force

name

A

mass of entire car

B

weight of entire car

C

friction on one wheel from the ground

reaction on one wheel from the ground

force on one wheel from the engine

[2]

- (ii) Here are some relationships between the forces while the car is skidding to a stop on level ground.

Put a tick (✓) in the box next to the correct relationship.

$B - C = A$

☐

$B - 4C = 0$

☐

$B + C = A$

☐





$A + B + C = 0$

☐

[1]

19

(c) Here are four possible displacement-time graphs for the car as it slows down.




Which graph, **A**, **B**, **C** or **D**, is correct for a car which is slowing down?

answer [1]

[Total: 6]

- 10** Jill throws a ball into the air.
She catches it when it comes down again.



- (a)** Here are some statements about the ball in its flight.

Put a tick (✓) in the box next to the correct statement.

The resultant force on the ball is downwards throughout the flight.

☐

The resultant force on the ball is zero at the highest point of the flight.

☐

Air resistance and gravity act in the same direction throughout the flight.

☐

The resultant force on the ball is upwards as it rises and downwards as it falls.

☐

[1]

- (b)** When Jill catches the ball, she allows her hand to move down with the ball.

Explain what effect this action has on the impact force of the ball on her hand.

.....

.....

.....

..... **[2]**

[Total: 3]

END OF QUESTION PAPER

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

24

1	2	3	4	5	6	7	0										
1 H hydrogen 1							4 He helium 2										
Key relative atomic mass atomic symbol name atomic (proton) number																	
7 Li lithium 3	9 Be beryllium 4							20 Ne neon 10									
23 Na sodium 11	24 Mg magnesium 12							35.5 Cl chlorine 17									
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.