

THIS IS A NEW SPECIFICATION


**F****Monday 10 June 2013 – Afternoon****GCSE TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A****A152/01** Modules B5 C5 P5 (Foundation Tier)

Candidates answer on the Question Paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)
- Calculator

Duration: 1 hour

Candidate forename		Candidate surname	
Centre number		Candidate number	

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- Your quality of written communication is assessed in questions marked with a pencil (✎).
- The number of marks is given in brackets [] at the end of each question or part question.
- A list of physics equations is printed on page 2.
- A list of qualitative tests for ions is printed on page 3.
- The Periodic Table is printed on the back page.
- The total number of marks for this paper is **60**.
- This document consists of **20** pages. Any blank pages are indicated.

TWENTY FIRST CENTURY SCIENCE EQUATIONS**Useful relationships****The Earth in the Universe**

$$\text{distance} = \text{wave speed} \times \text{time}$$

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

Sustainable energy

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{voltage} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

Explaining motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{acceleration} = \frac{\text{change in velocity}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved in the direction of the force}$$

$$\text{amount of energy transferred} = \text{work done}$$

$$\text{change in gravitational potential energy} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric circuits

$$\text{power} = \text{voltage} \times \text{current}$$

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

Radioactive materials

$$\text{energy} = \text{mass} \times [\text{speed of light in a vacuum}]^2$$

TWENTY FIRST CENTURY SCIENCE DATA SHEET

Qualitative analysis

Tests for ions with a positive charge

Ion	Test	Observation
calcium Ca^{2+}	add dilute sodium hydroxide	a white precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
copper Cu^{2+}	add dilute sodium hydroxide	a light blue precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
iron(II) Fe^{2+}	add dilute sodium hydroxide	a green precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
iron(III) Fe^{3+}	add dilute sodium hydroxide	a red-brown precipitate forms; the precipitate does not dissolve in excess sodium hydroxide
zinc Zn^{2+}	add dilute sodium hydroxide	a white precipitate forms; the precipitate dissolves in excess sodium hydroxide

Tests for ions with a negative charge

Ion	Test	Observation
carbonate CO_3^{2-}	add dilute acid	the solution effervesces; carbon dioxide gas is produced (the gas turns lime water from colourless to milky)
chloride Cl^-	add dilute nitric acid, then add silver nitrate	a white precipitate forms
bromide Br^-	add dilute nitric acid, then add silver nitrate	a cream precipitate forms
iodide I^-	add dilute nitric acid, then add silver nitrate	a yellow precipitate forms
sulfate SO_4^{2-}	add dilute acid, then add barium chloride or barium nitrate	a white precipitate forms

4

Answer **all** the questions.


- 1 The Vikings dug out small amounts of impure iron from peat bogs.
This 'bog iron' contains iron oxide.

The Vikings heated the bog iron in a charcoal fire to extract the iron.
The fire makes carbon monoxide, which reacts with the iron oxide.

- (a) There are four chemicals involved in one of the reactions in the fire.

iron
iron oxide
carbon dioxide
carbon monoxide

Write the name of each chemical in the box under its formula.
One has been done for you.



[1]

- (b) How many atoms of iron are in each formula of Fe_2O_3 ?
Put a (ring) around the correct answer.

1 2 3 5 6

[1]

- (c) The relative atomic mass of carbon is 12.
The relative atomic mass of oxygen is 16.

Calculate the relative formula mass of CO.

answer = [1]

- (d) The relative atomic mass of Fe is 56.
What mass of Fe is in one gram formula mass of Fe_2O_3 ?

answer = g [2]

- (e) What happens to the metal oxide when it is changed into the metal?
Put a (ring) around the correct answer.

combustion oxidation precipitation reduction

[1]

5

- (f) The bog iron contains traces of aluminium oxide.
Why does the carbon monoxide **not** extract the aluminium as well as the iron?
Use ideas about reactivity in your answer.

.....


.....

..... [2]

[Total: 8]

Question 2 begins on page 6

- 2 Julie takes samples of water from a disused mine.



She adds different chemicals to the samples to see if any of them make a precipitate.

- (a) What can we say about a precipitate?
Put a tick (✓) in the box next to the best answer.

A precipitate is	an element.	
	insoluble.	
	a mineral.	
	soluble.	

[1]

- (b) Julie wants to know what ions are dissolved in the mine water.

- (i) When she adds sodium hydroxide solution to the water a white precipitate appears.

This shows that some ions might be present.

Put rings around the ions that might be present. Use the data sheet to help you.

carbonate sulfate calcium copper iron(II) iron(III) zinc

[1]

- (ii) She then adds more sodium hydroxide and the white precipitate disappears.
This shows Julie that only one ion is present.


Put a ring around the ion that is present.

carbonate sulfate calcium copper iron(II) iron(III) zinc

[1]

[Total: 3]

- 3 The diagram shows the structure of graphite.



Graphite can be used as electrodes for electrolysis at high temperatures.

It is also used for lubricating moving parts in door locks and hinges.

Use ideas about the structure and properties of graphite to explain why graphite will do both these jobs.



The quality of written communication will be assessed in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....



..... [6]

[Total: 6]

4 A factory extracts metal.

The factory gives out acidic fumes of sulfur dioxide.

Scientists have been measuring how healthy the trees are in the area near the factory.



George and Maria look at the graphs.

This is what they think.



Both George and Maria could be right.

Explain why.

.....

.....

.....

..... [3]


[Total: 3]



[6]

Turn over

- 6 Sally uses this circuit to investigate an electrical component called a diode.



- (a) Draw straight lines to link each labelled **component**, **P**, **Q**, **R** and **S**, in her circuit with its **function**. One has been done for you.

component	function
P	measures the current in the diode
Q	pushes electrons around the circuit
R	is used to change the current in the circuit
S	measures the potential difference across the diode

[2]

- (b) Sally measures the potential difference across the diode for two different currents. Here are her results.

Current in amps	Potential difference in volts
0.12	0.60
0.45	0.90

What can she conclude about the effect of changing the current on the resistance of the diode?

Justify your answer. You may use calculations.

.....

.....

.....

..... [3]

- (c) Sally's friends talk about her experiment.

Alan The current correlates with the voltage.			Bess Increasing the voltage makes the charges go faster through the diode.
Carlos Sally ought to take the measurements again.			Davina Sally needs to record the meter readings to more decimal places.

- (i) Who suggests an **explanation** for Sally's results?

answer [1]


- (ii) Who talks about **checking** Sally's data?

answer [1]

[Total: 7]

12


- 7 Dave keeps insects in a cage. He uses this circuit to keep them warm.



- (a) The current in the circuit is 0.2 A when the switch is closed.
Calculate the heating power of the circuit.

heating power = W [1]

- (b) Dave adds an extra cell to increase the heating power of the circuit.



Complete the sentences by putting a ring around the correct choice.

The extra cell **doubles** / **halves** / **does not change** the potential difference across the resistor.


The resistance of the fixed resistor **doubles** / **halves** / **does not change**.

The current in the fixed resistor **doubles** / **halves** / **does not change**.

[2]

[Total: 3]

- 8 Electric motors are widely used in modern appliances.



- (a) State the name of an appliance which contains an electric motor and describe what that motor does.

.....

.....

.....

..... [2]

- (b) Explain how the current in an electric motor makes it spin round.
Use these words in your answer.

coil field force magnet

.....

.....

.....

.....

.....

..... [2]

[Total: 4]

14

- 9 Dystrophin is a protein found in healthy muscle cells.

The gene for dystrophin is found in the nucleus.

The gene is made of DNA.

- (a) Put a tick (✓) in the box next to the correct word to complete each sentence.

DNA has a	single		helix structure.
	double		
	triple		

Strands of DNA are made of four different bases.

The base T always pairs with the base	A.	
	C.	
	G.	

The code for dystrophin is in the	order		of the bases.
	pairing		
	shape		

[2]

15

- (b) People who cannot make dystrophin have the condition called Duchenne muscular dystrophy (DMD).

The incidence of DMD is 2.86 in 10 000 births.

One city in England has 5000 births in one year.

- (i) Calculate how many new cases of DMD can be expected in this city in this year.

Show your working.

answer = [2]

- (ii) A doctor has found a protein that she thinks is only present in people with DMD.

She has tested six children who have DMD. They all have the protein.

She concludes that the protein is a good test for DMD.

Suggest **two** ways the doctor could increase her confidence in her conclusion.

.....
.....
..... [2]

[Total: 6]

10 Gary studies mitosis in a plant root under his microscope.

(a) Which processes occur during mitosis?

Put ticks (✓) in the boxes next to the **two** correct answers.

number of organelles increases

☐

chromosomes are copied

☐

chromosomes separate

☐

nucleus divides

☐

number of chromosomes halves

☐

[2]


(b) Gary counts how many cells he can see.

He then counts how many of these are undergoing mitosis.

He works out the mitotic index using this equation.

$$\text{mitotic index} = \frac{\text{number of cells showing mitosis}}{\text{total number of cells in view}}$$

Gary calculates the mitotic index at different distances from the end of the root.
He plots his results on this graph.



17

Gary looks at one section of the root through his microscope.

He sees that 16 out of 200 cells are undergoing mitosis.

- (i) Calculate the mitotic index for this section.

answer = [1]

- (ii) Meristem tissue has a mitotic index of more than 0.1.

Is this section from the meristem?

Justify your answer.

.....

.....

..... [1]

- (iii) Use your answer to part (i) and Gary's graph to suggest how far this section is from the end of the root.

answer = [1]

[Total: 5]

- 11 Dutch elm disease has killed many elm trees in England.



Some elms are resistant to the disease.

Park keepers want to plant resistant elm trees to replace ones which have been killed.

They decide to use cuttings from the resistant elms, rather than using seeds.

Describe the process of using cuttings, and explain why they choose this method.



The quality of written communication will be assessed in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

[Total: 6]

12 This question is about stem cells.

Use words from the list to complete the sentences.

Each word may be used **once**, **more than once** or **not at all**.

activated

deactivated

genes

proteins

specialised

unspecialised

At the four cell stage in human embryos all of the cells are

After the eight cell stage most of the cells become to form different types of tissue.

All of the cells in a person have the same

Cells in adult tissues only make some of the coded for.

This means that tissue cells must have some.....that are switched off.

[3]

[Total: 3]

END OF QUESTION PAPER



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

© OCR 2013

1	2	Key										3	4	5	6	7	0						
		relative atomic mass atomic symbol name atomic (proton) number																1 H hydrogen 1		4 He helium 2			
7 Li lithium 3	9 Be beryllium 4																	11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10
23 Na sodium 11	24 Mg magnesium 12																	27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36						
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54						
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86						
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated												

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.