

**H****A215/02**

GENERAL CERTIFICATE OF SECONDARY EDUCATION
TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A

Unit 1 Modules B4 C4 P4 (Higher Tier)

TUESDAY 17 JUNE 2008

Morning
Time: 40 minutes

Candidates answer on the question paper.

Additional materials (enclosed):
None

Calculators may be used.

Additional materials: Pencil
Ruler (cm/mm)



Candidate
Forename

Candidate
Surname

Centre
Number

--	--	--	--	--

Candidate
Number

--	--	--	--

INSTRUCTIONS TO CANDIDATES

- Write your name in capital letters, your Centre Number and Candidate Number in the boxes above.
- Use blue or black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully and make sure that you know what you have to do before starting your answer.
- Answer **all** the questions.
- Do **not** write in the bar codes.
- Write your answer to each question in the space provided.

INFORMATION FOR CANDIDATES

- The number of marks for each question is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- A list of physics equations is printed on page two.
- The Periodic Table is printed on the back page.

FOR EXAMINER'S USE		
Qu.	Max.	Mark
1	4	
2	5	
3	1	
4	4	
5	4	
6	5	
7	5	
8	4	
9	5	
10	5	
TOTAL	42	

This document consists of **20** printed pages.

TWENTY FIRST CENTURY SCIENCE EQUATIONS

Useful Relationships

Explaining Motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved by the force}$$

$$\text{change in energy} = \text{work done}$$

$$\text{change in GPE} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric Circuits

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{V_p}{V_s} = \frac{N_p}{N_s}$$

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{potential difference} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

The Wave Model of Radiation

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

3

Answer **all** the questions.

1 A doctor tells Johnny that he should use 'low-salt' instead of normal salt.

(a) In 'low-salt', some of the sodium chloride is replaced with potassium chloride.

Why is it possible to replace sodium chloride with potassium chloride in salt?


Choose the statement which is the most likely explanation.

- A Sodium is more reactive than potassium.
- B When salt dissolves, its ions split apart.
- C Potassium chloride flows more easily than sodium chloride.
- D Sodium and potassium are both in Group I.

answer [1]

(b) Johnny checks the amount of **salt** in different tins of baked beans.

The labels have different amounts of useful information.



Fill in the boxes below to show the order of **increasing** useful information in the labels.

The first one has been done for you.

order →

Alice				
-------	--	--	--	--

[3]

[Total: 4]

4

- 2 The European Smart-1 spacecraft was deliberately crashed onto the Moon's surface.

This threw up a cloud of dust and produced a flash of light.

Astronomers on Earth saw the flash of light and measured it with spectroscopes.

- (a) What was the flash used to find out about?

- A the far side of the Moon
- B elements in the rocks of the Moon's core
- C elements in the dust from the Moon's surface
- D elements in the Sun

answer [1]

- (b) The spacecraft used a new type of rocket motor called an ion-engine to drive it through space. The engine ionises xenon gas, then it fires the ions through an exhaust nozzle.


Xenon melts at -120°C , and it boils at -108°C .

Put a ring around the best temperature inside the engine when it is working in space.


-273°C -173°C -110°C $+273^{\circ}\text{C}$

[1]


- (c) The outer two electron shells for an atom of xenon are:




Which of the following shows a xenon ion, Xe^{+} ?




A



B



C



D

answer [1]

5

- (d) Xenon, which is in Group 0 of the Periodic Table on page 20, does not normally form ions.

In which group of the Periodic Table do elements form ions with a single positive charge?

Put a (ring) around the best answer.

Group 1

Group 2

Group 4

Group 6

Group 7

[1]

- (e) Lithium azide contains the Li^+ and the N_3^- ions.

Put a (ring) around the formula of lithium azide.

LiN_3

Li_3N_3

Li_3N

LiNO_3

[1]

[Total: 5]

6

3 Sodium and calcium are both metals.

Sodium compounds make flames turn orange.

Calcium compounds make flames turn red.

When you look at each flame through a spectrometer, what do you notice?

Put a tick (✓) in the box next to the correct observation.

The lines in the calcium spectrum are all red.
The lines in the two spectra come in different places.

☐

The lines in the sodium spectrum are all red.
The lines in the two spectra come in the same places.

☐

In both spectra, each line is a different colour.
The lines in the two spectra come in the same places.

☐

In both spectra, each line is a different colour.
The lines in the two spectra come in different places.

☐

[1]

[Total: 1]

4 We often need to show the state symbols, such as [aq], in chemical equations.

(a) Fill in the boxes to show the state symbol for each of these chemicals at room temperature.

chemical	melting point in °C	boiling point in °C	state symbol
A	114	184	
B	42	713	
C	-7	58	
D	-101	-34	

[2]

(b) When some compounds are melted they will then conduct electricity.

Draw **one** straight line to join the two statements which **best** explain why this is so.

particles
(choose one)

The particles in each element
are ions.

The particles in the compound
make up a regular lattice.

The particles in the compound
are ions.

behaviour
(choose one)

In a melted compound, electrons
are passed from ion to ion.

In the melted compound, the ions
can move.

Particles in a lattice vibrate more
at higher temperatures.

[2]

[Total: 4]

8

- 5 Jake drives his car past a speed camera.



- (a) The camera takes a photograph of the car.

It takes another photograph 0.50 s later.

The photographs show that the car moves a distance of 9.0 m between the two photographs.

What is the average speed of the car?

Put a **ring** around the correct answer.

0.056 m/s

4.5 m/s

18 m/s

450 m/s

[1]

- (b) The car is speeding up as the photographs are being taken.





- (i) Complete the table with **true** or **false** for a car which is speeding up.

The counter force on the car is ...	true or false
... equal to the driving force.	
... less than the driving force.	
... getting smaller all the time.	
... greater than the driving force.	
... in the same direction as the driving force.	
... in the opposite direction to the driving force.	

[2]

9


- (ii) Which of these velocity-time graphs, **A**, **B**, **C** or **D**, shows the motion of the car as it passes the speed camera?

**A****B****C****D**

answer [1]

[Total: 4]

6 Sally plays football.



(a) She kicks a football with a force of 100 N.

The momentum of the football changes by 50 kg m/s.

How should she calculate the **time** for which her force acts?

Put a ring around the correct calculation.

$$\frac{100}{50}$$

$$100 + 50$$

$$100 \times 50$$

$$100 - 50$$

$$\frac{50}{100}$$

[1]


(b) Complete the table with **true** or **false**.

The force from Sally's foot ...	true or false
... is equal to the weight of the ball.	
... reduces the momentum of the ball.	
... is greater than the reaction force from the ball.	
... does work increasing the kinetic energy of the ball.	
... has the same size as the reaction force from the ball.	
... is in the same direction as the reaction force from the ball.	





[3]

11

(c) The diagram shows the path followed by the ball once it has left Sally's foot.



Which **one** of these graphs shows how the **horizontal distance** of the ball changes with time between leaving Sally's foot and hitting the ground?



answer [1]

[Total: 5]

7 Byron goes for a walk in the park.



- (a) (i) Which of these arrows shows the direction of the reaction force from the ground on Byron's feet when he stands still?

Put a ring around the correct arrow.



[1]

- (ii) The reaction force is part of an interaction pair.

Which of these forces is the **other** force in the interaction pair?

Put a ring around the correct answer.

counter force

driving force

friction

weight

[1]

13

(b) Byron walks at a steady speed across the ground.

Draw a straight line from the **start** of each sentence to its correct **end**.

start

end

The friction force is ...

... dissipated by heating.

The total reaction force is ...

... equal to Byron's weight.

The work done by Byron is ...

... enough to stop the feet slipping.

[2]

(c) Byron does 500 J of work as he walks a distance of 100 m across the park.

This takes 50 s.

Calculate the average counter force.

Put a **ring** around the correct answer.

1 N

5 N

10 N

50 000 N

2 500 000 N

[1]

[Total: 5]

8 Dan is carrying out vigorous exercise.

He is using equipment in a gym.



(a) Sweating is one aspect of homeostasis.

What is homeostasis?

Put a tick (✓) in the box next to the correct answer.

the decrease in activity within the internal environment

☐

the increase in activity within the internal environment

☐

the maintenance of a constant internal environment

☐

the maintenance of a constant external environment

☐

[1]

15

- (b) Any changes in Dan's core body temperature are detected and processed.

Different parts of the body are involved.

Complete the sentences. Choose the **best** words from this list.

Each word may be used once, more than once or not at all.

blood brain heart liver skin

Changes in the external temperature are detected by temperature receptors

in the

Changes in the temperature of the blood are detected by temperature receptors

in the

Information received from the temperature receptors is processed

by the [2]

- (c) Dan loses water as he sweats.

How else can Dan lose water?

Put a ring around each of the **two** correct answers.

breathing digesting eating excreting respiring

[1]

[Total: 4]

9 This question is about kidneys.

(a) Which of the following is totally reabsorbed into the blood in the kidneys?

Put a ring around the correct answer.

sugar

proteins

salt

urea

water

[1]

(b) The hormone ADH is involved in regulating the balance of water and salt in the body.

Draw a straight line from the **amount of ADH** released to the correct **blood content**.

Draw a straight line from the **amount of ADH** released to the correct **concentration of urine** produced.

blood content	amount of ADH	concentration of urine
correct balance of water and salt		high
too much salt	less ADH released	medium
too much water		low

[2]

(c) The pituitary gland produces the ADH.

Drinking alcoholic drinks, like beer and wine, can cause people to become dehydrated.

What does the alcohol do to the production of ADH?

Put a tick (✓) in the box next to the correct answer.

It allows the same amount of ADH to be produced by the pituitary gland.

☐

It causes the pituitary gland to produce less ADH.


☐

It causes the pituitary gland to produce more ADH.

☐

[1]

- (d) Four people were asked to describe the effect of the drug Ecstasy on the activity of the pituitary gland.



Who gave the **correct** answer?


answer [1]

[Total: 5]

10 Liz uses an experiment to show the effect of different solutions on potato tissue.

She cuts up pieces of potato, measures their length, and puts them in different beakers.

After an hour, Liz measures the length of the potato pieces again.



(a) Complete the following table.

Put ticks (✓) in the correct boxes to show the **contents** of each beaker.

		contents of each beaker		
beaker	length of potato pieces	dilute sugar solution	highly concentrated sugar solution	pure water
A	much shorter			
B	much longer			
C	little or no change			

[2]

(b) Liz tries to return the length of the potato pieces in beaker **B** to the original size.

What should she do?

Put a tick (✓) in the box next to the correct answer.

put the potato pieces into pure water

☐

dry the potato pieces with a paper towel

☐

put the potato pieces into a less concentrated sugar solution

☐

put the potato pieces into a more concentrated sugar solution

☐

[1]

(c) Liz knows that the process involved in her experiment is osmosis.

She asks some of her friends to say what happens in osmosis.



Which **two** of Liz's friends give the **best** answers?

Write their names below.

..... and [2]

[Total: 5]

END OF QUESTION PAPER

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (OCR) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

OCR is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

1	2	Key										3	4	5	6	7	0						
		relative atomic mass atomic symbol name atomic (proton) number																1 H hydrogen 1		4 He helium 2			
7 Li lithium 3	9 Be beryllium 4																	11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10
23 Na sodium 11	24 Mg magnesium 12																	27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36						
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54						
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86						
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated												

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.