

**GENERAL CERTIFICATE OF SECONDARY EDUCATION
TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A**

A215/02

Unit 1: Modules B4 C4 P4 (Higher Tier)

Candidates answer on the question paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)

**Wednesday 25 May 2011
Morning**

Duration: 40 minutes



Candidate
forename

Candidate
surname

Centre number

Candidate number

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Answer **all** the questions.
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- A list of physics equations is printed on page **2**.
- The Periodic Table is printed on the back page.
- This document consists of **20** pages. Any blank pages are indicated.

TWENTY FIRST CENTURY SCIENCE EQUATIONS

Useful Relationships

Explaining Motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved in the direction of the force}$$

$$\text{change in energy} = \text{work done}$$

$$\text{change in GPE} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric Circuits

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{potential difference} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

The Wave Model of Radiation

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

3

Answer **all** the questions.

1 Vikram is studying enzymes.

(a) Put a tick (✓) in the box next to the correct statement.

Enzymes are ...

... carbohydrates that slow down chemical reactions.

☐

... carbohydrates that speed up chemical reactions.

☐

... proteins that slow down chemical reactions.

☐

... proteins that speed up chemical reactions.


☐

[1]

(b) Vikram does some experiments with enzymes.

He measures the rate of reaction at different temperatures.

Here is a graph of his results.



	As the temperature ...	... the frequency of collisions ...	... and the rate of reaction ...
A	... increases ...	... decreases ...	... increases.
B	... increases ...	... increases ...	... increases.
C	... decreases ...	... increases ...	... increases.
D	... decreases ...	... decreases ...	... increases.

Which row, **A**, **B**, **C** or **D**, is the best explanation for his results?

row [1]

Turn over

4

(c) Vikram continues to increase the temperature in his experiment.

What will happen?

Put a (ring) around the correct word in each sentence.

The rate of reaction will **increase** / **decrease** / **stay the same**.

This is because the enzyme is **broken down** / **denatured** / **killed**.

The enzyme now has the wrong **shape** / **mass** / **chemicals** for the other molecules to fit.

[2]

[Total: 4]

5

- 2 Susan looks at red blood cells using a microscope.

She adds distilled water to them.

Explain what will happen to the red blood cells in the distilled water.

.....

.....

.....

..... [3]

[Total: 3]

- 3 Experiments show that chemical X moves into muscle cells by diffusion.

What does this tell you about the concentration of X inside the muscle cell?

Put a tick (✓) in the box next to the correct answer.

The concentration of X inside the muscle cell is ...

... greater than outside the cell.

☐

... the same as outside the cell.

☐

... less than outside the cell.

☐

[1]

[Total: 1]

6

- 4 Arjun is doing a long distance swim in the cold sea.

His body tries to maintain a constant core temperature.

To do this, his body detects his blood temperature, processes the information, and then makes a response.

- (a) Use words from the list to complete the sentences.

You may use each word once, more than once, or not at all.

hypothalamus

pituitary

skin

sweating

vasoconstriction

vasodilation

Arjun's blood temperature is detected by receptors in his

This information is processed in the

Effectors in blood vessels then cause

[1]

- (b) In temperature regulation, vasoconstriction and vasodilation are antagonistic effects.

What is the advantage of this?

Put a tick (✓) in the box next to the **best** answer.

It allows a stronger response.

☐

It allows energy to be saved.

☐

It allows a more sensitive response.

☐

It allows temperature to vary across a wider range.

☐

[1]

[Total: 2]

7

5 Connor is at a party. He is hot and begins to sweat. He produces less urine.

(a) The concentration of Connor's urine is controlled by a hormone.

What is the name of this hormone?

..... [1]

(b) Which gland releases this hormone?

Put a ring around the correct answer.

hypothalamus

pituitary

thyroid

pancreas

[1]

(c) Connor then drinks some alcohol.

Alcohol affects the production of the hormone.

The concentration of Connor's urine changes.


Describe the effect on hormone production **and** explain how this changes the urine produced.

.....
.....
.....
..... [2]

[Total: 4]

8


- 6 William's teacher burns some hot iron wool in chlorine gas.



- (a) The iron reacts with the chlorine to make a brown smoke.

The brown smoke is made of small particles of solid iron chloride, FeCl_3 .

Write numbers in the boxes to balance the equation for this reaction.



[1]

- (b) Chlorine is a halogen.

Complete the table about the halogens.

halogen	colour	state at room temperature [solid/liquid/gas]
chlorine	green	
bromine		liquid
iodine	grey/black	

[1]

9

- (c) William's teacher then burns some sodium in a jar of chlorine gas.

When the sodium burns it makes sodium chloride.

sodium + chlorine $\rightarrow$ sodium chloride

Write the chemical formula of sodium chloride.

answer [1]

[Total: 3]

- 7 Potassium bromide contains potassium ions, K^+ , and bromide ions, Br^- .

If an atom gains an electron it turns into a negative ion.

If an atom loses an electron it turns into a positive ion.

- (a) Draw lines to link each **symbol** for an atom or ion to its correct **electron arrangement**.

One has been done for you.

symbol	electron arrangement
Br^-	2.8.8
Br	2.8.8.1
K	2.8.18.7
K^+	2.8.18.8

[2]

- (b) The potassium bromide forms ionic crystals.

Matilda dissolves potassium bromide crystals in a beaker of water.

Complete the sentence to describe what happens to potassium bromide crystals when they dissolve.

Draw **one** line to link the correct **start** and **middle** of the sentence, and one line to link the correct **middle** and **end**.


start	middle	end
Atoms turn into ions ...		... and settle to the bottom.
or		or
Ions stay as ions ...	which move ... closer together ...	... and escape by evaporation.
or	or	or
Ions turn into atoms...	which move ... further apart ...	... and move randomly through the solution.
or		or
Ions turn into molecules ...		... and move to opposite sides of the beaker.

[2]

11

(c) Matilda starts to draw a diagram of the ions in a potassium bromide crystal.

Continue her diagram by drawing in **four** more of the ions.



[1]

(d) Matilda does an experiment to show that potassium bromide is ionic.

How does she do this?

Your answer should include

- what she should do
- how she can tell that the potassium bromide is ionic.

.....

.....

..... [2]

[Total: 7]

12

8 Edith does a project on atoms and ions.

She finds out how many electrons, protons and neutrons they have.

Here are her results.

Write the correct symbol for **each** atom or ion including its charge where needed.

You may use the Periodic Table on the back page to help you.

number of protons	number of neutrons	number of electrons	symbol
3	4	3	Li
9	10	10	
11	12	10	
15	16	15	


[2]

[Total: 2]

13

- 9 Stephen makes some sodium chloride in the laboratory.

He looks at its flame colour through a spectroscope.



Here is the spectrum that he sees.



He finds the spectrum for sodium in a book. It looks like this.



What can he tell about his own sample? Explain how he can tell.

.....

.....

..... [2]

[Total: 2]

10 Reshma runs at a hurdle and jumps over it.



(a) As Reshma moves over the bar, she is moving horizontally with a speed of 8 m/s.

Her mass is 50 kg.

What is the correct way of calculating her kinetic energy?

Put a (ring) around the correct answer.

$$50 \times 8$$

$$50 \times 8^2$$

$$\frac{1}{2} \times 50 \times 8^2$$

$$\frac{1}{2} \times 50 \times 8$$

[1]

(b) The diagram shows Reshma when she is moving forwards above the bar.

At that instant, she has both kinetic and gravitational potential energy.

Explain how their values change as she drops down towards the ground again.

.....

.....

.....

.....


..... [3]

[Total: 4]

15
BLANK PAGE


Question 11 starts on page 16
PLEASE DO NOT WRITE ON THIS PAGE

11 Jim enjoys playing croquet.



(a) Jim hits the ball with the mallet.

The diagram shows four possible directions of forces on the ball.



(i) Three of these forces act on the ball at the instant it is hit by the mallet.

Complete the table with **A**, **B**, **C** or **D** to show the direction of these forces.

weight due to gravity	
reaction from the ground	
driving force from the mallet	

[1]

17

- (ii) In this case, all three forces have the same size of 5 N.

What is the size of the resultant force on the ball?

resultant force = N [1]

- (b) Jim hits the ball again.

The mallet hits the ball with a force of 5 N, changing its momentum by 2.5 kg m/s.

For how long is the mallet in contact with the ball?

Put a (ring) around the correct answer.

0.25 s


0.5 s

1.0 s

2.0 s

[1]

- (c) The graph shows how the speed of the ball changes with time **after** Jim has hit it.



Here are some possible explanations for the shape of the graph.

Put ticks (✓) in the boxes next to the **two** correct explanations.

Work done on the moving ball reduces its kinetic energy.

☐

The driving force on the ball is greater than the counter force.

☐

The force from the mallet decreases the momentum of the ball.

☐

The friction on the ball from the ground reduces its momentum.

☐

The reaction from the ground reduces the momentum of the ball.

☐

[2]

[Total: 5]

12 Pete enjoys a short run.



(a) Pete has a mass of 60 kg.

His weight is 600 N.

He runs at a steady speed of 5 m/s.


How much momentum does he have in kg m/s?

Put a ring around the correct answer.

12 120 300 750 3000

[1]

(b) Draw a distance-time graph for Pete as he runs forward at a steady speed of 5 m/s for 10 s of his run. When the time is 0 s his distance is 0 m.



[2]

(c) Pete runs uphill at a steady speed.

Draw straight lines to link the **start** of each sentence to its correct **end**.

start

end

Pete's kinetic energy ...

A force on Pete from the ground ...

Pete's gravitational potential energy ...

... remains constant.

... heats up the air as he moves.

... increases steadily with time.

... pushes him in the direction of his motion.

[2]

[Total: 5]

END OF QUESTION PAPER

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

© OCR 2011

1	2	Key										3	4	5	6	7	0
		relative atomic mass atomic symbol name atomic (proton) number															
7 Li lithium 3	9 Be beryllium 4											11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10
23 Na sodium 11	24 Mg magnesium 12											27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						

Key

relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.