

Thursday 13 June 2013 – Morning

**GCSE GATEWAY SCIENCE
ADDITIONAL SCIENCE B**

B721/01 Additional Science modules B3, C3, P3 (Foundation Tier)

Candidates answer on the Question Paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour 15 minutes



Candidate forename		Candidate surname	
Centre number		Candidate number	

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- Your quality of written communication is assessed in questions marked with a pencil (✎).
- A list of equations can be found on page 2.
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **75**.
- This document consists of **24** pages. Any blank pages are indicated.

2

EQUATIONS

energy = mass × specific heat capacity × temperature change

energy = mass × specific latent heat

efficiency = $\frac{\text{useful energy output} (\times 100\%)}{\text{total energy input}}$

wave speed = frequency × wavelength

power = voltage × current

energy supplied = power × time

average speed = $\frac{\text{distance}}{\text{time}}$

distance = average speed × time

$$s = \frac{(u + v)}{2} \times t$$

acceleration = $\frac{\text{change in speed}}{\text{time taken}}$

force = mass × acceleration

weight = mass × gravitational field strength

work done = force × distance

power = $\frac{\text{work done}}{\text{time}}$

power = force × speed

$$\text{KE} = \frac{1}{2}mv^2$$

momentum = mass × velocity

force = $\frac{\text{change in momentum}}{\text{time}}$

GPE = mgh

$$mgh = \frac{1}{2}mv^2$$

resistance = $\frac{\text{voltage}}{\text{current}}$

3

BLANK PAGE


Question 1 begins on page 4

PLEASE DO NOT WRITE ON THIS PAGE

4

Answer **all** the questions.**SECTION A – Module B3**

- 1** Look at the picture of chromosomes.



- (a)** Finish the sentences about chromosomes.

Use words from this list.

	clones	cytoplasm	
genes	nucleus	protein	zygotes

Chromosomes are found in the of the cell.

Chromosomes carry coded information in the form of

Two organisms with identical chromosomes are called **[3]**

- (b)** Chromosomes are made from a chemical called DNA.

Describe the structure of DNA. You may draw a labelled diagram.

.....

 **[2]**

- (c)** Polar bears have 74 chromosomes in their white blood cells.

How many chromosomes will there be in **one** egg cell from a polar bear?

..... **[1]**

[Total: 6]

- 2 Soya beans are grown as food.



Soya bean plants are often genetically modified.

- (a) Which features would be useful in a genetically modified soya bean plant?

Put ticks (✓) next to the **two** correct answers.

herbicide resistance

☐

low protein content

☐

low yield

☐

slow growth rate

☐

survive in drought

☐

[2]

- (b) Genetically modified soya bean plants can grow in parts of the world where unmodified soya bean plants cannot grow.

- (i) Suggest why this would be an advantage.

..... [1]

- (ii) Some people object to growing genetically modified soya bean plants.

This is because they think the soya beans could be harmful when eaten.

Write about **other** reasons why people may object.

.....

.....

..... [2]

[Total: 5]

6


3 Peter is investigating how exercise affects his pulse rate.

He uses a pulse meter to measure his pulse rate.

He runs as fast as he can for four minutes.

He then sits down and measures his pulse rate again every two minutes for the next 16 minutes.

The graph shows his results.



- 

..... [6]

- [1]

- | Length of exercise
in minutes | Recovery time
in minutes |
|----------------------------------|-----------------------------|
| 4 | 10 |
| 6 | 12 |
| 8 | 14 |
| 10 | 14 |

.....

.....

..... [2]

© OCR 2013

8

- 4 Jenny and Fred investigate plant growth using two identical plants.

They put plant **A** in a warm room and plant **B** in a cold room.

Both plants get the same amount of light, needed for photosynthesis and growth.

They use a ruler to measure the height of each plant once a week.

Look at their results.

Time in weeks	Height in cm	
	Plant A warm room (20°C)	Plant B cold room (10°C)
0	4.5	4.5
1	5.3	4.8
2	5.8	5.2
3	6.2	5.7
4	6.9	6.0
5	7.4	6.3

- (a) Explain the differences in the growth. Use ideas about enzymes in your answer.

.....

.....

.....

.....

..... [3]

- (b) Jenny and Fred could extend their investigation to get more information on the effect of temperature on plant growth.

Describe how they could extend their investigation.

.....

.....

..... [2]

[Total: 5]

SECTION B – Module C3


- 5 This question is about rates of reaction.

Julie and Trevor investigate the reaction between marble chips (calcium carbonate) and dilute hydrochloric acid.

They use 20.0g of marble chips and 40 cm³ of dilute hydrochloric acid.

The temperature of the acid is 25 °C.

Look at the diagram. It shows the apparatus they use.




They measure the mass every minute until the reaction stops.

They calculate the loss in mass.

Look at the graph on the next page.

10



(a) What is the loss in mass after 2 minutes?

..... [1]

(b) Some marble chips are still left at the end of the experiment.

The hydrochloric acid is the **limiting reactant**.

What is meant by the limiting reactant?

.....
..... [1]

- (c) (i) Julie and Trevor repeat the experiment using different sized marble chips. They use the same volume of hydrochloric acid at the same temperature. Look at the results for their second experiment.

Time in minutes	0	1	2	3	4	5	6	7
Loss of mass in grams	0	0.20	0.36	0.43	0.46	0.47	0.47	0.47

Plot their results on the graph. Draw the best line through the points. [2]

- (ii) What do the results tell you about the size of the marble chips in the second experiment compared to their first experiment?

Explain your answer.

..... [1]

- (d) Julie and Trevor can increase the rate of reaction between marble chips and hydrochloric acid by:

- increasing the concentration of the hydrochloric acid
- increasing the temperature of the hydrochloric acid.

Explain, in terms of the reacting particle model, why both these methods increase the rate of this reaction.



The quality of written communication will be assessed in your answer to this question.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [6]

[Total: 11]


12

6 Mike wants to find a fuel to heat his garden shed.

He decides to investigate the energy given out by four different fuels.

Look at the diagram.

It shows the apparatus Mike uses.



(a) What is the name of apparatus X?

..... [1]

(b) Look at the table. It shows Mike's results.

Fuel	Temperature at start in °C	Temperature at end in °C	Mass of fuel burned in grams
A	18	38	1.1
B	22	42	0.9
C	18	38	0.6
D	25	45	0.7

Mike decides that fuel C is the best fuel to use to heat his garden shed.

Is this a sensible choice?

Use the information in the table to explain your answer.

.....

 [2]

13


(c) Burning fuels is an **exothermic** reaction.

What is meant by an exothermic reaction?

..... [1]

(d) Fuel **B** is propanol.

Look at the displayed formula for propanol.



Complete the table to show the number of each type of atom in propanol.

Atom	Number
C	
H	
O	

[2]

[Total: 6]

- 7 Ibuprofen is a painkiller used to treat headaches and toothache.



Ibuprofen was first made in the 1960s.

In the original method for making ibuprofen, the **atom economy** was 40%.

A new way of making ibuprofen was developed in the 1980s.

The new method had an atom economy of 77%.

- (a) Why is a **higher** atom economy better?

..... [1]

- (b) A pharmaceutical company investigates ways of making a new painkiller.

They use four different methods.

Look at their results.

Method	Atom economy	Percentage yield
A	50%	40%
B	85%	95%
C	40%	60%
D	80%	90%

Which method should they use to make the painkiller?

.....

Explain your choice.

.....

..... [2]

15

- (c) (i) One of the costs involved in making the new painkiller is the cost of the **raw materials**.

Write about **other** costs involved in making the painkiller.

.....
.....
..... [2]

- (ii) Some raw materials for the painkiller are made synthetically in a laboratory.

Other raw materials come from natural sources.

Write down **one** of these natural sources.

..... [1]

- (d) The pharmaceutical company has to make sure that the new painkiller is tested before it can be sold.

Explain why.

.....
..... [2]


[Total: 8]

SECTION C – Module P3

- 8 Ravi drives his car on a straight road.

Look at the distance-time graph for his car journey.

There are four sections shown on the graph, **A**, **B**, **C** and **D**.



- (a) (i) Which **section** shows the car stationary?

Choose from **A**, **B**, **C** or **D**.

answer [1]

- (ii) Which **section** shows the car returning to its starting position?

Choose from **A**, **B**, **C** or **D**.

answer [1]

- (iii) Which **two** sections show the car moving away from the starting position?

Choose from **A**, **B**, **C** or **D**.

answer and [1]

17

- (b) (i) The total distance travelled for Ravi's journey was 3.0 km.

It took him 500 seconds for the journey.

Calculate the average speed of Ravi's journey in m/s.

.....

.....

.....

.....

average speed m/s [2]

- (ii) Ravi thinks he only travelled at this speed for a short time.

Explain how Ravi could be correct.

.....


.....

.....

..... [2]

[Total: 7]

- 9 (a)** Airbags are useful if a car is involved in a crash.



The table shows some information about a crash test carried out by a car manufacturer.

	Initial speed of driver in metres per second	Mass of driver in kilograms	Time to stop driver's forward motion in seconds
Without airbags	15	50	0.02
With airbags	15	50	0.05

Use the information in the table to describe and explain how airbags help to protect the driver in a crash. Use relevant calculations in your answer.



The quality of written communication will be assessed in your answer to this question.

[6]

19

- (b) Seatbelts are another car safety feature that can be useful in a crash.

When seatbelts were first fitted to cars, not everyone thought that they were a good idea.

However, there was scientific evidence which showed the benefit of wearing seatbelts.

Suggest reasons why some people thought it was **not** safe to wear seatbelts.

.....

.....


.....

..... [2]

[Total: 8]

10 Miranda is shopping.

She travels up an escalator.



(a) (i) Calculate the work done when Miranda travels from the bottom to the top of the escalator.

.....

.....

.....

answer J [2]

(ii) Complete the sentence about Miranda's energy as she stands on the escalator.

Miranda moves up the escalator at **steady speed**.

Her energy is constant

and her

energy is increasing.

[2]

21

(b) Miranda meets a friend and they travel up an identical escalator.

Miranda's friend and her shopping **also** weigh 510 N.

Which statement about work done is true for the **second escalator** journey?

Put a tick (✓) in the box beside the correct statement.

Twice as much work was done during the second escalator journey.

☐

The same amount of work was done during the second escalator journey.

☐


Half as much work was done during the second escalator journey.

☐

[1]

[Total: 5]

- 11 The graph shows the speed of a ball dropped from a tall building.



- (a) Between **A** and **B** the speed of the ball increases. Between **B** and **C** the speed stays the same.

Describe and explain the forces acting on the ball between **A** and **B** and why the ball travels at a steady speed between **B** and **C**.

.....

.....

.....

.....

..... [3]

- (b) If the same ball was dropped from the same height on the **Moon**, the ball would not reach a steady speed.

Put ticks (✓) in the **two** boxes that explain why the ball would not reach a steady speed.

There is no gravity on the Moon.

☐

There is no atmosphere on the Moon.

☐

Objects have no weight on the Moon.

☐

There is no drag as the object falls.

☐

More drag is produced as the object falls.

☐

[2]

[Total: 5]

END OF QUESTION PAPER

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

1	2	3	4	5	6	7	0
7 Li lithium 3	9 Be beryllium 4	1 H hydrogen 1 relative atomic mass atomic symbol name atomic (proton) number					4 He helium 2
23 Na sodium 11	24 Mg magnesium 12	11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10
39 K potassium 19	40 Ca calcium 20	27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18
85 Rb rubidium 37	88 Sr strontium 38	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36
133 Cs caesium 55	137 Ba barium 56	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54
[223] Fr francium 87	[226] Ra radium 88	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86
Elements with atomic numbers 112-116 have been reported but not fully authenticated							
		65 Zn zinc 30	63.5 Cu copper 29	59 Ni nickel 28	59 Co cobalt 27	56 Fe iron 26	55 Mn manganese 25
		112 Cd cadmium 48	108 Ag silver 47	106 Pd palladium 46	103 Rh rhodium 45	101 Ru ruthenium 44	[98] Tc technetium 43
		201 Hg mercury 80	197 Au gold 79	195 Pt platinum 78	192 Ir iridium 77	190 Os osmium 76	186 Re rhenium 75
			[272] Rg roentgenium 111	[271] Ds darmstadtium 110	[268] Mt meitnerium 109	[277] Hs hassium 108	[264] Bh bohrium 107
						[266] Sg seaborgium 106	[262] Db dubnium 105
						[261] Rf rutherfordium 104	[227] Ac* actinium 89

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.