




Oxford Cambridge and RSA

November 2020

**GCSE (9–1) Combined Science B
(Twenty First Century Science)**

J260 04/08

Data Sheet



INSTRUCTIONS

- Do **not** send this Data Sheet for marking. Keep it in the centre or recycle it.

INFORMATION

- This document has **4** pages.

The Periodic Table of the Elements

(1) (2) (3) (4) (5) (6) (7) (8)

Key
atomic number
Symbol
name
relative atomic mass

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1 H hydrogen 1.0																	2 He helium 4.0
3 Li lithium 6.9	4 Be beryllium 9.0															9 F fluorine 19.0	10 Ne neon 20.2
11 Na sodium 23.0	12 Mg magnesium 24.3															17 Cl chlorine 35.5	18 Ar argon 39.9
19 K potassium 39.1	20 Ca calcium 40.1	21 Sc scandium 45.0	22 Ti titanium 47.9	23 V vanadium 50.9	24 Cr chromium 52.0	25 Mn manganese 54.9	26 Fe iron 55.8	27 Co cobalt 58.9	28 Ni nickel 58.7	29 Cu copper 63.5	30 Zn zinc 65.4	31 Ga gallium 69.7	32 Ge germanium 72.6	33 As arsenic 74.9	34 Se selenium 79.0	35 Br bromine 79.9	36 Kr krypton 83.8
37 Rb rubidium 85.5	38 Sr strontium 87.6	39 Y yttrium 88.9	40 Zr zirconium 91.2	41 Nb niobium 92.9	42 Mo molybdenum 95.9	43 Tc technetium	44 Ru ruthenium 101.1	45 Rh rhodium 102.9	46 Pd palladium 106.4	47 Ag silver 107.9	48 Cd cadmium 112.4	49 In indium 114.8	50 Sn tin 118.7	51 Sb antimony 121.8	52 Te tellurium 127.6	53 I iodine 126.9	54 Xe xenon 131.3
55 Cs caesium 132.9	56 Ba barium 137.3	57–71 lanthanoids	72 Hf hafnium 178.5	73 Ta tantalum 180.9	74 W tungsten 183.8	75 Re rhenium 186.2	76 Os osmium 190.2	77 Ir iridium 192.2	78 Pt platinum 195.1	79 Au gold 197.0	80 Hg mercury 200.6	81 Tl thallium 204.4	82 Pb lead 207.2	83 Bi bismuth 209.0	84 Po polonium	85 At astatine	86 Rn radon
87 Fr francium	88 Ra radium	89–103 actinoids	104 Rf rutherfordium	105 Db dubnium	106 Sg seaborgium	107 Bh bohrium	108 Hs hassium	109 Mt meitnerium	110 Ds darmstadtium	111 Rg roentgenium	112 Cn copernicium		114 Fl flerovium		116 Lv livermorium		

Equations in physics

$$(\text{final speed})^2 - (\text{initial speed})^2 = 2 \times \text{acceleration} \times \text{distance}$$

$$\text{change in internal energy} = \text{mass} \times \text{specific heat capacity} \times \text{change in temperature}$$

$$\text{energy for a change of state} = \text{mass} \times \text{specific latent heat}$$

$$\text{energy stored in a stretched spring} = \frac{1}{2} \times \text{spring constant} \times (\text{extension})^2$$

$$\begin{aligned} \text{potential difference across primary coil} \times \text{current in primary coil} = \\ \text{potential difference across secondary coil} \times \text{current in secondary coil} \end{aligned}$$

Higher tier only –

$$\text{force} = \text{magnetic flux density} \times \text{current} \times \text{length of conductor}$$

$$\text{change in momentum} = \text{resultant force} \times \text{time for which it acts}$$

**Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.