

H

GCSE (9–1)

Combined Science B (Twenty First Century Science)

J260/07: Physics (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for Autumn 2021

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2021

1. Annotations available in RM Assessor

Annotation	Meaning
✓	Correct response
✗	Incorrect response
✗	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
L1	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

2. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

3. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question		Answer	Marks	AO element	Guidance
1	(a)	(i) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 52.5 (kW h) award 3 marks Recall: Energy = power × time ✓ Substitution: $E = 7 \text{ kW} \times 7.5 \text{ h} \checkmark$ $= 52.5 \text{ (kW h)} \checkmark$	3	1.2 2.1 x 2	
		(ii) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 92 (%) award 3 marks Recall: Efficiency = $\frac{\text{useful energy output}}{\text{total energy input}} \times 100\% \checkmark$ Substitution: Efficiency = $\frac{48.3}{52.5} \times 100\% \checkmark$ $= 92 \text{ (%)} \checkmark$	3	1.2 2.1 x 2	ALLOW ECF from (a)(i) ALLOW answer of 0.92 for 2 marks
		(iii) Alternating (voltage) changes direction AND Direct (voltage) always in same direction ✓	1	1.1	DO NOT ALLOW idea that it changes without idea that direction changes/alternates ALLOW constant ALLOW graphs showing direct = negative or positive voltage against time and alternating = positive and negative voltage against time
	(b)	(i) Curve of best fit through points ✓	1	2.2	DO NOT ALLOW straight line or lines

Question		Answer	Marks	AO element	Guidance
	(ii)	<p>Value shown by drawn line at 2019 OR If no drawn line at 2019, answer between 270,000 and 330,000 ✓</p>	1	3.2b	ECF from (c)(i)
	(c) (i)	<p>(people want to) reduce CO₂ emissions/ reduce carbon footprint/ reduce global warming / environmentally more friendly / environmentally safer OR (people want to) reduce pollution/ NOx / particulates/incidence of asthma OR government incentives OR Becoming cheaper to buy OR Charging points more readily available ✓</p>	1	2.1	e.g. tax cuts, subsidies
	(ii)	<p>Any two from: Not enough power stations OR Not enough generating capacity ✓ High peak demand when all being charged at the same time ✓ Distribution network would need to deliver more energy/power or have higher current/higher voltage or more cables ✓</p>	2	2.1	ALLOW not enough electricity

Question		Answer	Marks	AO element	Guidance
2	(a)	weigh the pan (without the stone) ✓ Subtract (the weight of the pan from the total weight) ✓	2	3.3b	If no other mark scored ALLOW check for zero error on forcemeter for 1 mark DO NOT ALLOW use a top pan balance unless also states $\times g$ or $\times 10$ for 2 marks
	(b) (i)	Jupiter ✓	1	1.1	
	(ii)	Any four from: Identifies Jupiter as not fitting the pattern of increasing density and increasing gravitational field strength ✓ The gravitational field strength increases as the mass of the planet increases OR There is a correlation between the gravitational field strength and the mass. ✓ Use of data from the table to justify suggested relationship ✓ g increases with density for first three planets ✓ g of Jupiter larger than other planets but doesn't fit pattern between density and mass ✓	4	3.2b	

Question		Answer	Marks	AO element	Guidance
3	(a)	(5) 3 1 2 4 ✓✓✓	3	2.1	3 before 1 = 1 mark 1 before 2 = 1 mark 2 before 4 = 1 mark
	(b) (i)	<p>Reason: will not reach camera / won't be detected outside body ✓</p> <p>Explanation: (beta has) shorter range ✓</p> <p>OR</p> <p>Reason: more harmful ✓</p> <p>Explanation: more ionising ✓</p> <p>OR</p> <p>Reason: higher dose needed for enough decay in time of scan / body will remain contaminated for longer ✓</p> <p>Explanation: longer to decay ✓</p>	2	2.1	<p>Reason must match explanation</p> <p>ALLOW 2 marks for: higher dose needed for enough decay in time of scan because (beta has) a longer half life OR body will remain contaminated for longer because (beta has) a longer half life</p>
	(ii)	Destroy tissue OR kill cancer cells/tumours ✓	1	2.1	
	(c) (i)	<p>(contamination) Any one from: body irradiated for longer time OR body irradiated continuously OR exposed to radiation at closer range OR greater irradiation of internal organs ✓</p> <p>(irradiation) Any one from: can move away from source (so exposure will be for a shorter time) OR some of radiation will not penetrate far into body OR some may be stopped by clothes or air before it reaches body ✓</p> <p>(so) contamination is more hazardous OR contamination (usually) results in a higher dose ✓</p>	3	1.1	

Question		Answer	Marks	AO element	Guidance
		<p>(ii) Any two from:</p> <p>damages/kills cells ✓</p> <p>mutation/cancer ✓</p> <p>ionises DNA molecules ✓</p> <p>change way cell behaves/heat cell ✓</p>	2	1.1	
		<p>(iii) FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.0625 OR 1/16 award 2 marks</p> <p>24 hours = 4 half-lives OR $1/2 \times 1/2 \times 1/2 \times 1/2$ OR $[1/2]^4$ ✓</p> <p>= 0.0625 OR 1/16 ✓</p>	2	1.2	

Question		Answer	Marks	AO element	Guidance
4	(a)	<p>Closed circuit with correct symbols for battery/cell/power supply AND ammeter AND voltmeter ✓</p> <p>correct symbol for thermistor ✓</p> <p>ammeter in series AND voltmeter in parallel (with thermistor) ✓</p> <p>correct symbol for variable resistor in series with thermistor ✓</p>	4	1.2	<p>IGNORE switch</p> <p>ALLOW variable power supply</p> <p>ALLOW higher level answers using a potentiometer</p>
	(b)	<p>measure the potential difference and the current. ✓</p> <p>change the potential difference across thermistor OR change the resistance of the variable resistor ✓</p> <p>Measure a range of values of potential difference and current (after changing potential difference across the thermistor). ✓</p>	3	1.2	<p>ALLOW readings from voltmeter and ammeter</p> <p>ALLOW any method of changing the potential difference across the thermistor.</p>
	(c)	<p>From 0 to 5 V / 0 to 0.5 A the resistance is constant ✓</p> <p>(because) straight line OR current proportional to potential difference ✓</p> <p>Above 5V the resistance decreases ✓</p> <p>(because) gradient increases or potential difference÷ current decreases ✓</p>	4	3.1a	<p>ALLOW at low potential difference the resistance is constant</p> <p>ALLOW explanations in terms of gradient is $1/R$</p>

Question		Answer	Marks	AO element	Guidance
5	(a) (i)	580 (kN) ✓	1	2.2	ALLOW Answer in range 570 – 590 (kN)
	(ii)	Arrow is downward arrow starting at either end of tug A vector arrow AND 2.4cm in length ✓ 3 rd side of triangle joined AND (double headed) arrow down and right ✓	2	2.2	ALLOW half a small square tolerance ALLOW Force down at LH end of tug A vector AND completed rectangle showing diagonal as resultant with double headed arrow.
	(iii)	(6.3 cm =) 630 (kN) ✓	1	2.2	ALLOW 620 to 640
	(b)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.11 (m/s²) award 3 marks Select & apply: final speed ² – initial speed ² = 2 × acceleration × distance substitution: $(3.8)^2 - (0.4)^2 = 2 \times \text{acceleration} \times 65$ ✓ $= 0.1098461538 \text{ (m/s}^2\text{)} \quad \checkmark$ $= 0.11 \text{ (m/s}^2\text{)} \quad \checkmark$	3	2.1 x 2 1.2	
	(c)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 5.12 (m) award 3 marks frequency = $10 \div 16$ OR 0.625 (Hz) ✓ substitute: $3.2 = 0.625 \times \text{wavelength}$ ✓ wavelength = 5.12 (m) ✓	3	2.1	 ALLOW correct substitution and evaluation using their value of frequency for MP2 and MP3 ALLOW answer of 0.32(m) for 2 marks

Question		Answer	Marks	AO element	Guidance
6	(a)	acceleration (directly) proportional to force ✓ (yes because) straight line graph through origin OR as acceleration doubles force doubles OR acceleration = constant \times force ✓		2	2.2
	(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 2.0 or 2.1 (kg) award 3 marks Candidate states they are using gradient OR attempt to calculate gradient or $[1 \div \text{gradient}]$ ✓ mass in range 2.0 to 2.1 (kg) ✓ Correct use of $m=F/a$ AND Answer given to 1 decimal place ✓		3	1.2
	(b)*	Please refer to the marking instructions on page 4 of this	6	4 x 1.2	AO1.1 Demonstrate knowledge and understanding

Question		Answer	Marks	AO element	Guidance
		<p>mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6 marks) Clearly describes how to do experiment and how to calculate acceleration. Develops experimental procedure by including some extra detail to ensure accuracy or safety. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Describes details of how to do experiment and how to calculate acceleration but some details may be unclear or missing. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Describes by diagram or writing that a trolley will be accelerated AND times measured OR how to calculate acceleration. <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>		2 x 3.3a	<p>For example:</p> <ul style="list-style-type: none"> • equipment needed: trolley, string, pulley, masses and 2 light gates. • diagram of set-up • initial speed = 0, final speed from light gate • time from start to final light gate • increase force by adding mass to hanger • keep total mass the same by moving this mass from trolley to the hanger • acceleration = [final speed – initial speed] ÷ time <p>AO3.3a Develop experimental procedures</p> <p>For example:</p> <ul style="list-style-type: none"> • Tilt ramp to friction compensate. • Repeat for each force and take the mean • Use a tray of foam under weight to prevent damage to floor as weight drops • other valid methods e.g. measuring time to travel from start and last 30 cm with a stopwatch and calculating final speed.

Question		Answer	Marks	AO element	Guidance
7	(a)	(i) Any two from: radio has longer wavelength ✓ microwave has longer wavelength ✓ infrared OR ir has longer wavelength ✓ ultraviolet OR uv has shorter wavelength ✓ X-rays have shorter wavelength ✓ gamma rays OR γ rays have shorter wavelength ✓	2	1.1	ALLOW other size indicators e.g. higher, lower, bigger, smaller
	(ii)	idea that Sun is the source and electromagnetic radiation transfers energy OR EM radiation does not need a medium to travel in ✓ AND idea that skin/eyes/body absorbs ✓	2	2.1	ALLOW Store of thermal/nuclear energy ALLOW EM radiation can travel through vacuum/space ALLOW increases thermal store
	(b)	(i) vertical arrow pointing downwards ✓	1	1.2	
	(ii)	Fleming's left hand rule ✓ Thumb = force/movement AND fore/first/index finger = field AND middle/second finger = current OR field is left to right AND current is into page OR All 3 are perpendicular OR at right angles ✓	2	1.2	ALLOW FLHR ALLOW marks for points shown on a labelled diagram ALLOW this mark if Right Hand rule used
	(c)	Force upwards on one side of coil and down on the other ✓ because current is in opposite directions on opposite sides of coil ✓	2	1.1	ALLOW arrow up on one side of coil and down on the other.

Question		Answer	Marks	AO element	Guidance
8	(a)	<p>Less energy transferred heating the cables OR lower power loss in cables due to heating ✓</p> <p>(because if voltage is greater) current can be less (for same energy transfer) ✓</p>	2	1.1	
	(b)	Radio waves with a frequency of 50 Hz are produced by the overhead power lines ✓	1	3.1a	
	(c)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 3 award 2 marks</p> <p>11479 ~ 10000 or 10^4 AND 33 ~10 or 10^1 OR $10000 \div 10 = 1000$ OR $10^{4-1} = 10^3$ ✓ = 3 orders of magnitude ✓</p>	2	2.1	

Question		Answer	Marks	AO element	Guidance
9	(a) (i)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 1.92×10^{-3} (s) award 3 marks</p> <p>Select and apply: Change of momentum = resultant force x time for which it acts</p> <p>Substitution: $1.53 = 795 \div \text{time} \checkmark$ $= 1.924528302 \times 10^{-3} \text{ (s)} \checkmark$ $= 1.92 \times 10^{-3} \text{ (s)} \checkmark$</p>	3	2.1 x 2 1.2	<p>ALLOW any number of sf</p> <p>Must be to 3sf</p>
	(ii)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 9 (m/s) award 3 marks</p> <p>Conversion: $170 \text{ g} = 0.17 \text{ kg} \checkmark$</p> <p>Recall and apply: momentum = mass x velocity \checkmark $\text{velocity} = (1.53 \div 0.17) = 9 \text{ (m/s)} \checkmark$</p>	3	1.2 x 2 2.1	<p>ALLOW 1 mark for $1.53 = 170 \times \text{velocity}$ with incorrect answer to calculation.</p> <p>ALLOW 0.009 (m/s) for 2 marks</p>
	(b)	<p>momentum is shared between the two balls \checkmark</p> <p>momentum is conserved \checkmark</p>	2	2.1	<p>ALLOW cue ball momentum decreases other ball increases</p>

Question		Answer	Marks	AO element	Guidance
10	(a)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 750 (J/kg °C) award 4 marks</p> <p>temperature change: $22\text{ °C} - 8\text{ °C} = 14\text{ °C}$ ✓</p> <p>Aluminium: $E = 13 \times 900 \times [22 - 8]$ OR 163 800 (J) ✓</p> <p>Energy from heater = increase in internal energy of aluminium + increase in internal energy of air OR $189000 = 163\,800 + 2.4 \times C \times 14$ ✓</p> <p>$C = [189000 - 163\,800] \div [2.4 \times 14] = 750\text{ (J/kg °C)}$ ✓</p>	4	2.1	<p>If temperature incorrect all other marks may still be awarded</p> <p>ALLOW this mark if some rearrangement already done correctly.</p>
	(b) (i)	<p>molecules move faster ✓ because they gain kinetic energy ✓</p>	2	1.1	ALLOW particles
	(ii)	<p>(faster molecules) will have greater (change in) momentum (when they collide with walls) OR Collide with walls more often/frequently ✓ (Exert) greater force on tank/container walls ✓ Idea that this increase in force causes increase in pressure ✓</p>	3	1.1	ALLOW ECF for RA if molecules moving slower in (b)(i)

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning
Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored