

Mark Scheme (Results)

Summer 2013

International GCSE Mathematics A 4MA0/1FR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013
Publications Code UG036354
All the material in this publication is copyright
© Pearson Education Ltd 2013

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded.
 Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
- Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- o awrt answers which round to......
- o cao correct answer only
- o ft follow through
- o isw ignore subsequent working
- SC special case
- oe or equivalent (and appropriate)
- o dep dependent
- o indep independent

eeoo – each error or omission

No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Question	Working	Answer	Mark		Notes
1 (a)		1/4	1	B1	
(b)		25%	1	B1ft	
(c)		3 correct lines of	2	B2	B1 for 1 correct line and no errors
		symmetry			or 2 correct lines and 1 error.
					Total 4 marks
	•		•	•	
2 (a)		(2) thousand(s)	1	B1	accept 1000, 2000
(b)		4900	1	B1	
(c)	6764 - 4880	1884	1	B1	
(d)		4880	1	B1	
(e)	27 + 143 or 27 - (-) 143			M1	
, ,		170	2	A1	SC B1 for - 170 with no working.
(f)		(0).96	1	B1	•
(g)	96/100 or 48/50			M1	
(3)		24/25	2	A1	
					Total 9 marks
			•	•	
3 (a)		30	1	B1	
(b)		28	1	B1	accept 26 < ans < 30
(c)		Boys bar = 25, Girls bar	1	B1	Both bars correct.
		= 10			
(d)	20:15			M1	
		4:3	2	A1	SC B1 for 3:4 if or 1:(0).75 if M0 scored
					Total 5 marks
4 (a)		8.4 ± 0.2	1	B1	
(b)	"8.4" ÷ 2			M1	
, ,		4.1 → 4.3inc	2	A1 ft	allow ft if 3 < ans < 10
					Total 3 marks
5 (i)		cube	1	B1	accept cuboid, rectangular or square based
				prism	
(ii)		sphere	1	B1	
(iii)		cone	1	B1	
					Total 3 marks
6 (a) (i)		4.45pm	1	B1	pm needed in answer. Accept 15 mins to 5 pm
		'	1	etc	•
(a) (ii)		16 45	1	B1	
(b)		one hand on 2, one hand	1	B1	

		between 5 and 6		condone hand touching 5
				Total 3 marks
7 (a)		10.98	1	B1
7 (u)	11.20 - 10.78	10.50		M1 or 11.2 and 10.78 isolated
		0.42	2	A1
	8 numbers in order		_	M1 or 11.03 and 11.07 isolated
		11.05	2	A1 Total 5 marks
				101010
8 (a)	170 ÷36 (=4.722)			M1 accept 4 x 36 (=144) or 5 x 36 (=180)
		4	2	A1 cao
(b)	170 – 4 x 36	36	2	M1
		26	2	A1cao
				Total 4 marks
9 (a)			1	B1
		▔█▁▗▁█▔		
		▝		
(b)	(4 x 10) - 3			M1
		37	2	A1
(c)	(81 +3) ÷ 4			M1
		21	2	A1
(d)		T = 4P - 3		B3
			3	B2 for $4P - 3$ or $T = 4P + n$ ($n \ne -3$) B1 for $4P + n$ ($n \ne -3$) or $T =$ any linear expression
			3	in P
				Total 8 marks
	1			1 ocai o mark

10	180 - 130 (=50)			M1	
10	180 - 2 x "50"			M1	
	100 - 2 X 30	80	3	A1	
		80	<u> </u>	AI	Tatal 2
					Total 3 marks
11 /->	T	1024	-	D.1	
11 (a)		1024		B1	
(b)		8	1	B1	
(c)		29	11	B1	
					Total 3 marks
12 ()	T	2/2 44/45 4/5 5/6			
12 (a)		2/3 , 11/15, 4/5, 5/6		B2	
				B1	3 fractions in correct order
				or	2 fractions correctly converted to decimals
					(rounded or truncated)
				or	2 fractions expressed as equivalent
			2		fractions with denominator of 30
				or	5/6, 4/5, 11/15, 2/3
(b)	8 3 8n 3n			M1	for 2 correct fractions with a common
	$\frac{8}{18} - \frac{3}{18}$ or $\frac{8n}{18n} - \frac{3n}{18n}$		2		denominator a multiple of 9 & 6
	10 10 1011 1011				·
					5 8 3
	8 3 - 5			A1	$\frac{5}{18}$ coming from $\frac{8}{18} - \frac{3}{18}$ or
	$\frac{8}{18} - \frac{3}{18} = \frac{5}{18}$ or				
					for final fraction equivalent to
	$\left \frac{\delta h}{-} - \frac{\delta h}{\delta n} \right = \frac{\delta h}{-} \left \frac{\delta h}{\delta n} \right $				for final fraction equivalent to $\frac{5}{18}$
	$\frac{8n}{18n} - \frac{3n}{18n} = \frac{5n}{18n} \left(= \frac{5}{18} \right)$				10
					Total 4 marks
13 (a) (i)		5 <i>abc</i>	1	B1	letters and numbers in any order but
					no x signs
(ii)		$3q^5$	1	B1	
(iii)		5 <i>m</i> –3 <i>n</i>	2	B2	B1 for 5 <i>m</i> or −3 <i>n</i>
(b)		t(t-10)	2	B2	Also accept $(t \pm 0)(t - 10)$ for B2
		` '		B1	for factors which, when expanded and
					simplified, give only two terms, one of which
					is correct.
				SC	B1 for $t(t-10t)$
					22.0. ((100)
					Total 6 marks
L	I	1		1	i otai o marks

14	"135"÷ "90" (= 1.5) or "90"÷ "135" (= 2/3) or 4 x 42 (=168)			M1 angles ± 2° (Total number of students)
	"1.5" x 42 or 42 ÷ "2/3" or "135"/360 x "168"		3	M1 "1.5", "2/3", dependent on measuring angles
		63		A1 accept $61 \le answer \le 65$ if evidence of angles measured.
				Total 3 marks
15 (a)		Enlargement (Scale factor) 2 (Centre) (0,4)	3	B1 B1 B1 NB. Award no marks for more than one transformation (i.e. if not a single transformation)
(b)		Shape in correct position	2	B2 vertices at(2, 0) (6, 0) (10, -4) (10, -8) B1 any 2 vertices correct or correct orientation but wrong position or rotating shape P correctly - vertices at (7, 0), (9, 0) (11,-2), (11, -4)
(c)		y = 2	1	B1
				Total 6 marks
			T	T
16 (a)	1 - (0.3 + 0.35 + 0.15)	0.2 oe	2	M1 for a complete method A1 for 0.2 oe as a fraction or percentage eg.20%, $\frac{1}{5}$ etc.
(b)	0.15 x 40 oe	6	2	M1 A1 cao NB. An answer of $\frac{6}{40}$ scores M1 A0
				Total 4 marks

17	495 ÷ 2.25			M2
		220	3	M1 for 495÷2.15 or 230.2 rounded or truncated to 3 or more sig figs A1 cao
				Alterative
				M1 for 495÷135 or 3.6 or 3.666 rounded or truncated to 3 or more sig figs
				M1dep "3.66" x 60 A1 cao 220
				Total 3 marks
18 (a)	$\frac{6}{32}$ ×100	18.75	2	M1 Allow "32" from evidence of adding frequencies A1 Accept 19 if the correct method or 18.75 seen
(b)	(7x10)+(16x30)+(3x50)+(6x70)			M1 f x x for 3 products with x used consistently within interval (inc. end points) & intention to add
	=70 + 480 + 150 + 420			
				M1(dep) use of correct half way values $ (\frac{1120}{32} \text{ implies M2}) $
		1120	3	A1
				Total 5 marks
19	2 7 2			7.2
19	3x = 7 - 2x			M1 or $x = \frac{7}{3} - \frac{2x}{3}$
	5x = 7 or $5x - 7 = 0$			M1 or $\frac{5x}{3} = \frac{7}{3}$ or $x + \frac{2x}{3} = \frac{7}{3}$
		1.4oe	3	A1 Answer dependent on at least M1
				Total 3 marks

20 () ()				154	1 5 1 .
20 (a) (i)		u, p, e, r	1	B1	Any order. Brackets
(a) (ii)		s, c, o, m, p, u, t, e, r	1	B1	and commas not
				B0 if 'p' or 'u' or 'e' or 'r'	necessary
				repeated	
(b)		"no"			
(-)				B1 identifies the element 2	or 3 or 2 and 3
		2 (or 3) are prime, 2 (or	1	$eg x \cap y = \{2,3\}$	
		3) belongs to <i>X</i> & <i>Y</i> etc	_		
		3) belongs to X & I etc		dependent on "No" box	
				in answer with neither	
					Total 3 marks
21 (a) (i)		6 ⁸	1	B1	
(a) (ii)		9 ¹⁴	1	B1 (oe e.g. 3 ²⁸ ; 81 ⁷)	
(b)	5^n				
1	$5^n \times 5^3 = 5^{10} \text{ or } \frac{5^n}{5^6} = 5 \text{ or } \frac{5^n}{5^3} = 5^4$		2	M1 or a correct equation in	n n eg n + 3 = 10 or
				n + 3 - 6 = 4	-
	or $5^{n+3} = 5^{4+6}$ oe				
		7		A1	
		,		7.12	
				SC B1 for an answer of 5 ⁷	
				SC B1 for all allower of 5	Total 4 marks
22	112 (200 122)			M1 22 ² 107 27260	
22	$\pi \times 11^2$ (=380.132) "380" x 18 (=6842.388)			M1 or $\pi \times 22^2 \times 18 (=27369)$.555)
			3	M1 dep	
			3	M2 for $\pi \times 11^2 \times 18$	
		6040		A1 awrt 6840 or 6850 if 22	2/7 used for п
		6840			<u> </u>
					Total 3 marks
23	2	1		M1	
23	$(x^2 =)$ 14.2 ² - 10.8 ² (=85)				- 4 \
	$x = \sqrt{85}$	0.00	_	M1 dep (=9.2195	04)
	<i>x</i> v • • • • • • • • • • • • • • • • • • •	9.22	3	A1 Awrt 9.22	
					Total 3 marks
24	4 10 an 4 20	1		M1 correctly eliminate 1	ala.
24	4x = 18 or $4y = 30$	4.5 7.5		M1 correctly eliminate 1 variate	ле
		x = 4.5, y = 7.5		A1 A1	
					Total 3 marks
		,			
					TOTAL: 100 MARKS

Further copies of this publication are available from

Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u> Order Code UG036354 Summer 2013

For more information on Edexcel qualifications, please visit our website $\underline{www.edexcel.com}$

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





