Write your name here Surname	Other	names
Edexcel International GCSE	Centre Number	Candidate Number
Human Bi Unit: 4HB0 Paper: 02	iology	
Wednesday 9 May 2012 – Time: 1 hour	Morning	Paper Reference 4HB0/02
You must have: Candidates may use a calculat	or.	Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.


P 4 0 1 3 7 A 0 1 1 6

Turn over ▶



Answer ALL questions.

1 (a) The diagram shows a neurone.



(i) Name the structures labelled **A**, **B**, **C** and **D**.

(4)

Α

В

С

D

(ii) Name the **type** of neurone shown in the diagram. (1)

(iii) Draw an arrow on the diagram to show the direction in which the nerve impulse will travel.

(1)

1	(iv) Name two other types of neurone that are found in a reflex arc. (2)	
1	(b) State two features of a reflex action. (2)	
2		
	(Total for Question 1 = 10 marks)	



2	d sickness. Salmonella	
	(i) Suggest why there is a time interval before the symptoms appear.	(2)
	 (ii) Suggest what causes the symptoms of food poisoning by <i>Salmonella</i> .	(2)
		(2)

Explain how each of the following procedures reduces the risk of following by Salmonella.	ood poisoning
(i) Wash hands before handling food	(2)
(ii) Store food in a refrigerator	
	(2)
(iii) Store raw meat at the bottom of the refrigerator	(2)
(Total for Que	stion 2 = 10 marks)



(2)

3 A scientist wanted to estimate the number of bacteria in 1 cm³ of fresh milk.

A 1 cm³ sample of the fresh milk was diluted by a factor of 100, by adding it to 99 cm³ of water.


A sterile pipette was used to transfer 0.5 cm³ of this dilution to a sterile Petri dish containing nutrient agar.

The lid of the dish was replaced, fastened down with sticky tape and the dish was gently rotated several times.

The same procedure was repeated with four other samples of the diluted milk.

The dishes were placed in an incubator at 25 °C for 48 hours.

The diagram below shows the appearance of the dishes at the end of 48 hours.




(a) (i) Describe how the colonies of bacteria de	velop
--------------------------------------------------	-------

(ii) Explain why a sterile pipette was used to transfer the diluted milk in this exp	periment (2)
(iii) State why the dishes were 'gently rotated' after the diluted milk had been transferred to them.	
transierred to them.	(1)
(iv) State why the lids of the dishes were 'fastened down with sticky tape'.	(1)
(v) Suggest why it was necessary to dilute the milk before transferring it to the	dishes. (1)



(b)	(i) How many colonies were present in dishes 1, 2 and 4?	(3)
Dich 1		(0)
Dish 4		
	(ii) Use the results from (b)(i) to estimate the number of bacteria present in 1 cm of fresh (undiluted) milk. Show your working.	(3)
	Answer	
	(iii) Explain why dishes 3 and 5 were not suitable for use in the calculation in (b)(i	i). (2)
	(Total for Question 3 = 15 m	arks)

4 The diagram shows a section of a coronary artery affected by an atheroma.



(1)

((h)	(i)	Name the	molecule	that for	ms an	atheroma
١	(\mathbf{D})	(1)	maine the	IIIOIECUIE	tilatioi	III3 all	atticionia

(1)

(ii)	Name two	risk factors	which r	mav le	ead to	the f	ormation	of an	atheroma.
(11)	I Vallic CVV	HISK TUCKOTS	vviii Cii i	illuy ic	au to		Officiation	or arr	atticionia.

(2)

(iii) An ath	neroma increases t	he risk of a blood	d clot forming in t	he coronary artery.


Describe the effects of a blood clot forming in the coronary artery.

(3)

(Total for Question 4 = 7 marks)



5 (a) An experiment was carried out into the effect of pH on the activity of a digestive enzyme.
The graph shows the results of the experiment.



(i) The student who carried out the experiment concluded that pH 3.2 was the optimum pH for the enzyme.

Explain why this conclusion is **not** likely to be correct.

(3)

(ii) Suggest, with a reason, where this digestive enzyme may be found in t alimentary canal.	the (2)
(b) Explain why the enzyme becomes inactive at pH 7.	(3)
(Total for Question 5	5 = 8 marks)

6	(a)	The ABO blood groups are controlled by the inheritance of three alleles: IA, IB and IO.	
		A woman who is heterozygous for blood group A has a child who is blood group O. She claims that the father of the child is blood group AB.	
		(i) State the genotype of the mother and of the child.	(1)
Мо	the	er	
Chi	ild		
		(ii) Explain why it is not possible for a man who is blood group AB to be the father	
		of this child.	(3)

(b) Using a suitable genetic diagram, show how it would be possible for a man with blood group B to be the father.	(4)

(c) Explain why it is important that blood from the correct group is given to someone needing a blood transfusion.		
	(2)	
	(Total for Question 6 = 10 marks)	
	TOTAL FOR PAPER = 60 MARKS	

