



# Mark Scheme (Results)

January 2014

Pearson Edexcel International GCSE  
Mathematics A (4MA0/3HR) Paper 3HR

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

January 2014

Publications Code UG037785

All the material in this publication is copyright

© Pearson Education Ltd 2014

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - eeo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from Questions 4(b), 13 and 18, where the mark scheme states otherwise, the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Question	Working	Answer	Mark	Notes
<b>1</b>	$1 \times 6 + 2 \times 8 + 3 \times 7 + 4 \times 3 + 5 \times 1$ or $6 + 16 + 21 + 12 + 5$ or 60		3	M1 for at least 4 correct products stated or evaluated
	"60" $\div$ 25			M1 (dep)
		2.4 oe		A1 Also accept 2 if both method marks are scored
				<b>Total 3 marks</b>

Question	Working	Answer	Mark	Notes
<b>2</b> (a)	$24 \times \frac{5}{3}$		2	M1 or $24 \div 3 (=8)$
		40		A1 cao
(b)	$\frac{45}{5} \times 4$ oe		2	M1 or $45 \div (4 + 1) (=9)$
		36		A1 cao
				<b>Total 4 marks</b>

Question	Working	Answer	Mark	Notes
3 (a)	eg $\frac{(5-2) \times 180}{5}$ , $180 - \frac{360}{5}$		2	M1 for $(5-2) \times 180$ or $3 \times 180$ or 540
		108		A1 cao
(b)	$y = \frac{360}{6}$		2	M1
		60		A1 cao
				<b>Total 4 marks</b>

Question	Working	Answer	Mark	Notes
4 (a)		$t(t+6)$	2	B2 Also award B2 for $(t+0)(t+6)$  B1 for factors which, when expanded and simplified, give two terms, one of which is correct.
(b)	$7x - 5x = -4 + 5$ or $2x - 5 = -4$ or $7x = 5x + 1$ etc		3	M1 for correct rearrangement with $x$ terms on one side and numbers on the other or for correct collection of either $x$ terms or numbers on one side in a correct equation
	$2x = 1$			M1 Award also for $-2x = -1$
		$\frac{1}{2}$ oe		A1 Award 3 marks if answer is correct and at least one method mark scored
(c)	$8y + 12 + 2y - 12$		2	M1 For 3 terms with correct signs or 4 terms without signs
		10y		A1 Also accept $10y + 0$
				<b>Total 7 marks</b>

Question	Working	Answer	Mark	Notes
5		2 4	2	B2 –withhold B1 mark for eeo
				<b>Total 2 marks</b>

Question	Working	Answer	Mark	Notes
6 (a)	$\frac{12}{100} \times 675$ oe or 81		3	M1
	675 + “81”			M1 (dep) M2 for $675 \times 1.12$ oe
		756		A1 cao
(b)	23% of amount = 2162 or $(1\% =) \frac{2162}{23}$ or 94 seen		3	M1 M2 for $\frac{2162}{23} \times 100$ oe
	“94” $\times 100$ or 9400 or “94” $\times 77$			M1
		7238		A1 cao
(c)	$\frac{40}{100} \times 1500$ oe or 600	OR $1500 \times 0.6^3$	3	M1 for eg $\frac{40}{100} \times 1500$ or 600
	$\frac{40}{100} \times (1500 - “600”)$ = 360 $\frac{40}{100} \times (1500 - “600” - “360”) =$ 216 1500 – “600” – “360” – “216”			M1 for completing method
		324		A1 cao
				<b>Total 9 marks</b>

Question	Working	Answer	Mark	Notes
7 (a)	$64.8^2 + 48.6^2$ or $4199.04 + 2361.96$ or $6561$		3	M1 for squaring and adding
	$\sqrt{64.8^2 + 48.6^2}$			M1 (dep) for square root
		81		A1
(b)	$\frac{w}{38.4} = \frac{102}{48}$ oe eg $38.4 \times \frac{102}{48}$		2	M1 for a full method
		81.6		A1 cao
				<b>Total 5 marks</b>



Question	Working	Answer	Mark	Notes
8 (a)	$\frac{4}{10} + \frac{2}{10}$ or $4 + 2$ or $6$		2	M1
		$\frac{6}{10}$ or $\frac{3}{5}$		A1
(b)	eg $\frac{4}{10} \times 200$		2	M1
		80		A1 cao
(c)(i)	$\frac{3}{10} \times \frac{2}{9}$		5	M1
		$\frac{6}{90}$ oe		A1 $\frac{6}{90}$ oe inc $\frac{1}{15}$ SC M1 for $\frac{3}{10} \times \frac{3}{10}$
(ii)	$\frac{3}{10} \times \frac{2}{9} + \frac{4}{10} \times \frac{3}{9} + \frac{2}{10} \times \frac{3}{9}$			M1 for one correct product M1 for sum of all 3 correct products
		$\frac{24}{90}$ oe		A1 for $\frac{24}{90}$ oe inc $\frac{4}{15}$
				SC: M1 for $\frac{3}{10} \times \frac{2}{10}$ or $\frac{4}{10} \times \frac{4}{10}$ or $\frac{2}{10} \times \frac{3}{10}$ M1 for $\frac{3}{10} \times \frac{2}{10} + \frac{4}{10} \times \frac{4}{10} + \frac{2}{10} \times \frac{3}{10}$
				<b>Total 9 marks</b>

Question	Working	Answer	Mark	Notes
<b>9</b> (a)		$y^5$	1	B1 cao
(b)	$4x + 12 > 8$ or $x + 3 > 2$		2	M1
		$x > -1$		A1
				<b>Total 3 marks</b>

Question	Working	Answer	Mark	Notes
<b>10</b> (a)	20 55 115 148 155 160		1	B1
(b)		Points correct	2	B1 $\pm \frac{1}{2}$ sq
		Curve or line segments		B1 ft from points if 4 or 5 correct or if points are plotted consistently within each interval at the correct heights Accept curve which is not joined to the origin
(c)	40 or $40\frac{1}{4}$ indicated on cumulative frequency axis or stated		2	M1 for 40 or $40\frac{1}{4}$ indicated on cumulative frequency axis or stated
		approx 63		A1 If M1 scored, ft from cf graph If M1 not scored, ft only from correct curve and, if answer is correct ( $\pm \frac{1}{2}$ sq tolerance) award M1 A1
				<b>Total 5 marks</b>

Question	Working	Answer	Mark	Notes
<b>11</b>	$20 = 2^2 \times 5$ and $24 = 2^3 \times 3$ or $2^3 \times 3 \times 5$ or 20,40,60,80,100,120 and 24,48,72,96,120		2	M1
		120		A1 or $2^3 \times 3 \times 5$ oe
				<b>Total 2 marks</b>

Question	Working	Answer	Mark	Notes
12 (a)	$7.2 \times \frac{2}{6}$ or $7.2 \div \frac{6}{2}$		2	M1
		2.4		A1 cao
(b)	scale factor = $\frac{8}{2}$ or 4 or $\frac{2}{8}$ or $\frac{1}{4}$		3	M1 for $\frac{8}{2}$ or 4 or $\frac{2}{8}$ or $\frac{1}{4}$
	$3.7 \times 4$ or $3.7 \div \frac{1}{4}$			M1 (dep)
		14.8		A1 Cao
(c)	$4^2$ or $(8 \div 2)^2$ or $(2 \div 8)^2$ or $(1 \div 4)^2$		2	M1 <b>SC: M1</b> for answer of 11.1 or for complete correct method of finding vert ht ( $h$ cm) of $\triangle PQR$ and vert ht ( $H$ cm) of $\triangle ABC$ eg $\frac{1}{2} \times "14.8" \times h = 72$ $h = \frac{144}{"14.8"} (9.7297\dots)$ $H = \frac{144}{"14.8"} \div "4" (2.4324\dots)$
		4.5oe		A1 <b>SC : M1</b> for an answer of 8
				<b>Total 7 marks</b>

Question	Working		Answer	Mark	Notes
<b>13</b> (a)	$12x + 20y = 56$ $12x + 9y = 12$	$9x + 15y = 42$ $20x + 15y = 20$		4	M1 for coefficients of $x$ or $y$ the same or for correct rearrangement of one equation followed by substitution in the other eg $3x + 5\left(\frac{4 - 4x}{3}\right) = 14$
	$(y =) 4$	$(x =) -2$			A1 dep on M1
	eg $3x + 5 \times 3 = 14$				M1 (dep on first M1) for substituting for the other variable
			-2 4		A1 cao dep Award full marks for correct values if at least first M1 scored
(b)			-2, 4	1	B1 ft from (a)
					<b>Total 5 marks</b>

Question	Working	Answer	Mark	Notes
<b>14</b>	$2 \times \pi \times 2.7 \times 4.9$ or $83(.12654\dots)$		3	M1 May be rounded or truncated to at least 2 sf (83.0844 if 3.14 used)
	$6 \times 8.7^2$ oe or 454.14			M1 May be rounded or truncated to at least 2 sf
		537		A1 for answer rounding to 537
				<b>Total 3 marks</b>

Question	Working	Answer	Mark	Notes
15 (a)		$3t^2 - 6$	2	B2 for $3t^2 - 6$
				B1 for two of three terms differentiated correctly
(b)	$6t$		2	M1 ft from quadratic (a)
		30		A1
				<b>Total 4 marks</b>

Question	Working	Answer	Mark	Notes
16	$A = (4 - \pi)r^2$ or $\frac{A}{r^2} = 4 - \pi$		3	M1
	$r^2 = \frac{A}{4 - \pi}$			M1 for isolating $r^2$
		$\sqrt{\frac{A}{4 - \pi}}$		A1 Also accept $\pm \sqrt{\frac{A}{4 - \pi}}$
				<b>Total 3 marks</b>

Question	Working	Answer	Mark	Notes
17	$(CD^2 =) \sqrt{8.3^2 - 4.7^2}$ or $\sqrt{68.89 - 22.09}$ or $\sqrt{46.8}$		4	M1
	$(CD =) 6.841\dots$			A1 for value which rounds to 6.8 (6.84105...)
	$\tan \angle ABC = \frac{6.84}{7.5}$ or $\tan \angle ABC = 0.912$			M1 dep on first M1
		42.4		A1 for awrt 42.4 (42.3692...)
				<b>Total 4 marks</b>

Question	Working	Answer	Mark	Notes
18 (i)	$\frac{-6 \pm \sqrt{6^2 - 4 \times -5 \times 2}}{2 \times -5}$		4	M1 for correct substitution condone + in place of ± and condone one sign error in substitution
	$\frac{-6 \pm \sqrt{76}}{-10} \text{ or } \frac{-6 \pm \sqrt{36 + 40}}{-10}$			M1 for correct simplification
		-0.272 1.47		A1 Award for answers which round to -0.272 (-0.2717...) and 1.47 (1.4717...) Award 3 marks for correct answers, if at least M1 scored. Condone missing negative solution
(ii)		1.47		B1 for answer which rounds to 1.47 ft from (i) if only one positive solution given
				<b>Total 4 marks</b>

Question	Working	Answer	Mark	Notes
19	$3 + \sqrt{x} + 3\sqrt{x} + (\sqrt{x})^2$ oe		3	M1
		(x =) 5		A1
		(y =) 8		A1
				<b>Total 3 marks</b>

Question	Working	Answer	Mark	Notes
20	$\frac{(x+4)(x-4)}{(x-4)(x-2)}$		3	M1 for $(x+4)(x-4)$ M1 for $(x-4)(x-2)$
		$\frac{x+4}{x-2}$		A1 cao
				<b>Total 3 marks</b>

Question	Working	Answer	Mark	Notes
21	$(\angle AOB \Rightarrow) 72^\circ$		5	B1 May be stated, appear in working or be marked on the diagram
	$AT = 7 \tan 72^\circ$ or 21.54... or $OT = \frac{7}{\cos 72^\circ}$ or 22.65...			M1
	(Area $\Delta OAT \Rightarrow$ ) $\frac{1}{2} \times 21.54... \times 7$ or (Area $\Delta OAT \Rightarrow$ ) $\frac{1}{2} \times 7 \times 22.65... \times \sin 72^\circ$ or 75.40...			M1
	(Area $\Delta OAB \Rightarrow$ ) $\frac{1}{2} \times 7 \times 7 \times \sin 72^\circ$ or 23.30...			M1
		52.1		A1 for awrt 52.1
				<b>Total 5 marks</b>

Question	Working	Answer	Mark	Notes
22 (a)	$\frac{1}{x-2} + 3$		3	M1
	$\frac{1+3(x-2)}{x-2}$ or $\frac{1+3x-6}{x-2}$			M1
		$\frac{3x-5}{x-2}$		A1
(b)	$y(x-2) = 1$ or $xy - 2y + 1$		3	M1 Alternative method $x(y-2) = 1$ or $xy - 2x = 1$
	$xy = 2y + 1$			M1 $xy = 1 + 2x$
		$\frac{2x+1}{x}$		A1 or $\frac{1}{x} + 2$
				<b>Total 5 marks</b>



