



Mark Scheme (Results)

January 2015

Pearson Edexcel International GCSE  
Mathematics A (4MA0)  
Paper 2FR

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

January 2015

Publications Code UG040589

All the material in this publication is copyright

© Pearson Education Ltd 2015

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

### IGCSE Maths Jan 2015 - Paper 2FR Mark scheme

Apart from Questions 20 and 25a where the mark scheme states otherwise, the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Ques	Working	Answer	Mark	Notes
1a		16	1	B1
b		20	1	B1
	20 + 10 = 30	3 full eggs and three quarters	2	M1 '20' + 10 or 1.5 full eggs drawn
c				A1 ft
				<b>Total 4 marks</b>

Ques	Working	Answer	Mark	Notes
2a		$\frac{3}{8}$	1	B1
b		$\frac{3}{5}$	1	B1 oe
c		0.4	1	B 1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
3ai		acute	2	B1
aii		60		B1 58 - 62
b		R placed correctly	1	B1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
4		Correct circle	2	B2 correct circle (B1 circle with radius 6 cm or for circle partially within guidelines or radius 3 cm centre P or centre Q)
				<b>Total 2 marks</b>

Ques	Working	Answer	Mark	Notes
5	$3 \times 1000$ or $340 \div 1000$		3	M1
	$3000 \div 340$ or $3 \div 340 = 8.82\dots$			M1 allow "3000" $\div$ 340
		8		A1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
6a		19 00	1	B1 19 00
b	8:40 to 9:40 to 10:00 $+(45 - 20)$ $8:40 + 1:45 = 9:85$		2	M1 for a correct approach by addition eg 8:40 to 9:40 to 10:00 $+(45 - 20)$ or $8:40 + 1:45 = 9:85$
		10:25		A1 10:25
c	$\frac{40}{60}$	$\frac{2}{3}$	2	B2 for $\frac{2}{3}$ (B1 any other equivalent fraction)
				<b>Total 5 marks</b>

Ques	Working	Answer	Mark	Notes
7ai		Marked at 0.5	1	B1 professional judgement
aii		Marked at 0	1	B1 professional judgement
b		Likely	1	B1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
8	$84 \div 3 = 28$		3	M1
	$84 - 28$ or $2 \times 28$			M1 dep
		56		A1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
9a	$6 \times 40 = 240$ $240 + 50$		2	M1
		290		A1
b	$410 - 50 = 360$		2	M1 or $6 + (410 - '290') \div 40$
	$360 \div 40$	9		A1
				<b>Total 4 marks</b>

Ques	Working	Answer	Mark	Notes
10a		$7m$	1	B1
b		$5x$	1	B1
c		$12y$	1	B1
d	$4 \times 2 + 9$	17	1	B1
e	$2 \times 3^2$	18	1	B1
				<b>Total 5 marks</b>

Ques	Working	Answer	Mark	Notes																					
11a	<table border="1"> <tr> <td rowspan="5">A \ B</td> <td>1</td> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>2</td> <td>3</td> <td>4</td> <td>5</td> </tr> <tr> <td>3</td> <td>4</td> <td>5</td> <td>6</td> </tr> <tr> <td>4</td> <td>5</td> <td>6</td> <td>7</td> </tr> <tr> <td>5</td> <td>6</td> <td>7</td> <td>8</td> </tr> </table>	A \ B	1	2	3	4	2	3	4	5	3	4	5	6	4	5	6	7	5	6	7	8	Correct table	2	B2 fully correct table (B1 6 or more correct entries)
	A \ B		1	2	3	4																			
			2	3	4	5																			
			3	4	5	6																			
			4	5	6	7																			
5		6	7	8																					
b			2	M1 for $\frac{n}{16}$ with $0 < n < 16$ or for $\frac{3}{m}$ with $m > 3$																					
		$\frac{3}{16}$ oe		A1																					
c			2	M1 all 6 cases identified (condone 1 error)																					
		$\frac{6}{16}$ oe		A1																					
				<b>Total 6 marks</b>																					

Ques	Working	Answer	Mark	Notes
12a		Rectangle with 8 squares	1	B1
b		Isosceles triangle with $8 \text{ cm}^2$	2	B2 (B1 for isosceles triangle with area not $8 \text{ cm}^2$ or for non-isosceles triangle with area of $8 \text{ cm}^2$ )
				<b>Total 3 marks</b>



Ques	Working	Answer	Mark	Notes
13a		3	1	B1 2.8 - 3.2
b		-14	1	B1 ft
c	20 + '14'	34	1	B1 ft Accept -34
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
14a	$8 \times 5 \times 50$		2	M1
		2000		A1
b	$12.5 \times 25 = 312.5$		3	M1 for $12.5 \times 25 (= 312.5)$
	$2000 \div 312.5$			M1 "2000" $\div 312.5$
		6.4		A1 ft
				<b>Total 5 marks</b>

Ques	Working	Answer	Mark	Notes
15a		23	1	B1
b	$1200 \div 8 \times 12$		2	M1 $1200 \div 8 \times 12$ oe
		1800		A1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
16		A $x = 3$ B $y = -2$ C $y = -x$	3	B1 B1 B1
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
17	$600 \times 67.1 (= 40260)$ or $67.1 \div 82.5 (=0.813\dots)$		3	M1
	“40260” $\div$ 82.5 or “0.813..” $\times$ 600			M1 dep
		488		A1 SC: B2 for 712
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
18a	$\pi \times 150$ oe		2	M1
		471		A1 awrt 471
b	$30 \times 60 (=1800)$ or “471” $\div$ 30 (=15.7)		3	M1
	“471” $\div$ ”1800” or “15.7” $\div$ 60			M1 dep
		0.262		A1 for 0.26 – 0.262 or ft from (a)
c	Radius = $x - h$ or $\frac{D}{2} = x - h$ oe		2	M1
		$h = x - \frac{D}{2}$ oe		A1 or $h = \frac{2x - D}{2}$
				<b>Total 7 marks</b>

Ques	Working	Answer	Mark	Notes
<b>19</b>	Angle $DAB = 110$		4	B1 can be implied by angle $DAX = \text{angle } BAX = 55^\circ$
	Angle $BAX = 110 \div 2 (= 55)$ <b>or</b> Angle $DAX = 110 \div 2 (= 55)$ <b>or</b> Angle $AXD = 55$			M1
	Angle $AXD = 55$ <b>or</b> Angle $CBA = 180 - 110 (=70)$ <b>or</b> Angle $ADC = 180 - 110 (=70)$			M1
		125		A1
				<b>Total 4 marks</b>

Ques	Working	Answer	Mark	Notes
<b>20</b>	$2y - - y = 3 - 6$ <b>or</b> $x + 2x = 3 + 12$		3	M1 for a complete method to eliminate one variable (condone one arithmetic error)
				A1 $x = 5$
		$x = 5, y = -1$		A1 $y = -1$ NB: Candidates showing no working score 0 marks
				<b>Total 3 marks</b>

Ques	Working	Answer	Mark	Notes
21a		$8 \times 10 + 1, 81, 9^2$	2	B2 All three correct (B1 two correct)
b		19	1	B1 cao
ci		$n(n+2)+1$	2	B1 for $n(n+2)+1$ on answer line or in table
ii		$(n+1)^2$		B1 for $(n+1)^2$ on answer line or in table  SC : If no marks scored in (i) or (ii) award B1 for $n^2 + 2n + 1$ in (b)
				<b>Total 5 marks</b>

Ques	Working	Answer	Mark	Notes
22	$3 \times 8 + 8 \times 10 + 13 \times 18 + 18 \times 20 + 23 \times 10 + 28 \times 4$ <b>or</b> $24 + 80 + 234 + 360 + 230 + 112$ <b>or</b> 1040		4	M1 finds products $f \times x$ consistently within intervals (inc end points) allow 1 error NB. products do not have to be evaluated
				M1 (dep on first M1) –uses midpoints
	$\frac{3 \times 8 + 8 \times 10 + 13 \times 18 + 18 \times 20 + 23 \times 10 + 28 \times 4}{8 + 10 + 18 + 20 + 10 + 4}$ <b>or</b> “1040” $\div (8 + 10 + 18 + 20 + 10 + 4)$			M1 (dep on first M1) $\Sigma fx \div \Sigma f$
		14.9		A1 14.8 – 14.9 or $14\frac{6}{7}$ Accept 15 if full working shown
				<b>Total 5 marks</b>

Ques	Working	Answer	Mark	Notes
23a	$\frac{1}{2}(14+20)\times 8$ or $8\times 14 + \frac{1}{2}\times 6\times 8$		2	M1 for a complete method
		136		A1
b	$20 - 14 (= 6)$		4	M1
	$6^2 + 8^2$ or $36 + 64$ or $100$			M1 dep on previous M1
	$\sqrt{6^2 + 8^2}$			M1 dep on previous M1
		10		A1
				<b>Total 6 marks</b>

Ques	Working	Answer	Mark	Notes
24a		3, 6, 9	1	B1 condone {3, 6, 9}
b		{2,3,4,6,8,9,10}	1	B1 condone omission of brackets
c		{6}	1	B1 condone omission of brackets
d		3, 9	2	B2 cao (B1 for one of 3, 9 with no incorrect numbers or 3, 6, 9)
				<b>Total 5 marks</b>

Ques	Working	Answer	Mark	Notes
25a	$224 = 2 \times 112 = 2 \times 2 \times 56 =$ $2 \times 2 \times 2 \times 28 = 2 \times 2 \times 2 \times 2 \times 14$ $2 \times 2 \times 2 \times 2 \times 7$		3	M1 for at least 2 correct steps in repeated factorisation (may be seen in a tree diagram)
				A1 2, 2, 2, 2, 2, 7 ( condone inclusion of 1)
		$2^5 \times 7$		A1 $2^5 \times 7$ NB: Candidates showing no working score 0 marks
b	$56 + 32 + 16$ $56 + 32 + 14$ $56 + 28 + 16$		2	M1 for any 3 correct distinct factors (excluding 1 and 224)
		eg. 56, 32, 16 or 56, 32, 14 or 56, 28, 16		A1 correct and have a sum between 99 and 110
				<b>Total 5 marks</b>



