

**GENERAL CERTIFICATE OF SECONDARY EDUCATION
TWENTY FIRST CENTURY SCIENCE
ADDITIONAL SCIENCE A**

A216/02

Unit 2: Modules B5 C5 P5 (Higher Tier)

Candidates answer on the question paper.
A calculator may be used for this paper.

OCR supplied materials:
None

Other materials required:

- Pencil
- Ruler (cm/mm)

**Monday 24 January 2011
Afternoon**

Duration: 40 minutes



Candidate
forename

Candidate
surname

Centre number

Candidate number

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Answer **all** the questions.
- Do **not** write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **42**.
- A list of physics equations is printed on page **2**.
- The Periodic Table is printed on the back page.
- This document consists of **20** pages. Any blank pages are indicated.

TWENTY FIRST CENTURY SCIENCE EQUATIONS

Useful Relationships

Explaining Motion

$$\text{speed} = \frac{\text{distance travelled}}{\text{time taken}}$$

$$\text{momentum} = \text{mass} \times \text{velocity}$$

$$\text{change of momentum} = \text{resultant force} \times \text{time for which it acts}$$

$$\text{work done by a force} = \text{force} \times \text{distance moved by the force}$$

$$\text{change in energy} = \text{work done}$$

$$\text{change in GPE} = \text{weight} \times \text{vertical height difference}$$

$$\text{kinetic energy} = \frac{1}{2} \times \text{mass} \times [\text{velocity}]^2$$

Electric Circuits

$$\text{resistance} = \frac{\text{voltage}}{\text{current}}$$

$$\frac{\text{voltage across primary coil}}{\text{voltage across secondary coil}} = \frac{\text{number of turns in primary coil}}{\text{number of turns in secondary coil}}$$

$$\text{energy transferred} = \text{power} \times \text{time}$$

$$\text{power} = \text{potential difference} \times \text{current}$$

$$\text{efficiency} = \frac{\text{energy usefully transferred}}{\text{total energy supplied}} \times 100\%$$

The Wave Model of Radiation

$$\text{wave speed} = \text{frequency} \times \text{wavelength}$$

3

Answer **all** the questions.

1 Air is a mixture of different gases.

Each year we extract thousands of tonnes of gases from the air.

Many of these gases are very useful.

(a) We extract each gas by cooling the air until the gas turns into a liquid.

Different gases turn into liquids at different temperatures.

Here is some information about the gases.

gas	melting point in K	boiling point in K
argon	84	87
nitrogen	63	77
oxygen	55	90
water vapour	273	373

Which gas turns from a gas into a liquid at the **lowest** temperature?

answer [1]

(b) Oxygen is made of molecules.

Liquid oxygen turns into a gas at extremely low temperatures.

Explain why.

Use your understanding of forces and molecules in your answer.

.....

.....

.....

..... [3]

[Total: 4]

2 We have extracted iron since the Iron Age.


We still use the same method.

We extract the iron by heating iron oxide with carbon in a furnace.

Different reactions take place in the furnace.

(a) In one reaction, carbon takes the oxygen away from iron oxide.

(i) Fill in the boxes to write a word equation for this reaction.



[2]

(ii) Use words from this list to complete the sentences below.

combined electrolysed melted oxidised precipitated reduced


When carbon gains oxygen we say that the carbon has been

When a metal oxide loses oxygen we say that the metal has been

[1]

(iii) Another reaction for making iron is between iron oxide and carbon monoxide gas.

Put numbers in the boxes to balance the equation for this reaction.



[2]

5

(b) Not all metals are extracted by heating their ores with carbon.

Some metals are extracted by electrolysis.

metal	extracted by	melting point of the metal in K
lead	heating with carbon	601
magnesium	electrolysis	922
aluminium	electrolysis	933
calcium	electrolysis	1112
cobalt	heating with carbon	1768
iron	heating with carbon	1808

Use the table to decide which three metals are likely to be more reactive than the others.

answer and and [1]


[Total: 6]

6

- 3 Scientists are worried about the increasing amounts of carbon in our atmosphere.

Look at the diagram of the carbon cycle.

The numbers show how many gigatonnes of carbon move in each direction every year.



- (a) The amount of carbon in the atmosphere is increasing.

By how many gigatonnes does it increase every year?

Put a ring around the correct answer.

2 3 5 90 102 [1]

- (b) Most of the carbon in the atmosphere is in the form of carbon dioxide.

The diagram shows that 92 gigatonnes of carbon dissolve in the oceans every year.

How many gigatonnes of carbon dioxide does this represent?


Put a ring around the answer.

$\frac{12}{44} \times 92$ $\frac{12}{32} \times 92$ $\frac{32}{12} \times 92$ $\frac{44}{12} \times 92$ [1]

- (c) Carbon dioxide dissolves in seawater.

Carbon dioxide in solution reacts with water to form ions.

- (i) Put **state symbols** in the boxes to complete the equation for this reaction.



- (ii) Mary wants to see if sea water really is an ionic solution.

What could she measure to show that it contains ions?

..... [1]

[Total: 4]

- 4 Mains electricity is produced by generators in power stations.



Each generator contains a magnet and a coil of wire.

- (a) Describe how the magnet and the coil of wire are used to make electricity.

Include the name of the process.

.....

.....

.....

..... [2]

- (b) State **two** ways that you could increase the voltage of the electricity produced by a generator.

.....

.....


.....

..... [2]

[Total: 4]

8

5 Charles puts this circuit together.



(a) The lamp glows.

Here are some statements about the circuit.

Which **two** statements, when taken together, explain why the lamp glows?

Put ticks (✓) in the boxes next to the **two** statements required.

The wires have some resistance.

☐

The current in the lamp heats it up.

☐

The battery pushes charges through the lamp.

☐

The wires have charges that are free to move.

☐


Only the lamp has charges that are free to move.

☐

[2]

9

- (b) Charles adds an ammeter to measure the current in the lamp.



The lamp has a power of 3W.

What does the ammeter read?

Put a ring around the correct answer.

0.5 A

2.0 A

6.0 A

18 A

[1]

- (c) There is not enough current in the circuit to make the lamp glow brightly.

Charles adds another battery and the lamp glows brightly.

Complete the sentences. Choose words from this list.

decreases

increases

parallel

series

Charles adds the second battery in to the first one.


This the potential difference across the lamp.

[1]

[Total: 4]

10

6 Fleur assembles this circuit.



(a) The resistor, ammeter and lamp are **in series**.

Explain why all three components have exactly the same current.

.....


.....

.....

..... [2]

(b) Fleur wants to add a voltmeter to measure the potential difference across the resistor.

(i) Draw on this circuit diagram to show how Fleur should connect the voltmeter.



[1]

11

- (ii) Fleur finds that the potential difference across the resistor is 6V.

The potential difference across the battery is 9V.

The ammeter reads 0.5 A.


What is the resistance of the **lamp**?

Put a ring around the correct answer.

6 Ω **12 Ω** **18 Ω** **30 Ω** **[1]****[Total: 4]**

12

- 7 Zara does an experiment with a pair of balloons on strings.
She rubs each balloon against her clothing.
Zara then holds the balloons up by their strings.



Complete this explanation of why the balloons hang like this.

Choose the best words from the list.

atoms	attract	different	electrons	identical	
shield	negative	neutral	positive	protons	repel


The rubbing transfers some from each balloon to Zara's clothing so,
this leaves each balloon with a charge.

The reason the balloons each other is because they have
kinds of charge. [2]


[Total: 2]

8 Martin is studying mayflies.

He looks at an adult mayfly and a mayfly nymph.



adult mayfly




mayfly nymph

(a) (i) The adult mayfly lays eggs in the water.

The eggs hatch into nymphs.

The nymphs grow bigger.



Complete the sentences.

The type of cell division at **P** is , which makes cells that have number of chromosomes as the adult cells.

The type of cell division at **Q** is , which makes cells that have number of chromosomes as the fertilised egg.

[2]

14

(ii) The statements **A** to **D** are about processes of the cell cycle.

Put the letters **A**, **B**, **C** and **D** in the correct column of the table to show whether the processes occur during **cell growth** or **cell division**.

- A** the numbers of organelles increase
- B** copies of the chromosomes separate
- C** new strands of DNA form
- D** strands of each DNA molecule separate

cell growth	cell division

[2]

(b) Once a nymph grows into an adult, it has different specialised tissues.

Five people are asked to explain this.

The diagram shows five people, each with a speech bubble containing their explanation for why a nymph has different specialised tissues when it grows into an adult.

- Jeremy**: All of the genes are switched on and become active.
- Teresa**: Some of the genes are lost from the cells.
- Vick**: Some of the active genes are switched off.
- Cassie**: Some genes are added to the cells.
- Andrew**: Some of the inactive genes are activated.

Which **two** people give the best explanations?

answer and [1]

[Total: 5]

16

- 9 Susie sees a plant she likes in a friend's garden.

She asks if she can take a cutting.

- (a) Which part of her friend's plant should Susie use to grow an identical plant?

Put a ring around the correct answer.

flower

fruit

seed

stem

[1]

- (b) Susie dips the bottom of her cutting in some rooting powder.

She then puts the cutting into a pot of soil.

What does the rooting powder contain that helps the cutting grow roots?

..... [1]

- (c) Susie's cutting grows into a new plant.

Which statements explain how this is possible?

Put ticks (✓) in the boxes next to the **two** correct answers.

Some unspecialised cells develop into other tissues.

☐

Some unspecialised cells develop into organs.

☐

Some xylem cells become phloem cells.

☐

Some plant cells become unspecialised.

☐

Some leaf cells become root cells.


☐

[2]

17

(d) Susie keeps her new plant in a pot near a window.

The shoot grows towards the light.



Draw **one** line to join the **effect of light** on the distribution of auxin to its **effect on the cells** in the shoot.

effect of light

more auxin on
lit side

or

more auxin on
shaded side

effect on the cells

makes these cells
grow more slowly

or

makes these cells
grow more quickly

[1]

[Total: 5]

10 DNA carries genetic information.

(a) What is the name given to the shape of DNA?

..... [1]

(b) DNA in one part of the cell codes for the production of molecules in another part of the cell.

Explain how this happens.

In your answer write about

- the code in DNA
- different sites in the cell
- the type of molecule produced.

.....
.....
.....
.....
.....
..... [3]

[Total: 4]

END OF QUESTION PAPER

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

1	2	Key										3	4	5	6	7	0	
		relative atomic mass atomic symbol name atomic (proton) number																
7 Li lithium 3	9 Be beryllium 4											11 B boron 5	12 C carbon 6	14 N nitrogen 7	16 O oxygen 8	19 F fluorine 9	20 Ne neon 10	
23 Na sodium 11	24 Mg magnesium 12											27 Al aluminium 13	28 Si silicon 14	31 P phosphorus 15	32 S sulfur 16	35.5 Cl chlorine 17	40 Ar argon 18	
39 K potassium 19	40 Ca calcium 20	45 Sc scandium 21	48 Ti titanium 22	51 V vanadium 23	52 Cr chromium 24	55 Mn manganese 25	56 Fe iron 26	59 Co cobalt 27	59 Ni nickel 28	63.5 Cu copper 29	65 Zn zinc 30	70 Ga gallium 31	73 Ge germanium 32	75 As arsenic 33	79 Se selenium 34	80 Br bromine 35	84 Kr krypton 36	
85 Rb rubidium 37	88 Sr strontium 38	89 Y yttrium 39	91 Zr zirconium 40	93 Nb niobium 41	96 Mo molybdenum 42	[98] Tc technetium 43	101 Ru ruthenium 44	103 Rh rhodium 45	106 Pd palladium 46	108 Ag silver 47	112 Cd cadmium 48	115 In indium 49	119 Sn tin 50	122 Sb antimony 51	128 Te tellurium 52	127 I iodine 53	131 Xe xenon 54	
133 Cs caesium 55	137 Ba barium 56	139 La* lanthanum 57	178 Hf hafnium 72	181 Ta tantalum 73	184 W tungsten 74	186 Re rhenium 75	190 Os osmium 76	192 Ir iridium 77	195 Pt platinum 78	197 Au gold 79	201 Hg mercury 80	204 Tl thallium 81	207 Pb lead 82	209 Bi bismuth 83	[209] Po polonium 84	[210] At astatine 85	[222] Rn radon 86	
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated							

Key

relative atomic mass
atomic symbol
name
atomic (proton) number

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.